云 南 植 物 研 究 1991; 增刊IV: 1—139
Acta Botanica Yunnanica

中国种子植物属的分布区类型*

吴征镒
(中国科学院昆明植物研究所, 昆明 650204)

中国种子植物属的分布区类型的研究起始于1952年，当时由于全国植物学工作者的共同努力，已基本完成了中国种子植物属的检索表，而为本项研究提供了极其初步，却比较清晰的轮廓。其后，在中国科学家组成访苏代表团时，我又结合中国植物区系分区问题，初步分析了中国全境以及境内各自然植物区的特有科、属。1959年，当我在云南大学生物系授课时，于编写中国植物区系学大纲的过程中，我又不得不进一步涉猎这一方面的问题，并于1964年，借在北京参加组织和召开亚、非、拉地区国际科学讨论会之机，全面整理分析了当时已有记载的中国种子植物属2980个的分布区，将它们大体概括为15个类型和31个变型，并相当详细地讨论了存在于各类型之间的区别和联系。尽管这一基本论述当时并未全文发表，所根据的原始资料更未公之于众，但却为1975年后，中国自然地理——植物地理（上册）第二章“中国种子植物属的分布区类型及其区系起源”提供了最基本的素材和最初的表现形式。在该书（106页,1983）中曾提出过:“经过反复检验，实践证明这样的划分方法可以揭示各分布区类型的特征及其相互关系，并把地理成分和发生成分的研究联系起来，进一步为区系分区打下了坚实的基础”。

现在看来，这一论点至少到目前为止，似乎还是有效的。以下正式发表的这批基本资料是经过1975年后，最近15年间，从多种文献资料中补充修正的。中国有记录的属已达3116个（表1），而它们均能被全部纳入于上述15个大类型和31个变型中而并不存在例外。当然，今后随着时间的推移和资料的积累，每个具体属的确定范围和由之形成的分布区类型的“属性”仍将不断变化，然而这一分类方法和方案，以及所根据的原始资料，似乎已经达到可以公之于众而为公众所利用的程度。发表以后，若能因此而促进中国植物区系学的发展，固所愿也，然而那将是在更大规模的“反复检验”之后了。

有关这15个分布区类型和31个变型的纲要性界说将在下文重申1983年发表时的名称和所用的叙述，仅在个别地方有所阐发或修正。

1.世界分布 Cosmopolitan

世界分布区类型包括几乎遍布世界各大洲而没有特殊分布中心的属，或虽有一个或数个分布中心而包含世界分布种的属。

---

* 国家自然科学基金资助项目 9390010。

2.泛热带分布 Pantropic

泛热带分布区类型包括普遍分布于东、西两半球热带，和在全世界热带范围内有一个或数个分布中心，但在其他地区也有一些种类分布的热带属。有不少属广布于热带、亚热带甚至到温带。对于这些属需要研究其原始类型，或其大多数种集中在哪个带而决定其归属。对于单型属和少型属还要参考其科内亲缘关系。(以下有类似情况者准此)。

2–1. 热带亚洲、大洋洲（至新西兰）和中、南美（或墨西哥）间断分布. Trop. Asia, Australasia (to N. Zeal.) & C. to S. Amer. (or Mexico) disjuncted. 如标题的性质和范围。

2–2. 热带亚洲、非洲和中、南美洲间断分布.Trop. Asia, Africa & C. to S. Amer. disjuncted. 如标题的性质和范围。

3.热带亚洲和热带美洲间断分布 Trop. Asia & Trop. Amer. disjuncted

这一分布区类型包括间断分布于美洲和亚洲温暖地区的热带属，在旧世界（东半球）从亚洲可能延伸到澳大利亚东北部或西南太平洋岛屿。

4.旧世界热带分布 Old World Tropics

旧世界热带是指亚洲、非洲和大洋洲热带地区及其邻近岛屿（也常称为古热带 Paleotropics），以与美洲新大陆热带相区别。

4–1. 热带亚洲、非洲（或东非、马达加斯加）和大洋洲间断分布。Trop. Asia., Africa (or E. Afr., Madagascar) & Australasia disjuncted. 如标题的性质和范围。

5.热带亚洲至热带大洋洲分布 Tropical Asia & Trop. Australasia

热带亚洲—大洋洲分布区是旧世界热带分布区的东翼，其西端有时可达马达加斯加，但一般不到非洲大陆。

5–1. 中国（西南）亚热带和新西兰间断分布。Chinese (SW.) Subtropics & New Zealand disjuncted. 如标题的性质和范围。

6.热带亚洲至热带非洲分布 Trop. Asia to Trop. Africa

这一分布区类型是旧世界热带分布区类型的西翼，即从热带非洲至印度—马来西亚，特别是其西部（西马来西亚），有的属也分布到斐济等南太平洋岛屿，但不见于澳大利亚大陆。

6–1. 华南、西南到印度和热带非洲间断分布。S., SW. China to India & Trop. Africa disjuncted. 如标题的性质和范围。

6–2. 热带亚洲和东非或马达加斯加间断分布。Trop. Asia & E. Afr. or Madagascar disjuncted. 如标题的性质和范围。

7.热带亚洲（印度—马来西亚）分布 Trop. Asia (Indo–Malesia)

热带亚洲（印度—马来西亚）是旧世界热带的中心部分。这一类型分布区的范围包括印度、斯里兰卡、缅甸、泰国、中南半岛、印度尼西亚、加里曼丹、菲律宾及新几内亚等。东面可达斐济等南太平洋岛屿，但不到澳大利亚大陆。其中分布区的北部边缘，往往到达我国西南、华南及台湾，甚至更北地区。

7–1. 爪哇（或苏门达腊）、喜马拉雅间断或星散分布到华南、西南.Java(or Sumatra), Himalaya to S., SW. China disjuncted or diffused. 如标题的性质和范围。

7–2. 热带印度至华南（尤其云南南部）分布。Trop. India to S. China (esp. S. Yunnan). 如标题的范围。

7–3. 缅甸、泰国至华西南分布。Burma, Thailand to SW. China. 如标题的范围。

7–4. 越南（或中南半岛）至华南（或西南）分布。Vietnam (or Indo–Chinese Peninsula) to S. China (or SW. China).如标题的范围。

8.北温带分布 North Temperate

北温带分布区类型一般是指那些广泛分布于欧洲、亚洲和北美洲温带地区的属。由于地理和历史的原因，有些属沿山脉向南伸延到热带山区，甚至远达南半球温带，但其原始类型或分布中心仍在北温带。

8–1. 环北极分布。Circumpolar (Circumarctic). 分布于北温带北部及极地周围，个别可延至更低纬度，包括环两极间断分布（Amphipolar disjuncted).

8–2. 北极—高山分布。Arctic–alpine. 在环北极及较高纬度的高山分布，或甚至到亚热带和热带高山区。

8–3. 北极至阿尔泰和北美洲间断分布。Arctic to Altai & N. Amer. disjuncted.

8–4. 北温带和南温带间断分布“全温带”。N. Temp. & S. Temp. disjuncted. (“Pan–temperate”) 包括北温带和澳大利亚或澳大利亚–南非洲或澳大利亚–南美洲间断分布；北温带和南美洲–南非洲间断分布；北温带和南美洲间断分布；北温带和南部非洲间断分布以及标准型。

8–5. 欧亚和南美温带间断分布。Eurasia & Temp. S. Amer. disjuncted. 如标题的性质和范围。

8–6. 地中海、东亚、新西兰和墨西哥–智利间断分布。Mediterranea, E. Asia, New Zealand and Mexico–Chile disjuncted.间断分布于地中海区欧洲和北非；喜马拉雅至温带、亚热带东亚和菲律宾及伊利安；新西兰及南太平洋诸岛；墨西哥至智利（沿安底斯山)。

9.东亚和北美洲间断分布 E. Asia & N. Amer. disjuncted

间断分布于东亚和北美洲温带及亚热带地区。

9–1. 东亚和墨西哥间断分布。E. Asia and Mexico disjuncted. 如标题的性质和范围。从墨西哥可延至巴拿马和西印度群岛。

10.旧世界温带分布 Old World Temperate

这一分布区类型一般是指广泛分布于欧洲、亚洲中–高纬度的温带和寒温带、或最多有个别种延伸到亚洲–非洲热带山地或甚至澳大利亚的属。

10–1. 地中海区、西亚(或中亚)和东亚间断分布。Mediterranea. W. Asia (or C. Asia) & E. Asia disjuncted.分布中心多偏于东亚、个别则偏于地中海—西亚。

10–2. 地中海区和喜马拉雅间断分布。Mediterranea & Himalaya disjuncted. 个别从喜马拉雅延伸到印度尼西亚或爪哇。

10–3. 欧亚和南部非洲（有时也在大洋洲）间断分布。Eurasia & S. Africa (Sometimes also Australasia) disjuncted. 如标题的性质和范围。

11.温带亚洲分布 Temp. Asia

这一分布区类型是指主要局限于亚洲温带地区的属。它们分布区的范围一般包括从苏联中亚（或南俄罗斯）至东西伯利亚和亚洲东北部，南部界限至喜马拉雅山区，我国西南，华北至东北，朝鲜和日本北部。也有一些属种分布到亚热带，个别属种到达亚洲热带，甚至到新几内亚。

12.地中海区、西亚至中亚分布 Mediterranea, W. Asia to C. Asia

这一分布区类型是指分布于现代地中海周围，经过西亚或西南亚至苏联中亚和我国新疆、青藏高原及蒙古高原一带的属。中亚乃指亚洲内陆整个干旱中心地区，包括苏联中亚部分（中亚西部），我国新疆，青藏高原至内蒙西部和蒙古南部（中亚东部），亦即古地中海区的大部分。

12–1.地中海区至中亚和南非洲、大洋洲间断分布。Mediterranea to C. Asia & S. Africa, Australasia disjuncted. 如标题的性质和范围。

12–2.地中海区至中亚和墨西哥至美国南部间断分布。Mediterranea to C. Asia & Mexico to S. USA. disjuncted. 如标题的性质和范围。

12–3.地中海区至温带—热带亚洲、大洋洲和南美洲间断分布。Mediterranea to Temp. –Trop. Asia, Australasia & S. Amer. disjuncted. 如标题的性质和范围。

12–4.地中海区至热带非洲和喜马拉雅间断分布。Mediterranea to Trop. Africa & Himalaya disjuncted. 如标题的性质和范围。

12–5.地中海区至北非洲，中亚，北美洲西南部，非洲南部，智利和大洋洲间断分布（"泛地中海"）。Mediterranea to N. Africa, C. Asia, SW. N. Amer., S. Africa, Chile and Australasia disjuncted ("Pan–Mediterranean"). 如标题的性质和范围。

13.中亚分布 C. Asia

这一分布区类型是指只分布于中亚（特别是山地）而不见于西亚及地中海周围的属，即约位于古地中海的东半部。

13–1.中亚东部（亚洲中部）分布。East C. Asia (or Asia Media), In Sinkiang (especially Kaschgaria), Kansu, Qinghai to Mongolia. 在我国新疆（特别是南疆）、甘、青至蒙古。

13–2.中亚至喜马拉雅和我国西南分布。C. Asia to Himalaya & S. W. China. 如标题的性质和范围。

13–3.西亚至西喜马拉雅和西藏分布。W. Asia to W. Himalaya & Tibet. 如标题的范围。

13–4.中亚至喜马拉雅–阿尔泰和太平洋北美洲间断分布。C. Asia to Himalaya–Altai & Pacific N. Amer. disjuncted. 如标题的性质和范围。

14.东亚分布 E. Asia

这里指的是从东喜马拉雅一直分布到日本的一些属。其分布区向东北一般不超过苏联境内的阿穆尔州，并从日本北部至萨哈林，向西南不超过越南北部和喜马拉雅东部，向南最远达菲律宾、苏门答腊和爪哇，向西北一般以我国各类森林边界为界。它们和温带亚洲的一些属有时难以区分，但本类型一般分布区较小，几乎都是森林区系成分，并且分布中心不超过喜马拉雅至日本的范围。

表 1. 中国种子植物属的分布区类型和变型

分布区类型及其变型	属 数
一.1.世界分布	104
二.泛热带分布及其变型	
2.泛热带	316
2–1. 热带亚洲、大洋洲和南美洲（墨西哥）间断	17
2–2. 热带亚洲、非洲和南美洲间断	29
三.3.热带亚洲和热带美洲间断分布	62
四.旧世界热带分布及其变型	
4.旧世界热带	147
4–1. 热带亚洲、非洲和大洋洲间断	30
五.热带亚洲至热带大洋洲分布及其变型	
5.热带亚洲至热带大洋洲	147
5–1. 中国（西南）亚热带和新西兰间断	1
六.热带亚洲至热带非洲分布及其变型	
6.热带亚洲至热带非洲	149
6–1. 华南、西南到印度和热带非洲间断	6
6–2. 热带亚洲和东非间断	9
七.热带亚洲分布及其变型	
7.热带亚洲（印度–马来西亚）	442
7–1. 爪哇、喜马拉雅和华南、西南星散	30
7–2. 热带印度至华南	43
7–3. 缅甸、泰国至华西南	29
7–4. 越南（或中南半岛）至华南（或西南）	67
八.北温带分布及其变型	
8.北温带	213
8–1. 环极	10
8–2. 北极–高山	14
8–3. 北极–阿尔泰和北美洲间断	2
8–4. 北温带和南温带（全温带）间断	57
8–5. 欧亚和南美洲温带间断	5
8–6. 地中海区、东亚、新西兰和墨西哥到智利间断	1
九.东亚和北美洲间断分布及其变型	
9.东亚和北美洲间断	123
9–1. 东亚和墨西哥间断	1
十.旧世界温带分布及其变型	
10. 旧世界温带	114
10–1. 地中海区、西亚和东亚间断	25
10–2. 地中海区和喜马拉雅间断	8
10–3. 欧亚和南非洲(有时也在大洋洲)间断	17
十一. 11. 温带亚洲分布	55
十二. 地中海区、西亚至中亚分布及其变型	
12. 地中海区、西亚至中亚	152
12–1. 地中海区至中亚和南非洲、大洋洲间断	4
12–2. 地中海区至中亚和墨西哥间断	2
12–3. 地中海区至温带、热带亚洲，大洋洲和南美洲间断	5
12–4. 地中海区至热带非洲和喜马拉雅间断	4
12–5. 地中海区–北非洲，中亚，北美西南部，智利和大洋洲(泛地中海)间断分布	4
十三.中亚分布及其变型	
13. 中亚	69
13–1. 中亚东部（亚洲中部中）	12
13–2. 中亚至喜马拉雅	26
13–3. 西亚至西喜马拉雅和西藏	4
13–4. 中亚至喜马拉雅–阿尔泰和太平洋北美洲间断	5
十四.东亚分布及其变型	
14. 东亚（东喜马拉雅–日本）	73
14–1. 中国–喜马拉雅 (SH)	141
14–2. 中国–日本 (SJ)	85
十五.中国特有分布	
15. 中国特有	257
合计	3116

14–1.中国—喜马拉雅分布。Sino–Himalaya (SH). 主要分布于喜马拉雅山区诸国至我国西南诸省，有的达到陕、甘、华东或台湾省，向南延伸到中南半岛，但不见于日本。有时与热带亚洲分布的变型不易区别。但一般均达到亚热带或温带。

14–2.中国–日本分布。Sino–Japan (SJ). 分布于我国滇、川金沙江河谷以东地区直至日本和琉球，但不见于喜马拉雅。

15.中国特有分布 Endemic to China

以云南或西南诸省为中心，向东北、向东或向西北方向辐射并逐渐减少，而主要分布于秦岭—山东以南的亚热带和热带地区，个别可以突破国界到邻近各国如缅甸、中南半岛、朝鲜、苏联远东、蒙古等等，极个别还可以间断分布到菲律宾或甚至斐济，总之以中国整体的自然植物区 (Floristic Region)为中心而分布界限不越出国境很远。大至可分为西南，华中–华东、华南、华北和西北五个属组。

上述 15 个大类型和 31 个变型的分类统计见表 1。

以下是按属名的字母顺序排列的中国种子植物属。每属下的资料和缩写举例如下:

1.拉丁属名，均附定名人，仅最新者附发表年份或注明为保留名 Nom. conserv., 在括弧中有时附有关中国文献中常见的属的异名。

2.分布概况和分布的四至极限，包括分布特点，有时附气候带“属性” (如 to Subtr. 至亚热带, to Temp. 至温带，均表示在我国境内)。

3.所属植物科名，用拉丁文。

4.国产种数／世界全部种数，以 1／2, 5／15, 16／750± 或 1／3–4, 14／30+, 5–6／8(–17)等表示；有时在中国种下加中国分布的各省 。

5.分布区类型，如 1, 2–1, 7–4, 14(SJ)等。

6.中文属名有时列二个以便选择，(加括弧时为常用异名)。

凡属的异名或栽培属之见于属名表上者，均于属名前加一星号 *,异名用斜体印刷而在其种数栏及分布区类型栏中加括号，如 (2), (4–1), (14)(SJ)等等。Disp. 或 Dispersed 为星散分布。栽培属中的种数栏不加括号以便统计。

地理区域均用缩写，如 Medit., C. Asia, E. As., SE. As., N. Am., E. Afr., W. Malay. 等等，中国省名用中文代号。

凡加？号者或尚未见到，或记录有问题。

(易)，(王) 等为易同培、王文采等缩写。

THE AREAL–TYPES OF CHINESE GENERA OF SEED PLANTS

WU Zheng–Yi (C. Y. WU)

(*Kunming Institute of Botany, Academia Sinica,* Kunming 650204)

The research into the areal–types of genera of Chinese seed plants started since 1952. At that time, the joint efforts of Chinese botanists succeeded in preparing the key to genera of seed plants from China. Although this key was very preliminary, it became the very basic yet clear outline of this research about the areal–types of genera of seed plants. Subsequently, a preliminary analysis was made based on all endemic families and genera for China and every natural geographic regions in China, in connection with the consideration on the problems about regionalization of Chinese flora during a visit of a Chinese scientific delegation to Soviet Russia. In 1959, for teaching in the Biological Department, Yunnan University, this problem was considered again during the teaching and editing of "The Outline of Chinese Floristic Geography" .In 1964, a comprehensive analysis was made of the distribution of 2980 already recorded genera of Chinese seed plants known at that time. 15 types and 31 subtypes, with relationships and differences, among those types and subtypes were detailed when the author attended an international scientific conference of Asia, Africa and Latin America at Beijing. At that time, the author's expositions and original base data were not published in full text, but they provided the data and an elementary outline for the chapter two "The areal type and the floristic origin of Chinese seed plants" in the book, entitled " Chinese Physical Geography, Phytogeography–Part Ⅰ", which was published after 1975. In this book (C. Y. Wu and H. S. Wang, 1983 p. 106), the following comments was made: "After repeated tests, it has been proved that the characteristics and relationships of each areal type can be shown by such classification. Furthermore, the research into geographical elements in connection with generative elements could be the solid foundation for the regionalization of Chinese flora."

This approach still seems to be valid from recent reviews following the use of original data, which will be formally published more recently, has been reviewing from various literature sources by author since 1975 up to 1991. More than 3116 (Table 1) genera of seed plants have been recorded in China at present. All of them can be classified into the previously mentioned 15 areal types and subtypes without any exception. More recent information should be put into data promptly and continuous changes would be made on the concrete distribution areas and areal types of some genera. It is still the

optimal time to publish formally the methods and plans of regionalization of Chinese flora and the original based data. It is hoped that the development of Chinese floristic geography could be promoted by this publication.

The following brief explanation of the 15 areal types and 31 subtypes will mainly repeat the defintions and descriptions which were first published in 1983, although a few revisions and modifications have been made since then.

1. Cosmopolitan

Those are genera which are widely distributed across every continent without special distribution centres, or those genera which have one, or even more than one distribution centres but contain some species which are cosmopolitan.

2. Pantropic

This type consists of those genera which are distributed practically throughout the tropics of the Western and Eastern Hemispheres or those genera which have one or more than one distribution centres in the tropics but with some species distributed in other regions. The categories of some genera of this type which are widely distributed in the tropics, subtropics and even temperates can be determined by researching phylogenetic elements or the distributions of the majority of them; and some monotypic or oligotypic genera, by reference to the closely related genera in the same family. (Similar problems which would be met in other types shown below can be solved by the same approach).

2–1. Tropical Asia, Australasia (to New Zealand) and Central to South America (or Mexico) disjuncted: the definition as indicated by the title.

2–2. Tropical Asia, Africa and Central to South America disjuncted: the definition as indicated by the title.

3. Tropical Asia and Tropical America disjuncted

Included in this category are those genera which are disjuncted between warm regions of America and Asia. They can extend to the Northeast Australia or Southwest Pacific islands.

4. Old World Tropic

The Old World tropics means tropical areas of Asia, Africa, Australasia and their adjacent islands (usually called Paleotropics in contrasting with the American Neotropics).

4–1. Tropical Asia, Africa (or East Africa, Madagascar) and Australasia disjuncted: the defintion as indicated by the title.

5. Tropical Asia and Tropical Australasia

This areal type is the east wing of the Old World tropical distribution. Its western boundary is sometims in Madagascar but never in the continental Africa.

5–1. Chinese (Southwest) Subtropical and New Zealand disjuncted: the definition as indicated by the title.

6. Tropical Asia to Tropical Africa

This areal type is described to include those genera distributed as the west wing of the Old World tropical distribution. These genera are distributed from tropical Africa to Indo–Malaysia, particularly its western part, and some can extend to Fiji or other islands of the South Pacific but never to the continent of Australia.

6–1. South and Southwest China to India and Tropical Africa disjuncted: the definition as indicated by the title.

6–2. Tropical Asia and East Africa or Madagascar disjuncted: the definition as indicated by the title.

7. Tropical Asia (Indo–Malaysia)

Tropical Asia (Indo–Malaysia) is in the centre of the Old World tropics. It includes India, Sri Lanka, Burma, Thailand, Indochina, Indonesia, Philippines and New Guinea. Its eastern boundary reaches Fiji or the island of the South Pacific but never on the continent of Australia and the northern boundary mostly reaches Southwest and South China and Taiwan.

7–1. Java (or Sumatra), Himalaya to South and Southwest China disjuncted or dispersed: the defintion as indicted by the title.

7–2. Tropical India to South China (particularly Southern Yunnan): the definition as indicated by the title.

7–3. Burma, Thailand to Southwest China: the definition as indicated by the title.

7–4. Vietnam (or Indo–Chinese Peninsula) to South China (or Southwest China): the definition as indicated by the title.

8. North Temperate

The genera which are widely distributed in the temperate regions of Europe, Asia and North America represent this type. Some of them can extend to the tropical mountains. even to southern temperate areas along the mountain chains for geographical or historical reasons, but their primitive species or the centres of distribution however are still in the north temperate zone.

8–1. Circumpolar (circumarctic): Those genera which are distributed in the northern part of the north temperate and polar region and a few extending to the lower latitude are assigned to this subtype. Amphipolar included.

8–2. Arctic–Alpine: This subtype includes those genera which are distributed both in arctic region and alpine regions of higher latitute but even including the subtropical and tropical alpine.

8–3. Arctic to Altai and North America disjuncted: The definition as indicated by the title.

8–4. North Temperate and South Temperate disjuncted: Included in this subtype are all those genera which are disjuncted between North Temperate and Australia or Australia to South Africa or Australia to South America; North Temperate and South

America to South Africa; North Temperate and the Southern part of Africa and the typical type, North Temperate and South Temperate disjuncted. ("Pan–temperate")

8–5. Eurasia and South America temperate disjuncted: the definition as indicated by the title.

8–6. Mediterranean, East Asia, New Zealand and Mexico–Chile disjuncted: Those genera which are disjuncted among the Mediterranean region in Europe and North Africa; Himalayas to temperate and subtropics of East Asia and the Philippines, New Guinea; New Zealand and islands of the South Pacific; Mexico to Chile (along Andes Mountains) are considered as this subtype.

9. East Asia and North America disjuncted

Those genera which are discontinuous between the temperates and subtropics of both East Asia and North America belong to this type.

9–1. East Asia and Mexico disjuncted: the definition as indicated in the title. But some of them may be extending to Panama and the West Indies.

10. Old World Temperate

This type are generally including all genera which are widely distributed in temperate and cold temperate regions from high latitudes to middle latitudes of Eurasia or a few extending to the tropical region of Asia and Africa or even to Australia.

10–1. Mediterranean, West Asia (or Central Asia) and East Asia disjuncted. The distribution centre of this type is often more nearby to East Asia, with only a few nearer to the Mediterranean region or / and West Asia.

10–2. Mediterranean and Himalayan disjuncted: a few genera of this subtype even can extend to Indonesia or Java.

10–3. Eurasia and South Africa (sometimes Australasia also) disjuncted: the definition as indicated by the title.

11. Temperate Asia

Here are included genera which are confined to the temperate regions of Asia with a range from Central Asia in Russia (or South Russia) to Eastern and Western Siberia and Northeastern Asia, southward to North China, Korea and northern Japan. The southern most boundary is the mountainous regions of the Himalayas, and Southwestern China. Some also can be found in subtropical regions while a few can extend to tropical Asia, and even to New Guinea.

12. Mediterranean, West Asia to Central Asia

Those genera which are distributed around the Mediterranea, through West Asia or Southwest Asia to the Central Asia of Russia and Chinese Xinjiang, the plateaus of Qinghai and Tibet and plateau of Mongolia are recognized as this type.

12–1. Mediterranean to Central Asia and South Africa, Australasia disjuncted: the definition as indicated by the title.

12–2. Mediterranean to Central Asia and Mexico to South America disjucnted: the definition as indicated by the title.

12–3. Mediterranen to Temperate—tropical Asia, Australasia and South America disjuncted: the definition as indicated by the title.

12–4. Mediterranean to Tropical Africa and Himalayas disjuncted: the defintion as indicated by the title.

12–5. Mediterranean to North Africa, Central Asia, Southwest and North America, South Africa, Chile and Australasia (Pan–Mediterranean) disjuncted: the definition as indicated by the title.

13. Central Asia

This type includes all genera which have distributed in Central Asia (particularly mountainous regions) but not in West Asia and the Mediterranean region. This type of distribution areas represents the eastern wing of the Tethys.

13–1. Eastern part of Central Asia (or Asia Media): Xinjiang (especially Kashgaria), Gansu, Qinghai to Mongolia.

13–2. Central Asia to Himalaya and Southwest China: the definition as indicated by the title.

13–3. West Asia to Himalayas and Tibet: the definition as indicated by the title.

13–4. Central Asia to Himalaya, Altai and Pacific North America disjuncted: the definition as indicated by the title.

14. East Asia

Here are included the genera distributed from Himalayas to Japan. The distribution ranges of this type do not extend beyond the far East of USSR, from Japan southwestwards, but never beyond the northern Vietnam, and southwards to the Philippines and Java. The northwest boundaries of this type are coincided with the forest boundaries in Northwest China. This type can be easily confused with the Temperate Asia distrbution, however the distribution ranges of this type are generally smaller and the genera of this type are nearly all the elements of forest flora. Furthermore, their distribution centres are not beyond the ranges of Himalayas to Japan.

14–1. Sino–Himalayan(SH): Those genera in Himalayas to Southwest China, Some to Shaanxi, Gansu, some to East China and even Taiwan, are included in this subtype. some genera of this type can extend to Indo–China. Genera of this subtype confused with the tropical Asia distribution sometimes, but they are never found in Japan.

14–2. Sino–Japanese (SJ): The ranges of this subtype are from the valley of the Yangtse River in Sichuan and Yunnan to Japan.

15. Endemic to China

Under this heading are included all the genera with Yunnan or Southwest China as

Table 1. The areal–types and subtypes of Chinese genera of seed plants

Types and subtypes	No. of genera
1.Cosmopolitan	104
2.Pantropic	316
2–1. Trop. Asia, Australasia (to N. Zeal.) & C. to S. Amer. (or Mexico)disjuncted.	17
2–2. Trop. Asia, Africa & C. to S. Amer. disjuncted.	29
3. Trop. Asia & Trop. Amer. disjuncted.	62
4.Old World Tropics	147
4–1. Trop. Asia, Africa (or E. Afr., Madagascar) & Australasia disjuncted.	30
5. Tropical Asia & Trop. Australasia	147
5–1. Chinese (SW.) Subtropics & New Zealand disjuncted.	1
6. Trop. Asia to Trop. Africa	149
6–1. S., SW. China to India & Trop. Africa disjuncted.	6
6–2. Trop. Asia & E. Afr. or Madagascar disjuncted.	9
7.Trop. Asia (Indo–Malesia)	442
7–1. Java(or Sumatra), Himalaya to S., SW. China disjuncted or diffused.	30
7–2. Trop. India to S. China (esp. S. Yunnan).	43
7–3. Burma, Thailand to SW. China.	29
7–4. Vietnam (or Indo–Chinese Peninsula) to S. China (or SW. China).	67
8.North Temperate	213
8–1. Circumpolar (Circumarctic).	10
8–2. Arctic–alpine.	14
8–3. Arctic to Altai & N. Amer. disjuncted.	2
8–4. N. Temp. & S. Temp. disjuncted. ("Pan–temperate")	57
8–5. Eurasia & Temp. S. Amer. disjuncted.	5
8–6. Mediterranea, E. Asia, New Zealand and Mexico–Chile disjuncted.	1
9.E. Asia & N. Amer. disjuncted	123
9–1. E. Asia & N. Amer. disjuncted.	1
10. Old World Temperate	114
10–1. Mediterranea. W. Asia (or C. Asia) & E. Asia disjuncted.	25
10–2. Mediterranea & Himalaya disjuncted.	8
10–3. Eurasia & S. Africa (Sometimes also Australasia) disjuncted.	17
11. Temp. Asia	55
12. Mediterranea, W. Asia to C. Asia	152
12–1. Mediterranea to C. Asia & S. Africa, Australasia disjuncted.	4
12–2. Mediterranea to C. Asia & Mexico to S. USA. disjuncted.	2
12–3. Mediterranea to Temp. –Trop. Asia, Australasia & S. Amer. disjuncted.	5
12–4. Mediterranea to Trop. Africa & Himalaya disjuncted.	4
12–5. Mediterranea to N. Africa, C. Asia, SW. N. Amer., S. Africa, Chile and Australasia disjuncted ("Pan–Mediterranean").	4
13. C. Asia	69
13–1. East C. Asia (or Asia Media), in Sinkiang (especially Kaschgaria), Kansu, Qinghai to Mongolia.	12
13–2. C. Asia to Himalaya & S. W. China.	26
13–3. W. Asia to W. Himalaya & Tibet.	4
13–4. C. Asia to Himalaya–Altai & Pacific N. Amer. disjuncted.	5
14. E. Asia	73
14–1. Sino–Himalaya (SH)	142
14–2. Sino–Japan (SJ)	85
15. Endemic to China	257
Total	3117

their distribution centres. The endemic genera of China usually radiate and gradually reduce in number towards the northeast, the east and the northwest provinces but mainly distribute in the tropical and subtropical regions southernwardly beyond the line from Qinling to Shandong province. Among them, individual ones may extrude through our national boundaries towards several neighbouring countries such as Burma, Laos, Vietnam, Thailand, Korea, the Far East of USSR and Mongolia respectively, but few extreme

cases may be disjuncted to the Philippines, even Fiji. Anyhow, this distribution type is centered in the natural floristic regions of China as a whole, with their distributional limits not far from our national boundaries. Grossly, they can be still classified into the following 5 generic groups: SW China, E. to C. China, S. China, N. China and NW China.

The above 15 distrbution types and 31 subtypes can be classified and interpreted as shown Table 1.

The following are the genera of Chinese seed plants arranged alphabetically. The informations and abbreviations relating to them are interpreted as following:

1. The scientific name of the genus, including the author name and the date recently appeared of valid publication, sometimes also the synonyms usually found in Chinese botanical literatures.

2. The outline of distribution with characteristics and the boundaries of distribution; sometimes also climatic zonal characters (such as Subtrop., Temp. etc.)

3. The scientific name of the family to which the genus belongs.

4. The species numbers in both China and the world respectiely shown as a fraction, for example: 3(Chinese) / 5(World). The provincial distribution in China appears after the number of Chinese species.

5. 1, 2–1, 7–4, 14(SJ) etc. : numbers showing distribution types and subtypes.

6. Two names of Chinese genera are sometimes given for choice with frequently used synonym in bracket.

The generic synonym or cultivated genera found in the generic table are marked with asterisk and their assumed distribution type are also found in brackets.

Some abbreviations have been used.

All geographical areas are abbreviated also, for instance: Mediterranea as Medit, Central Asia as C. Asia, East Asia as E. As., Southwast Asia as SE. As., North America as N. Am., East Africa as E. Afr., West Malay as W. Malay and so on.

Chinese provinces are abbreviated by Chinese characters.

? means no available information or questionable records.

(易), (王) and so on are abbreviations of 易同培, 王文采(Chinese characters of Chinese botanist) and so on.

Abarema Pittier (~ Pithecellobium Mart.), Mimosaceae. 6 / 50. **2.** 猴耳环(围涎树) .

Abelia R. Br., Caprifoliaceae. 9 / 30. **9–1.** 六道木.

Abelmoschus Medik. (to Temp.), Malvaceae. 4 / 15. **4.** 黄葵.

Abies Mill. (to Mexico and Guatemala), Pinaceae. 22 / 50. **8.** 冷杉.

* *Aboriella* S. S. R. Bennet in Ind. For. 107 (7). t 437 (1981), nom. nov. for Smithiella Dunn, 已被 C. J. Chen 归入 Pilea(?), Urticaceae.

* *Abroma* Jacq. = **Ambroma** L. f. Sterculiaceae. 1 / 2. **(5).** 昂天莲.

Abrus Adans. (to Subtr.), Papilionaceae. 4 / 12. **2.** 相思豆.

Absolmsia Kuntze, Asclepiadaceae. 1 / 2. **7–1.** 滑藤.

Abutilon Mill. (to Subtr. and Temp.), Malvaceae. 9 / 150. **2.** 苘麻.

Acacia Mill. (mainly in Austr.) (to Subtr.), Mimosaceae. 18+ / 750(–900). **2.** 金合欢.

Acalypha L. (to Temp.), Euphorbiaceae. 16 / 450 (连引种栽培). **2.** 铁苋菜.

Acampe Lindl., Orchidaceae. 2 台粤琼桂滇 / 15. **6.** 脆兰.

Acanthocalyx (DC.) Van Tiegh. (1909), (DC.) M. Cannon (1984), Morinaceae. 3 川滇藏 / 3. **14(SH).** 刺参.

Acanthocephalus Karel. et Kir. (absent in Medit.), Compositae. 1 / 2. **13–1.** 刺头菊.

Acanthochlamys P. C. Kao (1980) (W.Sichuan. to E. Tibet), Velloziaceae. 1. **15.** 芒苞草.

Acantholepis Less. (absent in Medit.), Compositae. 1 / 1. **12.** 刺苞菊.

Acantholimon Boiss., nom. conserv. (also to Tibet), Plumbaginaceae. 7 / 120 (–190)+. **12.** 彩花 (刺矶松).

Acanthopale C. B. Clarke, Acanthaceae. 2 / 20. **6.** 刺粉花.

Acanthopanax (Decns. ex Planch.) Miq., Araliaceae. 27 / 35 ± . **14.** 五加.

Acanthophippium Bl., Orchidaceae. 5 台粤滇 / 15. **7.** 坛花兰.

Acanthophyllum C. A. Mey. (absent in Medit.), Caryophyllaceae. 5 / 50. **12.** 刺叶.

Acanthospermum Schrank, Compositae. 2 / 8. **2–2.** 刺苞果.

Acanthus L. (to Subtr.), Acanthaceae. 4 / 50. **6.** 老鼠簕.

Acer L., Aceraceae. 150 / 200. **8.** 槭.

* *Aceratorchis* Schlechter 已归入 Orchis Linn., Orchidaceae. (1–2). **(14).** 无距兰.

* *Achasma* Griff. 已归入 Etlingera Giseke, Zingiberaceae. (2 / 19). **(7).** 茴香砂仁.

Achillea L., Compositae. 6(10) / 200. **8.** 蓍(草).

Achlys DC., Podophyllaceae. 1 / 2. **9.** 裸花草, 阿律.

Achnatherum Beauv., Gramineae. 14 / 20+. **10.** 芨芨草.

Achyranthes L. (to Temp. As. & Pacif. Isl.), Amaranthaceae. 3–4 / 15. **2.** 牛膝.

Achyrophorus Guett., Compositae. 2 / 20. **8–5.** 猫儿菊.

Achyrospermum Bl., Labiatae. 2 / 30. **4.** 秕籽 (鳞果草) .

Acidosasa C. D. Chu et C. S. Chao,

Gramineae. 4–5. **15.** 酸竹.

Acmena DC., Myrtaceae. 1／11. **4.** 肖蒲桃.

Acomastylis Greene (Himalaya, Temp. E. Asia, N. Amer.), Rosaceae. 1／13. **9.** 裸柱花（新拟）.

Aconitum Linn., Ranunculaceae. 165／300. **8.** 乌头.

Acorus Linn., Araceae. 3–4／3–4. **9.** 菖蒲.

Acrachne Wight et Arn. ex Chiov., Gramineae. 1／few. **4.** 尖稃草.

Acranthera Arn. ex Meissn., nom. conserv., Rubiaceae. 1／40. **7.** 尖药花.

Acriopsis Bl., Orchidaceae. 1／12. **5.** 合萼兰.

Acrocarpus R. Wight ex Arn., Caesalpiniaceae. 1／2. **7.** 梣叶豆(顶果树）.

Acrocephalus Benth. (to Subtr.), Labiatae. 1／5–6. **7.** 尖头花.

Acroceras Stapf (mainly in Afr. and Malgash), Gramineae. 4／15. **6.** 风头黍.

Acroglochin Schrad., Amaranthaceae. 1／2. **14(SH).** 千针苋.

Acronema Falc. ex Edgew., Umbelliferae. 18／23. **14(SH).** 丝瓣芹.

Acronychia J. R. et G. Forst., nom. conserv., Rutaceae. 2／50. **5.** 山油柑.

Acroptilon Cass. (absent in Medit.), Compositae. 1／2. **12.** 顶羽菊.

Actaea Linn., Ranunculaceae. 2／10. **8.** 类叶升麻.

Actephila Bl., Euphorbiaceae. 2／35. **5.** 喜光花.

Actinidia Lindl. (Trochostigma Sieb. et Zucc.) (to Amur and Vietnam), Actinidiaceae. 52／54. **14.** 猕猴桃.

Actinocarya Benth. (包括 Glochidiocaryum W. T. Wang), Boraginaceae. 1／2. **14(SH).** 星果紫草.

Actinodaphne Nees (to Subtr.), Lauraceae. 19／100. **7.** 黄肉楠.

Actinoschoenus Benth. (to Malgash, Srilanka, absent in Malaya), Cyperaceae. 4／4. **6.** 星莎.

Actinostemma Griff., Cucurbitaceae. 1–3／1–3. **14.** 合子草.

Adelostemma Hook. f., Asclepiadaceae. 2／3. **7–3.** 乳突果（无冠藤）.

Adenanthera Linn., Mimosaceae. 1／10. **5.** 海红豆.

Adenia Forsk., Passifloraceae. 3／92. **4.** 蒴莲.

Adenocaulon Hook., Compositae. 1／5. **8–4.** 和尚菜（腺梗草）.

Adenophora Fisch., Campanulaceae. 40／60. **10.** 沙参.

Adenosma R. Br., Scrophulariaceae. 4／15. **5.** 毛麝香.

Adenostemma J. R. et G. Forst. (mainly in Am.) (to Subtr.), Compositae. 2／6. **2.** 下田菊.

Adhatoda Mill., Acanthaceae. 1–2／20. **6.** 鸭嘴花.

Adina Salisb. (to Subtr.), Naucleaceae. 8／20. **6.** 水团花.

Adinandra Jack (mainly Trop. & Subtrop. Asia, 1 in W. Afr.), Theaceae. 12–20?／80. **6–2.** 黄瑞木(杨桐?).

Adlumia Rafin. ex A. P. DC., nom. conserv., Fumariaceae. 1／2. **9.** 荷包藤.

Adonis Linn., Ranunculaceae. 10／30. **10.** 侧金盏（花）.

Adoxa Linn., Adoxaceae. 2／2. **8.** 五福花.

Aechmanthera Nees, Acanthaceae. 2 / 3. **7–2.** 尖蕊花.

Aegiceras Gaertn. (to Subtr.), Myrsinaceae. 1 / 2, sea shore. **7.** 桐花树.

Aegilops Linn. (run wild in Shaanxi–Henan), Gramineae. 1+7 cult. / 25– 30. **12.** 山羊草.

Aeginetia Linn. (to Philippine) (to Subtr.), Orobanchaceae. 3 / 10. **7.** 野菰.

Aegle Corr. nom. conserv., Rubiaceae. 1 / 3. **7–4.** 木桔.

Aegopodium Linn., Umbelliferae. 5 / 7. **10.** 羊角芹.

Aellenia Ulbr., Chenopodiaceae. 1 / 6 (未见). **14(SH).** 新疆藜.

Aeluropus Trin., Gramineae. 1 / 5. **12.** 埝草, 獐毛.

Aerides Lour, Orchidaceae. 1(–4)桂滇藏 / 40. **7.** 指甲兰(气兰).

Aerva Forsk., nom. conserv. (to Subtr.), Amaranthaceae. 2 / 18. **6.** 白花苋

Aeschynanthus Jack, nom. conserv. (to Subtr.), Gesneriaceae. 24 / 80. **7.** 芒毛苣苔.

Aeschynomene Linn. (1 in China, to Temp.), Papilionaceae. 1 / 250. **2.** 合萌, (田皂角) .

Aesculus Linn. (dispersed), Hippocastanaceae. 8 / 13–25. **8.** 七叶树.

Afgekia Craib, Papilionaceae. 2–3(滇泰) / 3. **7–3.** 泰豆.

Afzelia Smith, nom. conserv. (Pahudia Miq.), Caesalpiniaceae. 1 / 14. **6.** 缅茄

Aganosma (Bl.) G. Don, Apocynaceae. 5 / 15. **7.** 香花藤.

* **Agapanthus L'Herit., nom. conserv. (S. Afr.), Ailiaceae. 1 / few.** 百子莲.

Agapetes D. Don ex G. Don (to Subtr.), Vacciniaceae. 40 / 80+(Huang, 1983). **7.** 树萝卜.

Agastache Clayton ex Gronov., Labiatae. 1 / 9. **9.** 藿香.

* **Agathis** Salisb., Araucariaceae. 1 / 20. **(5).** 贝壳杉.

* *Agati* Adans. = **Sesbania** Scop., Papilionaceae. (1 / 1). **(7).** (木田箐).

Agave Linn. (S. U. S. A. to Trop. S. Am.), Agavaceae. 3 / 300+. **3.** 龙舌兰.

Agelaea Soland. ex Planch. (Castanola Llanos) (Trop., As., China & W. Afr. disjuncted), Connaraceae. 1 / 50. **6.** 栗豆藤.

Ageratum Linn., Compositae. 2 / 60. **3.** 胜红蓟.

Aglaia Lour., nom. conserv. (to Polynesia) (to Subtr.), Meliaceae. 10 / 250 –300. **5.** 米仔兰.

Aglaonema Schott (to Subtr.), Araceae. 2 / 50. **7.** 广东万年青.

Agrimonia Linn. (to Tropics), Rosaceae. 4 / 10. **8.** 龙牙草.

Agriophyllum Bieb. (to N. & N. E. China), Chenopodiaceae. 3 / 6. **13–1.** 沙蓬.

Agropyron Gaertn., Gramineae. 5 / 15. **8.** 冰草.

Agrostemma Linn., Caryophyllaceae. 1 / 8. **10(或 8–4)?.** 麦仙翁.

Agrostis Linn., Gramineae. 29 / 200. **1.** 剪股颖.

Agrostophyllum Bl., Orchidaceae. 2 台琼滇 / 60. **7.** 禾叶兰.

* *Agyneia* Linn. = **Glochidion** T. R. et G. Forst. (to Malgash, 1) Euphorbiaceae. 算盘子.

Ahernia Merr. (Philippine), Flacour–

tiaceae. 1 台琼／1. **7.** 菲柞.

Aidia Lour. (1790), Keay (1958) (～Randia auctt.) (Trop. Afr. Trop. Asia to E. Austr.), Rubiaceae. 5／?50. **4–1.** 茜木.

Ailanthus Desf. , nom. conserv. (to Temp.), Simarubaceae. 5–6／10. **5.** 臭椿.

Ainsliaea DC., Compositae. 45／70. **14.** 兔儿风.

Aira Linn., Gramineae. 1／10–12. **8–4.** 银须草.

Ajania Poljakov, Compositae. 28／30±. **11.** 亚菊.

Ajaniopsis Shih, Compositae. 1 (Tibet)／1. **15.** 画笔菊.

Ajuga Linn. (esp. Orient.), Labiatae. 18／40–50. **10.** 筋骨草.

Akebia Decne., Lardizabalaceae. 2／5. **14(SJ).** 木通.

Alajja S. Ikonn. (Erianthera Benth., non Nees), Labiatae. 2／3. **13–2.** 菱叶元宝草.

Alangium Lam. nom. conserv. (to Temp.), Alangiaceae. 8／30±. **4.** 八角枫.

Albertisia Becc., Menispermaceae. 1／17 或 1／4. **6 或 7.** 崖爬藤.

Albizia Durazz. (to Subtr.), Mimosaceae. 17／100–150. **4.** 合欢.

Alcea Linn. (Althaea Linn.), Malvaceae. 1／12–60. **10.** 蜀葵.

Alchemilla Linn., Rosaceae. 5／75. **8.** 羽衣草.

Alchornea Sw. (to Subtr.), Euphorbiaceae. 6／70. **2.** 山麻杆.

Alcimandra Dandy, Magnoliaceae. 1／1. **7–4.** 长蕊木兰.

Aldrovanda Linn. (to Temp.), Droseraceae. 1 黑鲁／1. **10–3.** 貉藻.

Alectra Thunb. (Melasma Berg.), Scrophulariaceae. 1／25–30. **2–2.** 黑蒴.

Aletris Linn. (Giraldiella Damm., Huolirion Wang et Tang), Liliaceae. 13／15. **9.** 粉条儿菜（肺筋草）.

Aleurites J. R. et G. Forst. (to Subtr.), Euphorbiaceae. 2／2. **7.** 石栗.

Alexandra Bunge, Chenopodiaceae. 1 C. As／1. **13.** 翼萼蓬.

Alfredia Cass., Compositae. 5／5. **13.** 翅膜菊(亚飞廉).

Alhagi Gagnebin (to N. Afr.), Papilionaceae. 1／3. **12.** 骆驼刺.

Alisma Linn. (to Australia), Alismataceae. 3／10. **8.** 泽泻.

Allaeanthus Thw. = **Broussonetia** L′Her., Moraceae. (1／3). **(7).** 附尾桑.

* **Allamanda** Linn. (Trop., S.Amer., W. I.) (Allamanda), Apocynaceae. 2／15. **(3).** 黄蝉.

* *Allardia* Decne. p. p. = **Waldheimia** Kar. et Kir., Compositae.

Alliaria Heister ex Fabr., Cruciferae. 2／5. **10.** 葱芥（大蒜芥）.

Allium Linn., Alliiceae. 110／450–500. **8.** 葱.

Allmania R. Br. ex Wight, Amaranthaceae. 1／1–2. **7.** 砂苋.

Allocheilos W. T. Wang, Gesneriacaeae. 1 C. Yunnan／1. **15.** 异唇苣苔.

Allomorphia Bl. (to Subtr.), Melastomataceae. 6／25±. **7.** 异形木.

Allophylus Linn. (to Subtr.), Sapindaceae. 10／250 ±. **2.** 异木患.

* *Allospondias* (Pierre) Stapf = **Spondias** Linn., Anacardiaceae. 2／10 (1／3). **(3).** 槟榔青.

Allostigma W. T. Wang (1984), Gesneriaceae. 1 Guangxi／1. **15.** 异片苣

荟.

Alloteropsis C. Presl, Gramineae. 2/5. **6.** 毛颖草.

Alniphyllum Matsum., Styracaceae. 2/2–3. **7–4.** 赤杨叶.

Alnus Mill. (also in Andes, incl. Cremastogyne (H. Winkl.) Czerepanov, Alnaster Spach), Betulaceae. 7–8/40+. **8.** 赤杨(桤).

Alocasia (Schott) G. Don, nom. conserv., Araceae. 4/70. **7.** 海芋.

Aloe Linn. (Trop. Afr. to Madag. & Arabia), Liliaceae. 1/200–329–332. **6.** 芦荟.

Alopecurus Linn., Gramineae. 6/30–50. **8–5.** 看麦娘.

Alphitonia Reissek ex Endl. (to Polyn. & Pacific Isl.), Rhamnaceae. 1/20. **5.** 麦珠子.

Alphonsea Hook. f. et Thoms., Annonaceae. 6/20. **7.** 藤春.

Alpinia Roxb., nom. conserv. (to Subtr.), Zingiberaceae. 46/250 ±. **4.** 山姜.

Alseodaphne Nees, Lauraceae. 9/25–50+. **7.** 油丹.

Alsomitra (Bl.) M. Roem. (2 in China ?), Cucurbitaceae. 1/2. **7.** 阿霜瓜.

Alstonia R. Br., nom. conserv. (to Polynesia) (to Subtr.), Apocynaceae. 6/50+. **7.** 鸡骨常山.

Alternanthera Forsk. (incl. Telanthera R. Br.) (to Subtr. mainly in Amer.), Amaranthaceae. 2/200±. **2.** 虾钳菜.

* *Althaea* Linn. = **Alcea** Linn. Malvaceae. (2/ 12 (–60)). **(10).** 蜀葵.

Altingia Nor., Hamamelidaceae. 8/12. **7–1.** 蕈树.

Alysicarpus Neck. ex Desv. nom. conserv., Papilionaceae. 4/25–30±. **4.** 链荚豆.

Alyssum Linn., Cruciferae. 10/150–170. **12.** 庭荠.

Alyxia Banks ex R. Br., nom. conserv. (to Subtr.), Apocynaceae. 18/112. **5.** 念珠藤.

Amalocalyx Pierre, Apocynaceae. 1/2. **7–4.** 酸果藤（毛车藤）.

Amana Honda (~ Tulipa Linn.), Liliaceae. 3/3. **14.** 山慈菇.

Amaranthus Linn., Amaranthaceae. 13/40. **1.** 苋.

Amberboa (Pers.) Less., nom. conserv., Compositae. 1/1(20). **12.** 珀菊.

Amblynotus Johnst., Boraginaceae. 1/1. **11.** 钝背草.

Ambroma Linn. f., Sterculiaceae. 1/2. **5.** 昂天莲.

Ambrosia Linn., Compositae. 2/40±. **1.** 豚草.

Amelanchier Medik. (mostly Amer.), Rosaceae. 2/25. **9.** 唐棣(扶移).

Amentotaxus Pilg., Taxaceae. 3/3. **7–3.** 穗花杉.

Amesiodendron Hu, Sapindaceae. 2–3/2–3. **7–4.** 细子龙.

* *Amethystanthus* Nakai = *Rabdosia* (Bl.) Hassk. = **Isodon** (Schrad. ex Benth.) Kudo. Labiatae., (77/ 150 ±). **(14).** 香茶菜(回菜).

Amethystea Linn. (to Caucasus), Labiatae. 1/1. **10.** 水棘针.

* *Amischophacelus* Rao et Kammathy = **Tonningia** Neck. ex Juss. (1829)., Commelinaceae. (1/2). **(4–1).** 鞘苞花.

Amischotolype Hassk. (= Forrestia

A. Rich. (1834), non Rafin. (1806)), Commelinaceae. 2／20±. **6.** 穿鞘花.

Amitostigma Schltr., Orchidaceae. 18–20 除蒙新黑粤桂琼闽外全国／21–23. **14.** 无柱兰.

Ammannia Linn., Lythraceae. 5／30. **1.** 水苋菜.

* **Ammi** Linn. (Africa, Madag, Medit., Temp. W. Asia), Umbelliferae. 2／10. **(12).** 阿迷芹(阿米).

Ammodendron Fisch. ex DC. (absent in Medit.), Papilionaceae. 5／7–8. **12.** 沙槐.

Ammopiptanthus Cheng f., Papilionaceae. 2／2. **13–1.** 沙冬青.

Ammothamnus Bunge (absent in Medit.), Papilionaceae. 4／2. **12.** 沙木.

Amomum Roxb., nom. conserv.(to Subtr.), Zingiberaceae. 29／150±. **4.** 豆蔻.

Amoora Roxb., Meliaceae. 6–7／25. **7.** 崖摩.

* **Amorpha** Linn., Papilionaceae. 1／25. **(9).** 紫穗槐.

Amorphophallus Bl. ex Decne., nom. conserv. (包括 Synantherias Schott), Araceae. 25–28／135. **6.** 魔芋.

Ampelocalamus S. L. Chen, T. H. Wen et G. Y. Sheng, Gramineae. 7 琼, 滇, 川, 黔 ／7. **15.** 悬竹.

Ampelocissus Planch., nom. conserv. (mainly Trop. As., Afr.) (to Subtr.), Vitaceae. 2／29. **2.** 酸蔹藤(九节铃).

Ampelopsis Michx. (Old World to Trop., N. Amer. to Mexico), Vitaceae. 9／60±. **9.** 蛇葡萄.

Amphicarpaea Ell. ex Nutt., mut. DC., nom. conserv. (to Tropics), Papilionaceae. 3／10–15. **9.** 两型豆.

* *Amphicome* Royle = **Incarvillea** Juss., Bignoniaceae. (1／1). **(14).** (毛子草).

Amsonia Walt., Apocynaceae. 1／30. **9.** 水甘草.

Amydrium Schott (Epipremnopsis Engl.), Araceae. 2／4–6. **7.** 雷公连.

Amygdalus Linn., Rosaceae. 11／40. **10–1.** 巴旦杏.

Anabasis Linn. (to N. Afr.), Chenopodiaceae. 8／30. **12.** 假木贼.

* **Anacardium** Linn. (Trop. Amer.), Anacardiaceae. 1／15. **(3).** 腰果.

Anadendrum Schott (Anadendron), Araceae. 2／9. **7.** 上树南星.

* *Anagallidium* Griseb. = **Swertia** Linn. Gentianaceae. (1／1). **(13).** 假海绿.

Anagallis Linn., Primulaceae. 1／28. **1.** 海绿（琉璃繁缕）.

* **Ananas** Mill. (Trop. Amer.), Bromeliaceae. 1／5. **(3).** 凤梨.

Anaphalis DC., Compositae. 50±／80±. **8.** 香青.

Anaxagorea St. Hil., Annonaceae. 1／30±. **3.** 蒙蒿子.

Ancathia DC., Compositae. 1／1. **11.** 肋果蓟.

?**Anchonium** DC., Cruciferae. 1／6. **12.** 木果芥.

* **Anchusa** Linn. (Eur., N. Afr., W. Asia), Boraginaceae. 1／50. **(12).** 牛舌草.

Ancistrocladus Wall., nom. conserv. (only 1 in Trop. Africa), Ancistrocladaceae. 1／20. **6.** 钩枝藤.

Ancylostemon Craib (H. W. Li, 1983; W. T. Wang, 1975), Gesneriaceae. 8–10. **15.** 直瓣苣苔.

* *Andrachne* auct. non Linn. = **Arachne** (Endl.) Pojark. = **Leptopus** Decne., Euphorbiaceae. **(2).** 黑钩叶.

Androcorys Schltr., Orchidaceae. 3 台陕滇藏 / 5. **14(SH).** 兜蕊兰.

Andrographis Wall. ex Nees, Acanthaceae. 2–3 / 20. **7.** 穿心莲.

Andropogon Linn. (Trop. to Temp.), Gramineae. 2 / 113. **2.** 须芒草.

Androsace Linn., Primulaceae. 60± / 100±. **8.** 点地梅.

* *Aneilema* auct. non R. Br. = **Murdannia** Royle (to Subtr.) Commelinaceae. **(7).** 水竹叶.

Anemarrhena Bunge (Korea, N. to N. E. China), Liliaceae. 1 / 1. **15.** 知母.

Anemoclema (Franch.) W. T. Wang (Yunnan, Sichuan), Ranunculacaeae. 1 / 1. **15.** 罂粟莲花.

Anemone Linn., Ranunculaceae. 52 / 150. **1.** 银莲花.

Anethum Linn. (through India to Eur.), Umbelliferae. 1 / 1. **10–1.** 莳萝.

* *Aneurolepidium* Nevski = **Leymus** Hochst. Gramineae. (4 / 20). 碱草 (羊草).

Angelica Linn. (New Zeal. few), Umbelliferae. 26 / 80±. **8–4.** 当归.

Ania Lindl. (Ascotainia Ridl.) (absent in India), Orchidaceae. 3 粤琼滇 / 11. **7.** 安兰.

Anisachne Keng (Yunnan, Guizhou), Gramineae. 1 / 1. **15.** 异颖草.

Anisadenia Wall. ex Meisn., Linaceae. 2 / 2. **14(SH).** 异腺草.

Aniseia Choisy (to Temp.), Convolvulaceae. 1 / 8. **2.** 心萼薯.

Anisochilus Wall., Labiatae. 1–2 / 20±. **6.** 异唇花(排香草).

Anisodus Link ex Spreng, Solanaceae. 4 / 4. **14.** 山莨菪.

* *Anisomeles* R. Br. (1810) = **Epimeredi** Adans. (1763), (to Subtr.) Labiatae. **(5).** 广防风.

Anisopappus Hook. et Arn., Compositae. 1 / 20. **6–1.** 山黄菊.

* **Anna** Pellegr. = **Didissandra** C. B. Clarke? fide W. T. Wang 1975, 1982 recovered, Gesneriaceae. **(7–4).** 大苞苣苔.

Annamocarya Chev. (Rhamphocarya Kuang), Juglandaceae. 1 / 1. **7–4.** 喙核桃.

Anneslea Wall., nom. conserv., Theaceae. 6 / 6. **7.** 茶梨(红楣).

* **Annona** Linn. (cult.), Annonaceae. 5 / 120–134. **(2).** 番荔枝.

Anodendron A. DC. (= Formosia Pich.) (to Subtr.), Apocynaceae. 6 / 18. **7.** 鳝藤.

Anoectochilus Bl., nom. conserv., Orchidaceae. 6 台闽浙赣粤琼桂滇 / 25. **5.** 开唇兰.

Anogeissus (DC.) Guillaum. Perr. et A. Rich., Combretaceae. 1 / 8. **6.** 榆绿木.

Anoplocaryum Ledeb. (to Xinjiang & N. Mong., Himalaya to China), Boraginaceae. 4 / 5. **11.** 平核草.

Anota Schltr. (Malaya to S. China), Orchidacaeae. 2 滇琼 / 2. **7.** 无耳兰.

* *Anotis* auctt. = **Neanotis** W. H. Lewis. (to Subtr.) Rubiaceae. **(7).** 假耳草.

* *Anplectrum* A. Gray = **Diplectria** Bl. ex Reichenb. Melastomatacaeae. 1 / 2. **(7).** 藤牡丹.

* **Anredera** Juss. (Boussingaultia HBK) (Tropical America), Basellaceae. 2 / 5– 10. **(3).** 落葵薯.

Antennaria Gaertn., Compositae.

1／100. **8.** 蝶须.

Antenoron Rafin. (1817) (Sunania Rafin. (1836), Tovara Adans., (1763), nom. rej.), Polygonaceae. 2／4. **9.** 金线草

Anthemis Linn. (to Aethiopia), Compositae. 3／200. **12.** 春黄菊.

Antheroporum Gagn., Papilionacae. 2／2. **7–3.** 肿荚豆.

* *Anthocephalus* Rich. (1830) = **Platanocephalus** Crantz (1766) Naucleaceae. (1／3). **(7).** 团花.

Anthogonium Wall. ex Lindl., Orchidacaeae. 1 桂滇藏／1. **14(SH).** 筒瓣兰.

Anthoxanthum Linn. , Gramineae. 3／144. **8.** 黄花茅.

Anthriscus Pers. nom. conserv., Umbelliferae. 2／20±. **10.** 峨参.

* **Anthurium** Schott (Trop. Amer.), Araceae. 3／550±. **(3).** 花烛.

* **Anthyllis** Linn. (Eur., N. Afr., W. Asia), Papilionaceae. 1／50. **(12).**

Antiaris Leschen., nom. conserv., Moraceae. 1／4. **4(6?).** 见血封喉.

Antidesma Linn. (Stilago Linn.) (to Subtr.), Stilaginaceae. 16／170. **4.** 五月茶

* **Antigonon** Endl. (Trop. Amer.), Polygonaceae. 1／8. **(3).** 珊瑚藤.

Antiotrema Hand.-Mazz., Boraginaceae. 1 (Yunnan)／1. **15.** 滇牛舌草.

Antirhea Comm. ex Juss. (= Antirrhoea Endl.), Rubiaceae. 1／40±. **4.** 毛茶

* **Antirrhimum** Linn., Scrophulariaceae. 1／42±. **(8).** 金鱼草.

* *Apama* Lam. (absent in India) = **Thottea** Rottb., Aristolochiaceae. (1／12). **(7).** 阿柏麻.

Aphanamixis Bl. (Malaya only), Meliaceae. 3／25. **7.** 山楝 (红罗).

Aphananthe Planch., nom. conserv. (to Temp.), Ulmaceae. 2／8. **2–1.** 糙叶树.

Aphania Bl. (Sapindopsis How et Ho) (1 in W. Afr.), Sapindaceae. 2／26. **6.** 滇赤才.

Aphanopleura Boiss., Umbelliferae. 2／3–4. **12.** 隐棱芹.

* *Aphoma* Rafin. (1836) = **Iphigenia** Kunth (1843), Liliaceae. (1／12). **(4).** 丽江山慈菇.

Aphragmus Andrz. ex DC. (2 in Altai, 1 in W. Tibet to E. Tibet), Cruciferae. 2／6. **11.** 寒原荠.

* *Aphyllodium* (DC.) Gagnep. = **Dicerma** DC. Papilionaceae. (1／1). **(5).** 二节豆.

Aphyllorchis Bl., Orchidaceae. 3 台粤琼桂滇藏／20±. **7.** 无叶兰.

Apios Fabric., nom. conserv., Papilionaceae. 6／10. **9.** 土圞儿.

Apium Linn., Umbelliferae. 1／20±. **1.** 芹.

Apluda Linn. (to Subtr.), Gramineae. 1／1. **4.** 水蔗草.

Apocopis Nees (to Subtr.), Gramineae. 4／14. **7.** 楔颖草.

Apocynum Linn. (incl. Trachomitum Woods.), Apocynaceae. 1–2／6–7(–14). **9.** 罗布麻.

Apodytes E. Mey. ex Arn., Icacinaceae. 1／2. **4–1.** 柴龙树.

Aponogeton Linn. f., nom. conserv., Aponogetonaceae. 1／30. **4–1.** 水蕹.

Aporusa Bl. (Aporosa), Euphorbiaceae. 3／75. **7.** 银柴.

* *Aporuellia* C. B. Clarke = **Pararuellia** Bremek. Acanthaceae. (1–2／ 6). **(7).**

Apostasia Bl., Apostasiaceae. 2 琼桂

滇 / 8. **5.** 假兰.

Appendicula Bl. (to Polynesia), Orchidaceae. 4 台粤琼 / 100. **7.** 半齿兰.

Apterosperma H. T. Chang, Theaceae. 1 / 1. **15.** 园籽荷.

Aquilaria Lam., nom. conserv. (to Subtr.), Thymelaeaceae. 2 / 15. **7.** 沉香.

Aquilegia Linn., Ranunculaceae. 9 / 100. **8.** 耧斗菜.

Arabidopsis Heynh., Cruciferae. 11 / 15 ± . **8.** 鼠耳芥 (拟南芥).

Arabis Linn., Cruciferae. 21 / 100+ (–120). **8.** 南芥菜.

* **Arachis** Linn. (Trop. Amer.), Papilionaceae. 1 / 15–19. **(3).** 落花生.

* *Arachne* (Endl.) Pojark. = **Leptopus** Decne., Euphorbiaceae. **(5).**

Arachnis Bl., Orchidaceae. 1 台琼桂滇 / 11–13. **7.** 蜘蛛兰.

Aralia Linn., Araliaceae. 30+ / 25–40. **9.** 楤木.

* **Araucaria** Juss. (New Guinea, E. Austr., N. Z., Norfolk Isl., N. Caled., S. Brazil to Chile), Araucariaceae. 3 / 18 ± . **(3).** 南洋杉.

Arcangelisia Becc., Menispermaceae. 1 / 3. **7.** 古山龙.

Arceuthobium Bieb., nom. conserv. (mostly America, 1 each in Trop. Afr. and Trop. Asia), Loranthaceae. 3 / (15–)30. **8.** 油杉寄生.

Archangelica Wolf. (to mts. C. Asia), Umbelliferae. 2 / 10 ± . **8.** 古当归.

Archiboehmeria C. J. Chen (1980), Urticaceae. 1 / 1. **7–4.** 舌柱麻.

Archiclematis (Tamura) Tamura, Ranunculaceae. 1 / 1. **14(SH).** 互叶铁线莲.

* *Archidendron* Nielsson (1979), non F. Muell. (1865) = **Cylindrokelupha** Kosterm., Mimosaceae. (1). **(7).** 棋子豆(古木).

Archineottia S. C. Chen, Orchidaceae. 2 晋陕川 / 4. **15.** 无喙兰.

Archiphysalis Kuang (2 in C. & S. China, 1 in Japan), Solanaceae. 2 / 3. **14(SJ).** 地海椒.

* **Archontophoenix** Wendl. et Drude, Palmae. 1 / 4 (E. Austr.). **(5).** 假槟榔.

Arctium Linn., Compositae. 2 / 5 (–10). **10.** 牛蒡.

Arctogeron DC., Compositae. 1 / 1. **11.** 莎菀.

Arctous (A. Gray) Niedz., Ericaceae. 3 / 3–4. **8–2.** 天栌 (当年枯).

Arcuatopterus Shan et Sheh, Umbelliferae. 1 / 1. **15.** 弓翅芹.

Ardisia Sw., nom. conserv., Myrsinaceae. 69 / 400. **2.** 紫金牛.

Areca Linn., Palmae. 1+1 cult. / 54–60. **5.** 槟榔.

* *Arecastrum* (Drude) Becc. (South Amer. 多) = **Syagrus** Mart., Palmae. (1 / 32 ±). **(3).** 金山葵.

Arenaria Linn. (Dolophragma Fenzl, Eremagon Fenzl, Moehringella (Franch.) Neumeyer, Odontostemma Benth ex G. Dòn), Caryophyllaceae. 60 ± / 250 ± . **8–4.** 无心菜(蚤缀).

Arenga Labill., nom. conserv., Palmae. 4 / 18 ± . **5.** 桄榔.

* **Arethusa** Linn. (?) 东亚记录应是 Bletilla Reichenb. f., Orchidaceae. (1 / 2). **(9).**

Argemone Linn. (to N. Amer.), Papaveraceae. 1–3 / 12. **3.** 蓟罂粟.

Argostemma Wall. (Trop. As., Trop. Afr.), Rubiaceae. 5 / 100. **6.** 雪花.

* **Argyranthemum** Webb. (Canary Isl.), Compositae. (1 / 10). **(10-1).** 木茼蒿

Argyreia Lour. (Lettsomia Roxb.) (to Subtr.), Convolvulaceae. 21 / 90. **5.** 白鹤藤.

* **Argyrolobium** Eckl. et Zeyh., nom. conserv. (Afr., Medit., to India), Papilionaceae. 1 / 70. **(6).** 银豆.

Arisaema Mart. (to Temp.), Araceae. 82 / 150 ±. **8.** 天南星.

* *Arisanorchis* Hayata = **Cheirostylis** Blume, Orchidaceae. (阿里山兰).

Aristida Linn. (to Temp.), Gramineae. 5 / 150-330. **2.** 三芒草.

Aristolochia Linn., sensu lat. (to Temp.), Aristolochiaceae. 68 / 350 ±. **2.** 马兜铃.

Armeniaca Scopoli, Rosaceae. 6 / 10. **11.** 杏.

* *Armodorum* auct. non Breda = **Arachnis** Bl., Orchidaceae. 蜘蛛兰.

* **Armoracia** Gaertn., B. Meyer et Scherb., nom. conserv. (Eur. -Sib.), Cruciferae. 1 / 3. **(10).** 辣根 (马罗卜).

Arnebia Forsk., Boraginaceae. 5 / 25. **12-4.** 假紫草.

Arrhenatherum Beauv. (introduced), Gramineae. 1 / 6. **12.** 燕麦草.

Artabotrys R. Br., Annonaceae. 6 / 100. **6.** 鹰爪.

Artemisia Linn. (不包括 Seriphidium (Bess.) Poljakov), Compositae. 170+ / 350-. **8.** 艾蒿.

Arthraxon Beauv. (to Temp.), Gramineae. 6 / 15. **6.** 荩草.

Arthrocnemum Moquin-Tandon (to N. Afr. and N. Amer., absent in Trop.? Afr. & Trop. Amer.), Chenopodiaceae. 1 / 20. **2.** 节藜.

Arthrophytum Schrenk, Chenopodiaceae. 4 / 20. **12.** 节节木.

Artocarpus J. R. et G. Forst., nom. conserv. (to Subtr.), Moraceae. 12 / 47 ±. **7.** 波罗密.

Arum Linn. (A. korolkowii Regel, in Xinjiang), Araceae. 1 / 15. **12.** 疆南星.

Aruncus Linn., Rosaceae. 2 / 6. **8.** 假升麻.

Arundina Bl. (to Subtr.), Orchidaceae. 2(台浙闽粤琼桂黔川滇藏) / 5. **7.** 竹叶兰.

Arundinaria Michx. (to Subtr.) (?可能中国无此属), Gramineae. 3 / 20 ±. **3.** 青篱竹.

Arundinella Raddi, Gramineae. 14 / 50. **8.** 野枯草.

Arundo Linn. (to Temp.), Gramineae. 2 / 12 ±. **2.** 芦竹.

Arytera Bl., Sapindaceae. 1 / 20+. **5.** 滨木患.

Asarum Linn. (sensu latissimo), Aristolochiaceae. 30 / 90 ±. **8.** 细辛.

* **Asclepias** Linn. (to Subtr., run wild), Asclepiadaceae. 1 / 120. **(2).** 莲生桂子花(马利筋).

Ascocentrum Schlecht. ex J. J. Smith (包括 Ascolabellum Ying), Orchidaceae. 2 台滇 / 5. **7.** 假囊距兰(乌舌兰).

* *Ascyrum* Linn. 此属并入 Hypericum Linn., Hypericaceae.

Askelia W. A. Weker (1984), Compositae. 1-2 / 8. **12.** 假苦菜.

Asparagus Linn. (to Temp.), Ruscaceae. 24 / 300 ±. **4.** 天门冬.

Asperella Humb. (1790) = Hystrix Moench (1794) (to N. Afr. & C. Eur.), Gramineae. 2 / 8. **9.** 猬草.

Asperugo Linn. (to N. Afr. & C. Eur.), Boraginaceae. 1 / 1. **12.** 糙草.

* *Asperula* auctt. non Linn. = **Cynanchica** Fourr. Rubiaceae. **(12–1).** 车叶草.

Aspidistra Ker. –Gawl., Liliaceae. 9 ± / 12 ±(13). **14.** 蜘蛛抱蛋.

* *Aspidixia* (Korthals) van Tieghtem = **Viscum** Linn.,

Aspidocarya Hook. f. et Thoms., Menispermaceae. 1 台滇 / 1. **7.** 球果藤(盾核藤).

Aspidopterys Juss., Malpighiaceae. 8 / 20. **7.** 盾翅果 (盾翅藤).

Aster Linn. (Chlamydites J. R. Drumm.), Compositae. 130 / 500. **8.** 紫菀.

* *Asteromoea* Blume = **Kalimeris** Cass. Compositae. 20. **(14).** 鸡儿肠.

Asteropyrum J. R. Drumm. et Hutch. (S. W. to C. China), Ranunculacaeae. 2 / 2. **15.** 星果草.

Asterothamnus Novopokr. (to Qinghai, Gansu, Shaanxi) (not in Ind. Nom. Gen.), Compositae. 5 / 7. **13.** 木紫菀.

Astilbe Buch. –Ham. ex D. Don, Saxifragaceae. 15 / 25. **9.** 落新妇(红升麻).

Astilboides (Hemsl.) Engl. (N. E. China to N. Korea), Saxifragaceae. 1 / 1. **15.** 大叶子.

Astragalus Linn. (Neodielsia Harms), Papilionaceae. 130 / 2000. **1.** 紫云英.

Astronia Bl., Melastomataceae. 1 / 70. **7.** 褐鳞木.

Asyneuma Griseb. et Schenck (1 to Japan, 1 to Himal.), Campanulaceae. 2 / 51. **10–1.** 肖牧根草.

Asystasia Bl., Acanthaceae. 2–3 / 40 ±. **4.** 十万错.

Asystasiella Lindau (to Subtr.), Acanthaceae. 1 / 3. **5.** 白接骨.

Atalanthus D. Don (N. China, Inner Mong. and Central Asia), Compositae. 1 / 10±. **12.** 多枝苦荬菜.

Atalantia Correa, nom. conserv. (Severinia Ten.), Rutaceae. 5 / 18. **5.** 酒饼簕.

Atelanthera Hook. f. et Thoms., Cruciferae. 1 / 1. **13–2.** 异药芥.

Atractylodes DC. (Atractylis auct. non Linn., Giraldia Baroni), Compositae. 5 / 7. **14(SJ).** 苍术.

* *Atragene* Linn. = **Clematis** Linn. Ranunculaceae. (5 / 10). **(8).** 瓣铁线莲.

Atraphaxis Linn. (to N. Afr.), Polygonaceae. 10+ / 25. **10–1.** 针枝蓼.

Atriplex Linn., Chenopodiaceae. 17 ± / 180. **1.** 滨藜.

* **Atropa** Linn., Solanaceae. 1 / 4. **(12).** 颠茄.

Atropanthe Pascher, Solanaceae. 1(华中) / 1. **15.** 天蓬子.

Atylosia Wight et Arn. (to Subtr.), Papilionaceae. 5 / 35. **3.** 蝙蝠豆.

Aucklandia Falc., Compositae. 1 / 1. **14(SH).** 云木香.

Aucuba Thunb., Cornaceae. 5+ / 7. **14.** 桃叶珊瑚.

Aulacolepis Hack. (1907), non Ettinghausen (1893) (Japan, Malaysia to Philippine) (new name needed), Gramineae. 2 / 4–5. **7.** 沟稃草.

* *Aulacospermum* Ledeb. = **Pleurospermum** Hoffm. (absent in Medit.) (E.

Russia to C. As.) Umbelliferae. 2 / 4–5. **(10).** 沟子芹.

Avena Linn., Gramineae. 7–8 / 25–70. **8.** 燕麦.

Averrhoa Linn. (to Subtr.), Averrhoaceae. 1 / 2. **7.** 阳桃.

Avicennia Linn. (sea shore), Avicenniaceae. 1 / 4. **2.** 海榄雌.

Axonopus Beauv., Gramineae. 1–2 / 35–40. **3.** 地毯草.

Axyris Linn., Chenopodiaceae. 3 / 6. **11.** 轴藜.

Azima Lam., Salvadoraceae. 1 / 4. **6.** 刺茉莉.

Baccaurea Lour. (to Fiji), Euphorbiaceae. 3 / 70±. **7.** 木黄果.

Bacopa Aubl., nom. conserv. (to Subtr., esp. Amer.), Scrophulariaceae. 2 / 65±. **2.** 假马齿苋.

Baeckea Linn. (to Subtr.), Myrtaceae. 1 / 68. **5.** 岗松.

* *Baeothryon* A. Dietr. = **Scirpus** Linn. ?(Scirpus pumilus) Cyperaceae. (1 / 200).

Baissea A. DC. (中国种，李秉滔 (1984) 仍用 Cleghornia), Apocynaceae. 1 / 24. **6.** 金平藤.

Balanophora J. R. et G. Forst. sensu latiss. (E. to Polynesia, Tahiti), Balanophoraceae. 15(–19) / 80. **5.** 蛇菰.

Baliospermum Bl. (dispersed), Euphorbiaceae. 3 / 6±. **7–1.** 斑籽.

Bambusa Schreber, nom. conserv. (to Subtr.), Gramineae. 60± / 100±. **2–2.** 簕竹.

Baolia Kung et G. L. Chu (South western Gansu) (non est Baoulia A. Chev.); Chenopodiaceae. 1 / 1. **15.** 苞藜.

Baphicacanthus Bremek. (1944) (to Subtr.), Acanthaceae. 1 / 1. **7.** 马蓝, 板蓝

Barbarea R. Br., nom. conserv., Cruciferae. 4 / 15(–20). **8.** 山芥.

Barleria Linn. (to Subtr.), Acanthaceae. 4 / 230. **2.** 假杜鹃.

Barringtonia J. R. et G. Forst., nom. conserv., Barringtoniaceae. 3 / 39. **4.** 金刀木(玉蕊, 已用于玉蕊科 Lecythidaceae).

Barthea Hook. f., Melastomataceae. 1 / 1. **15.** 棱果花, (刚毛药花).

Basella Linn. (to Temp.), Basellaceae. 1 / 6. **2.** 落葵.

Bashania Keng f. et Yi (1982) = Arundinaria Michx.?, Gramineae. 3(湘西, 鄂西, 陕南, 甘南, 川) / 3. **15.** 巴山木竹.

Basilicum Moench, Labiatae. 1 / 6–7. **4.** 小冠薰.

Bassia All. (to C. Europe, Siberia and N. China), Chenopodiaceae. 3 / 10±. **12.** 雾冰藜.

Batrachium (DC.) S. F. Gray, Ranunculaceae. 7 / 30. **8–4.** 梅花藻(水毛茛).

Bauhinia Linn. (to Subtr. and Temp. in China), Caesalpiniaceae. 40 / 570–600. **2.** 羊蹄甲.

Beaumontia Wall., Apocynacaeae. 5 / 15. **7.** 清明花.

Beccarinda Kuntze (Slackia Griff. (1854), Petrodoxa Anth.), Gesneriaceae. 5 / 7. **7–4.** 横蒴苣苔.

Beckmannia Host, Gramineae. 1 / 2. **8.** 茵草.

Beesia Balf. f. et W. W. Smith (S. W., to Burma), Ranunculaceae. 2 / 2. **14(SH).** 铁破锣(白细辛).

Begonia Linn. (to Subtr.), Bego–

niaceae. 90± / 900±. **2.** 秋海棠.

Beilschmiedia Nees (to Subtr.) (包括 Lauromerrilia Allen), Lauraceae. 35 / 200 ±. **2.** 琼楠.

Belamcanda Adans., nom. conserv., Iridaceae. 1 / 2. **14(SH).** 射干.

* **Bellis** Linn. (Eur., Medit.), Compositae. 1 / 15. **(10).** 雏菊.

Belostemma Wall. ex Wight, Asclepiadaceae. 2 / 2. **7–2.** 箭药藤.

Belosynapsis Hassk., Commelinaceae. 1 / 4. **7.** 假紫万年青.

Benincasa Savi (to Subtropical and Temperate) (to Malgash), Cucurbitaceae. 1 / 2. **7?.** 冬瓜.

Bennettiodendron Merr. (dispersed), Flacourtiaceae. 3 / 3. **7.** 山桂花.

Berberis Linn., Berberidaceae. 200 / 450–500. **8.** 小蘗.

Berchemia Neck. ex DC., nom. conserv. (1 in New Caled.), Rhamnaceae. 16 / 22. **9.** 勾儿茶(黄鳝藤).

Berchemiella Nakai, Rhamnaceae. 1 / 2. **14(SJ).** 小勾儿茶.

Bergenia Moench, nom. conserv. (to Siberia & N. E. Asia, dispersed), Saxifragaceae. 6 / 9. **11.** 岩白菜.

Bergia Linn. (to Temp.), Elatinaceae. 3 / ±25. **2.** 田繁缕.

Berneuxia Decne. (Yunnan, Sichuan), Diapensiaceae. 1 / 1. **15.** 藏岩梅(岩匙).

Berrya Roxb. mut. DC., nom. conserv. (B. ammonilla Roxb.) (Indo–Malaya to Polynesia), Tiliaceae. 1 台 / 8. **7.** 六翅木.

Berteroa DC., Cruciferae. 2 / 7±. **10.** 团扇荠.

Berteroella O. E. Schulz (N. E. to Korea), Cruciferae. 1 / 1. **15.** 锥果荠(北荠).

Berula Bess. ex Koch, Umbelliferae. 1 / 1–2. **12.** 天山泽芹.

Beta Linn. (Eur., Medit.), Chenopodiaceae. 1 / 10±. **10.** 甜菜.

* **Betonica** Linn. (Temp. Eurasia), Labiatae. 1 / 15. **(10).** 药水苏.

Betula Linn., Betulaceae. 29 / 100 ±. **8.** 桦(桦木).

Bhesa Buch. –Ham. ex Arn. = (Kurrimia Wall. ex Benth. & Hook. f.) (Indomaloya, Pacific Isl.), Celastraceae. 1 / 5. **7.** 膝柄木.

Bidens Linn., Compositae. 7–8 / 200 ±. **1.** 鬼针草.

Biebersteinia Steph. (1811) (absent in Medit.), Biebersteiniaceae. 3 / 5. **12.** 熏倒牛.

* *Biermannia* King et Pantl. = **Kingiella** Rolfe = Kingidium P. F. Hunt, Orchidaceae.. (2 / 2). **(7–2).** 胼胝兰.

* **Billbergia** Thunb. (Trop. Amer.), Bromeliaceae. 2 / 60±. **(3).** 水塔花.

Biondia Schlechter (S. W. to Qing– ling), Asclepiadaceae. 6 / 6. **15.** 秦岭藤.

Biophytum DC. (to Subtr.) (except Polynesia), Oxalidaceae. 4 / 70±. **2.** 感应草.

* *Biota* (D. Don) Endl. (1847) non Biota Cass. (1825) = **Platycladus** Spach (1841) (S. W. to N. E.) (to Korea) Cupressaceae. (1 / 1). **(14).** 侧柏.

Bischofia Bl. (to E. China), Bischofiaceae. 2 / 2. **7–1.** 重阳木.

Biswarea Cogn., Cucurbitaceae. 1 / 1. **14(SH).** 三裂瓜.

* **Bixa** Linn., Bixaceae. 1／4. **(3).** 红木.

Blachia Baill., Euphorbiaceae. 1／12. **7.** 留萼木.

Blainvillea Cass. (to Subtr.), Compositae. 1／10. **2.** 异芒菊(百能葳).

Blastus Lour., Melastomataceae. 14／18. **7.** 柏拉木.

* **Blechum** P. Br. (Trop. Amer., W. I.), Acanthaceae. 1／10. **(3).** 赛山蓝.

Blepharis Juss., Acanthaceae. 1／20±. **4.** 百簕花.

Bletilla Reichenb. f., nom. conserv. 浙皖豫陕甘以南, Orchidaceae. 4／6. **14.** 白及.

Blinkworthia Choisy, Convolvulaceae. 2／3. **7–3.** 苞叶藤.

Blumea DC., nom. conserv. (to Subtr.), Compositae. 30／50±. **4.** 艾纳香.

Blumeopsis Gagnep., Compositae. 1／1. **7.** 假艾脑.

Blysmocarex (Boeck.) H. A. Ivan., Cyperaceae. 2／2. **13–3.** 长梗苔草.

Blysmus Panzer ex Schult., nom. conserv., Cyperaceae. 2／4. **10.** 扁穗莞.

Blyxa Noronha ex du Petit–Thouars (to Malgash), Hydrocharitaceae. 7+／10. **4.** 水师.

Boea Comm. ex Lam. (to N. China), Gesneriaceae. 3／14. **5.** 牛耳草(旋蒴苣苔).

Boehmeria Jacq. (to Subtr.), Urticaceae. 35／100. **2.** 苎麻.

Boeica T. Anderes ex C. B. Clarke, Gesneriaceae. 3 (滇桂粤)／9. **7–3.** 短筒苣苔.

Boeicopsis H. W. Li (1982) (South–Eastern Yunnan), Gesneriaceae. 1／1. **15.** 翼柱苣苔.

Boenninghausenia Reichenb. ex Meissn., nom. conserv. (to C. China), Rutaceae. 2／2. **7–1.** 石椒草(臭节草).

Boerhavia Linn. (to Subtr.), Nyctaginaceae. 3／44. **2.** 黄细心.

Boerlagiodendron Harms, Araliaceae. 1／15+. **7.** 兰屿五加(台湾五加).

Boesenbergia Kuntze, Zingiberaceae. 2／50. **7.** 凹唇姜.

* *Bogenhardia* Reichb., not in Ind. Nom. Gen, = **Herissantia** Medik. (1789) Malvaceae. (1／3). **(3).** 泡果苘.

Bolbostemma Franquet (S. W. and. N. C. China disjuncted), Cucurbitaceae. 2. **15.** 假贝母.

* *Bolocephalus* Hand. –Mazz. (Tibet) = **Dolomiaea** DC. Compositae. (1／1). **(15).** 球菊.

Bombax Linn. (Gossampinus Buch. –Ham. emend. Schott et Engl.) (to Subtr.), Bombacaceae. 2／8. **6.** 木棉.

Boniodendron Gagnep. (Sinoradlkoveria Meyer), Sapindaceae. 1／2. **7–4.** 黄梨木(小栾).

* *Boottia* Wall. = **Ottelia** Pers. (to Subtr.) Hydrocharitaceae. **(4).** 水车前.

* **Borago** Linn. (Medit. Sea. Eur. As.), Boraginaceae. 1／3. **(10).** 玻璃苣.

* **Borassus** Linn., Palmae. 1／8±. **(6).** 糖棕.

Borkonstia M. S. Ignatov (1983) = Krylovia Schischkin, Compositae.

Borreria G. F. W. Mey., nom. conserv. (to Subtr.), Rubiaceae. 4／150±. **2.** 丰花草.

Borsczowia Bunge, Chenopodiaceae. 1／1. **13.** 异子蓬.

Borthwickia W. W. Smith, Capparidacaeae. 1 / 1. **7–3.** 节蒴木.

Boschniakia C. A. Meyer, Orobanchaceae. 2 / 3. **9.** 草苁蓉.

Bostrychanthera Benth. (S. E. China to Guangxi), Labiatae. 1(–2) / 2. **15.** 毛药花.

Bothriochloa Kuntze (to Temp.), Gramineae. 4 / 25. **2.** 孔颖草.

Bothriospermum Bunge, Boraginaceae. 5 / 5. **14.** 斑种草.

* *Bothrocaryum* (Koehne) Pojark. (1950) = **Thelycrania** (Endl.) Fourr. (1868), Cornaceae. (1 / 3). **(9).** 灯台树.

* *Botryopleuron* Hemsl. = **Veronicastrum** Heist. ex Fabr., Scrophulariaceae. (10 / 10). **(9).** 腹水草.

Bouea Meisn., Anacardiaceae. 1 / 4. **7.** 对叶漆(波漆).

* **Bougainvillea** Comm. ex Juss., nom. conserv. (Trop. Amer.), Nyctaginaceae. 2 / 12. **(3).** 叶子花.

Bournea Oliv. (Guangdong), Gesneriaceae. 1 / 1. **15.** 四数苣苔.

Bousigonia Pierre, Apocynaceae. 2 / 2. **7–4.** 奶子藤.

* **Bouteloua** Hornem ex P. Beauv. (1812) Amer.), Gramineae. 2 / 40 ± . **(3).** 格兰马草, 垂穗草.

Bowringia Champ. ex Benth. (to S. China), Papilionaceae. 1 / 2. **6.** 藤槐.

Brachanthemum DC., Compositae. 5 / 7. **13.** 短舌菊.

Brachiaria (Trin) Griseb.(To Subtropical), Gramineae. 6 / 50. **2.** 臂形草.

* *Brachiostemon* Hand. –Mazz. = **Onithoboea** Parish ex C. B. Clarke, Gesneriaceae. (1, Guanxi / 1). **(15).** 异药苣苔.

Brachyactis Ledeb., Compositae. 4 / 5. **9.** 短星菊.

Brachybotrys Maxim. ex Oliv. (N. E. China to Ussuri), Boraginaceae. 1 / 1. **11.** 短序花.

Brachycorythis Lindl. (Phyllomphax Schlechter), Orchidaceae. 2(台 粤 桂 湘 滇) / 32. **6.** 苞叶兰.

Brachyelytrum Beavuv., Gramineae. 1 / 3. **9.** 短颖草.

* *Brachylepis* C. A. Mey. = **Anabasis** Linn. (Southern Russia to C. As.) Chenopodiacaeae. **(12).** 短鳞木贼.

Brachypodium Beauv. (alp. in Tropics), Gramineae. 6 / 10 ± . **8.** 短柄草.

Brachystachyum Keng (Jiangsu, Zhejiang, Anhwei, S. Henan)? = Semiarundinaria Makino ex Nakai, Gramineae. 1 / 1. **15.** 短穗竹.

Brachystelma R. Br. (Burma to Yunnan) (to Subtr.), Asclepiadaceae. 1 / 30. **6–1.** 润肺草.

Brachystemma D. Don, Caryophyllaceae. 1 / 1. **14(SH).** 短瓣藤.

Brachytome Hook. f., Rubiaceae. 2 / 4. **7.** 短萼齿木.

Brandisia Hook. f. et Thoms., Scrophulariaceae. 8 / 11–13. **7–3.** 来江藤.

Brasenia Schraker, Cabombaceae. 1 / 1. **1.** 莼菜.

Brassaiopsis Decne. et Planch. (to Subtr.), Araliacaeae. 9 / 15 ± . **7.** 罗伞.

Brassica Linn., Cruciferae. 14 / 40 ± . **8.** 芸苔.

Braya Sternb. et Hoppe (alp.), Cruciferae. 4 / 11–20. **8–2.** 肉叶芥(柏蕾芥).

Bredia Bl. emend., Melastomataceae. 14／30+. **14.** 野海棠.

Bretschneidera Hemsl. (长江以南各省 to Vietnam), Bretschneideraceae. 1／1. **15.** 伯乐树.

Breynia J. R. et G. Forst., nom. conserv. (to Austr. S. N. Caled.), Euphorbiacaeae. 7／25. **5.** 黑面神.

Brezia Moq. –Tand. (SE. Eur. C. As. to Afgh.), Chenopodiaceae. 1／1. **12.** 横翼碱蓬.

Bridelia Willd. corr. Spreng. (to Subtr.), Euphorbiaceae. 5／60. **6.** 土密树.

Briggsia Craib, Gesneriaceae. 18／20+. **7–3.** 佛肚苣苔.

Briza Linn. (to N. Afr. also), Gramineae. 3／20±. **8–4.** 凌风草.

Bromus Linn., Gramineae. 20／100+. **8–4.** 雀麦.

Broussonetia L'Herit. ex Vent., nom. conserv. (to Subtr.), Moraceae. 5／5. **7.** 构.

Brucea J. F. Mill., nom. conserv. (to Subtr.), Simarubaceae. 2／6. **4.** 鸦胆子.

* **Brugmansia** Pers. (Trop. Amer.), Solanaceae. 1／14. **(3).** 木曼陀罗.

Bruguiera Lam. (sea shore), Rhizophoracaceae. 3／6. **4.** 木榄.

Bruinsmia Boerl. et Koord., Styracaceae. 1／2. **7–2.** 岐序野茉莉.

* **Brunfelsia** Linn. (Trop. Amer.), Solanacaeae. 2／25–30. **(3).** 番茉莉.

Brylkinia Fr. Schmidt (N. E. China to W. Saghalin–Japan , 1 in Omei), Gramineae. 1／1. **14(SJ).** 扁穗草.

Bryocarpum Hook. f. et Thoms., Primulaceae. 1 藏／1. **14(SH).** 藓果草.

Bryophyllum Salisb. (1, other 19 in Malgash) (to Subtr.) (～Kalanchoe Adans.), Crassulacaeae. 1／20. **2.** 落地生根.

Buchanania Spreng. (Indomalaya to Trop. Austr.), Anacardiaceae. 4／45. **5.** 天干果(山 羡子).

* **Buchloe** Engelm., nom conserv. (N. W. Amer., and Mexico), Gramineae. 1／1. **(9).** 野牛草.

Buchnera Linn. (to Subtr.), Scrophulariaceae. 1／60–100. **2.** 鬼羽箭.

Buckleya Torr., nom. conserv., Santalaceae. 2／4. **9.** 米面蓊.

Buddleja Linn. (to Temp.) (包括 Baigishao K. S. Chow 6 种), Buddlejaceae. 45／100. **2.** 醉鱼草.

Buglossoides Moench, Boraginaceae. 1／15±. **10.** 地仙桃.

Bulbophyllum du Petit–Thouars, nom. conserv. (to Subtr.), Orchidacaeae. 36(陕甘皖浙以南)／100 ±. **2.** 石豆兰.

Bulbostylis Kunth, nom. conserv. (to Temp.), Cyperaceae. 3／100. **2.** 球柱草.

Bulleyia Schlechter (Yunnan), Orchidaceae. 1／1. **15.** 蜂腰兰.

Bunias Linn. (to N. E. & N. China), Cruciferae. 2／5–6. **12.** 匙荠.

Buphthalmum Linn. (to C. Eur.) (run wild), Compositae. 1／6. **12.** 牛眼菊.

Bupleurum Linn., Umbelliferae. 36／120. **8–4.** 柴胡.

Burmannia Linn. (to Subtr.), Burmanniaceae. 11／59. **2.** 水玉簪.

Burretiodendron Rehd., Tiliaceae. 5／5–6. **7–3.** 柄翅果(蚬木).

Butea K. Koenig ex Roxb., nom. conserv., Papilionacaeae. 1／3. **7.** 紫针(紫胶树).

Butomus Linn., Butomaceae. 1／1.

10. 花蔺.

* **Butyrospermum** Kotschy, Sapotacaceae. 1 / 1. **(6).** 牛油果.

* *Buxiphyllum* W. T. Wang = **Parabaea** (C. B. Clarke) Ridl., fide Burtt, Gesneriaceae. (1 / 1). **(15).** 密叶苣苔.

Buxus Linn. (to E. & N. W. Afr., S. Afr, & W. Ind. –C. Amer.), Buxaceae. 11 / 70. **2.** 黄杨.

Byttneria Loefl. = (Buettneria Murr.), nom. conserv., Sterculiacaeae. 3 / 70. **2.** 翅果藤.

* *Cacalia* auct. pl. fl. As. Or. non Linn. = *Koyamacalia* H. Robins. et Bretell (1973) e typo tantum., Compositae. 1 / 2,. **(9).** 戟叶菊.

Cachrys Linn. (有人认为 C. macrocarpa Led. 应为 Prangos ledebourii Herrn. et Heyn., 中国无本属), Umbelliferae. 1 / 22. **12.** 绵果芹.

Caesalpinia Linn. (to Subtr.) (包括 Mezonevron Desf.), Caesalpiniacaeae. 17 / 100 ±. **2.** 云实.

Cajanus DC., emend. van der Maesen, nom. conserv.大部分在澳大利亚, Papilionacaeae. 12+6 / 32. **4.** 木豆 (虫豆).

* **Caladium** Vent., Araceae. 2 / 16. **(3).** 花叶芋.

Calamagrostis Adans., Gramineae. 6 / 15–20. **8.** 拂子茅.

Calamintha Mill., Labiatae. 1 / 6–7. **10.** 新风轮.

Calamus Linn. (to Subtr.), Palmae. 34+ / 375+. **4.** 省藤.

Calanthe R. Br., nom. conserv. (to Subtr.), Orchidaceae. 41(豫皖陕甘以南) / 100. **2.** 虾脊兰.

* **Calathea** G. F. W. Mey. (Trop. Afr. and Trop. Amer.), Maranthaceae. few / 150. **(2–2).** 肖竹芋.

Calathodes Hook. f. et Thoms., Ranunculaceae. 2 / 3. **14(SH).** .鸡爪草.

Calcareoboea C. Y. Wu (Wang, 1984) (SE. Yunnan and Guangxi), Gesneriaceae. 1 / 1. **15.** 朱红苣苔.

Caldesia Parl. (to Subtr.), Alismataceae. 1 / 4. **4.** 泽苔草.

Calendula Linn. (run wild), Compositae. 2 / 20–30. **12.** 金盏菜.

Calla Linn., Araceae. 1 / 1. **8–1.** 水芋

Callianthemum C. A. Mey., Ranunculaceae. 5 / 12. **10.** 美花草.

* *Calliaspidia* Bremek. = **Beloperone** Nees = Drejerella Lindau, Acanthaceae. (1 / 60). **(3).** 虾衣草.

Calliandra Benth., nom. conserv. (Madag., Warm As., Am. 1 in S. W. Yunnan), Mimosaceae. 2 / 125. **(6).** 朱缨花.

Callicarpa Linn. (to Temp., esp. in E. Asia), Verbenaceae. 42 / 150 ±. **2.** 紫珠.

Calligonum Linn., Polygonaceae. 20+ / 80. **12.** 沙拐枣.

* **Callistemon** R. Br. (Austr.), Myrtaceae. 3 / 20–(25). **(5).** 红千层.

Callistephus Cass. (N. E. to N. China), Compositae. 1 / 1. **14(SJ).** 翠菊.

Callitriche L., nom. conserv., Callitrichaceae. 4 / 25. **1.** 水马齿.

Callostylis Bl., Orchidaceae. 1 / 2. **7.** 美柱兰.

Calocedrus Kurz (in Burma and Yunnan, 与北美 Heyderia 相对应, 1 var. 台.), Cupressaceae. 1 / 1. **7–3.** 肖楠.

Calogyne R. Br., Goodeniaceae.

1／7. **5.** 离根香(美柱草).

Calonyction Choisy, Convolvulaceae. 3／6–7. **3.** 月光花.

Calophaca Fisch. ex DC. (dispersed, S. Russia to Caucasus), C. Asia (4), Papilionaceae. 1?／5. **11.** 丽豆.

Calophanoides Ridl. (to Subtr.), Acanthaceae. 5／9. **7.** 杜根藤.

Calophyllum Linn. (mainly in Old World, but absent in Afr.), Guttiferae. 3／80. **2.** 红厚壳.

* **Calopogonium** Desv., Papilionaceae. 1／10. **(3).** 毛蔓豆.

* *Calorhabdos* Benth. = **Veronicastrum** Hemsl. (to C. Ch.), Scrophulariaceae. 4／4–5. **(14)(SH).** 四方麻.

Calotis R. Br., Compositae. 1／20. **5.** 刺冠菊.

Calotropis R. Br., Asclepiadaceae. 1／6. **6.** 牛角瓜.

* *Calpidia* du Petit–Thouars = **Pisonia** Linn. (to New Caledonia, S. to New Zeal., W. to Mascarene) Nyctaginaceae. **(7).** 胶果木.

Caltha Linn., Ranunculaceae. 6／32. **8–4.** 驴蹄草.

Calycanthus Linn., nom. conserv. (= Sinocalycanthus Cheng et S. Y. Cheng), Calycanthaceae. 1／3–4. **9.** 夏蜡梅.

Calycopteris Lam. (1793) = Getonia Roxb. (1798) (Indomalaya), Combretaceae. 1 滇／1. **7.** 萼翅藤.

Calypso Salisb., nom. conserv., Orchidacaeae. 1 青川藏／1. **8–4.** 布袋兰.

Calystegia R. Br., nom. conserv. (to Temp.), Convolvulaceae. 6／25. **2.** 打碗花

Camchaya Gagnep. (=Thoreliella C. Y. Wu = Thorelia Gagnep. non Hance), Compositae. 1／6. **7–4.** 凋缨菊.

Camelina Crantz, Cruciferae. 4／11. **12.** 亚麻荠.

Camellia Linn. (包括 Thea Linn., Theopsis Nakai) (esp. in Subtr. China), Theaceae. 190／220. **7.** 山茶(茶).

Campanula Linn. (to Trop., mainly Medit.), Campanulaceae. 20／300+. **8.** 风铃草.

Campanumoea Bl. (to E. China and Japan), Campanulaceae. 4／8±. **7–1.** 金钱豹.

Camphorosma Linn. (to N. Afr., Siber.), Chenopodiaceae. 2／10. **12.** 樟味藜.

Campsis Lour., Bignoniaceae. 1／2. **9.** 紫葳.

* *Camptandra* Ridl. = **Monolophus** Wall. (not in Chian ?), Zingiberaceae. (?／7). **(7).** 曲蕊姜.

Camptotheca Decne. (S. W. to C. China), Nyssaceae. 1／1. **15.** 喜树.

* *Campylandra* Baker = **Tupistra** Ker– Gawl. (to S. N.), Liliaceae. (7／9). **(14).** 扁竹枝.

Campylotropis Bunge (mainly S. W.), Papilionaceae. 50+／65+. **11.** 杭子梢.

Cananga (DC.) Hook. f. et Thoms., nom. conserv., Annonaceae. 2 cult.／3. **5.** 依兰.

Canarium Linn. (mostly Trop. As., alo 1 in W. Indean Isl.) (to Subtr.), Burseraceae. 7／100. **4.** 橄榄.

Canavalia DC., nom. conserv. (to Subtr.), Papilionacaeae. 4／12±. **2.** 刀豆.

Cancrinia Karel. et Kir., Compositae. 5／30. **13.** 小甘菊.

Canna Linn., Cannaceae. 1+8 cult. ／55. **3.** 美人蕉.

Cannabis Linn., Cannabaceae. 1／1. **13.** 大麻.

Canscora Lam. (to Subtr.), Gentianaceae. 3／30±. **4.** 穿心草.

Cansjera Juss., nom. conserv., Opiliaceae. 1／5. **5.** 山柑藤.

Canthium Lam., Rubiaceae. 4／200. **4.** 鱼骨木.

Capillipedium Stapf (to Temp.), Gramineae. 6／10. **4.** 细柄草.

Capparis Linn. (to Temp.), Capparaceae. 25／210. **2.** 槌果藤.

Capsella Medik., nom. conserv., Cruciferae. 1／5. **8.** 荠.

Capsicum Linn., Solanaceae. 2(1+ 1 cult.)／20. **3.** 辣椒.

Caragana Fabr., Papilionaceae. 50±／80+. **11.** 锦鸡儿.

Carallia Roxb., nom. conserv., Rhizophoraceae. 2／10. **4.** 竹节树.

* **Carapa** Aubl., Meliaceae. (1／7). **(2).** 酸渣树.

Cardamine Linn., Cruciferae. 39–42／130–160. **1.** 碎米荠.

Cardaminopsis (C. A. Mey.) Hayek, Cruciferae. 1／13. **8–3.** 假碎米荠.

Cardaria Desv. (= Hymenophysa C. A. Meyer), Cruciferae. 3／4–(5). **12.** 群心菜.

Cardiandra Sieb. et Zucc., Hydrangeacaeae. 2／3. **14(SJ).** 草绣球.

* *Cardiochlamys* auct. non Oliv. = **Porana** Burm. f. (to Subtr.) Convolvulaceae. 心被藤.

Cardiocrinum (Endl.) Lindl. (1847) in Kew Ind. (not in Ind. Nom. Gen.), Liliaceae. 2／3. **14.** 荞麦叶贝母.

* *Cardiopteris* Wall. ex Bl. = **Peripterygium** Hassk. Cardiopteridaceae. (3／3). **(7).** 心翼果.

Cardiospermum Linn. (mainly in Amer.) (to Subtr.), Sapindaceae. 1／72±. **2.** 倒地铃.

Cardioteucris C. Y. Wu (Yunnan, N. Burma), Labiatae. 1／1. **15.** 心叶石蚕.

Carduus Linn. (mainly in Medit. to W. As.), Compositae. 3／95±. **10.** 飞廉.

Carex Linn., Cyperaceae. 400+／1500–2000. **1.** 苔草.

* **Carica** Linn., Caricacaeae. 1／45. **(3).** 番木瓜.

Carissa Linn., nom. conserv. (to Subtr.), Apocynacaeae. 4／36. **4–1.** 假虎刺.

Carlemannia Benth. (to Subtr.), Carlemanniaceae. 2／3. **7–1.** 四角果(斗斛草).

Carlesia Dunn (N. E. China), Umbelliferae. 1. **15.** 毛香果(山茴香).

Carlina Linn. (Xinjiang), Compositae. 1／20±. **10.** 刺苞术.

* **Carludovica** Ruiz et Pav. (Trop. Amer.), Cyclanthaceae. 1／3. **(3).** 巴拿马草.

Carmona Cav. (absent in India) (~Ehretia P. Br.), Ehretiaceae. 1／1. **7.** 基及树(猫仔树).

Carpesium Linn., Compositae. 10+／20. **10.** 天名精.

Carpinus Linn. (mainly in East. Asia), Carpinaceae. 25／35–40. **8.** 鹅耳枥

Carrierea Franch., Flacourtiaceae. 2／3. **7–4.** 山羊角树.

Carthamus Linn. (to Afr.), Compositae. 2／1–3. **12.** 红花.

Carum Linn. (Subtr.), Umbelliferae.

4 / 30±. **8.** 葛缕子.

Carya Nutt., nom. conserv., Juglandaceae. 4 / 15±. **9.** 山核桃.

Caryodaphnopsis Airy–Shaw (to Borneo), Lauraceae. 4 / 14. **3** 檬果樟.

Caryopteris Bunge, Verbenaceae. 12 / 15. **14.** 莸.

Caryota Linn. (to Subtr.), Palmae. 4 / 12±. **5.** 鱼尾葵.

* *Cascabela* Rafin. (1838) (= Thevetia Linn. (1758), nom. conserv.) (Trop. Am.), Apocynacaeae. (1 / 15). **(3).** 黄花夹竹桃.

Casearia Jacq. (to Temp.), Samydaceae. 6 / 160. **2.** 嘉赐树.

* **Casimiroa** La Llave, Rutaceae. 1 / 6 (C. Amer.). **(3).** 香肉果.

* *Cassandra* D. Don. non Mitch. = **Chamaedaphne** Moench, nom. conserv. Ericaceae. (1 / 1). **(8–1).** 地桂.

Cassia Linn. (to Subtr.), Caesalpiniaceae. 22(野生 12) / 600. **2.** 决明.

Cassiope D. Don, Ericaceae. 8 / 12. **8–2.** 锦绦花.

Cassytha Linn., Lauraceae. 15 / 20. **4.** 无根藤.

Castanea Mill., Fagaceae. 4 / 12±. **8.** 栗.

* *Castanola* Llanos = **Agelaea** Soland. ex Planch. Connaraceae. **(6).** 栗豆藤
.

Castanopsis (D. Don) Spach, nom. conserv. (1 in California) (Pasaniopsis Kudo, Shiia Mak.), Fagaceae. 60± / 122± . **9.** 锥栗 (栲).

Castilleja Mutis ex Linn. f., Scrophlariaceae. 1 / 90. **9.** 火焰草.

* **Casuarina** Adans. (Trop. E. Afr.? Mascarene, S. E. Asia, Malaya, Polynesia), Casuarinaceae. 3 / 65±. **(4).** 木麻黄.

Catabrosa Beauv., Gramineae. 1 / 10 ±. **8.** 沿沟草.

Catabrosella (Tsvelev) Tsvelev, Gramineae. 1 / 9. **12.** 小沿沟草.

Catalpa Scop., Bignoniaceae. 7 / 11. **9.** 梓.

Catenaria Benth., Papilionaceae. 1 / 1. **14.** 山槐花.

* **Catha** Forssk. ex Scop. (Afr., Madagascar, Arab.), Celastraceae. 1 / 1. **(6).** 巧茶.

Catharanthus G. Don (Vinca L., p.p) (to Subtr.), Apocynaceae. 1 / 6±. **4.** 长春花.

Cathaya Chun et Kuang (Guangxi, Hunan, Guizhou, Sichuan), Pinaceae. 1 / 1. **15.** 银杉.

Cathayanthe Chun (Hainan), Gesneriaceae. 1 / 1. **15.** 扁蒴苣苔.

* *Cathayeia* Ohwi (1931) = **Idesia** Maxim, Flacourtiaceae.

* *Cathcartia* Hook. f. = **Meconopsis** Vig. Papaveraceae. (1–2 / 2). **(14).**

* *Caulokaempferia* auct. non. Larsen = Camptandra auct. non Ridl. = **Pyrgophyllum** T. L. Wu er Z. Y. Chen Zingiberaceae. **(7–1).** 大苞姜.

Caulophyllum Michx., Podophyllaceae. 1 / 2. **9.** 红毛七.

Cautleya Royle, Zingineraceae. 1 / 5. **14(SH).** 黄盔姜(距药姜).

Cavea W. W. Smith et Small, Compositae. 1 / 1. **14(SH).** 葶菊.

Cayratia Juss., nom. conserv. (to Temp.), Vitaceae. 13 / 45±. **4.** 乌蔹莓(乌蔹莓).

* **Cedrela** P. Br. (Trop. Amer.), Meliaceae. 1 / 9. **(3).** 洋椿.

Cedrus Trew, nom. conserv., Pinaceae. 1 / 4. **10–2.** 雪松.

* **Ceiba** Mill. (Trop. Amer.), Bombacaceae. 1 / 12. **(3).** 爪哇木棉.

Celastrus Linn. (包括 Monocelastrus Wang) (to Temp.), Celastraceae. 30 / 50. **2.** 南蛇藤.

Celosia Linn. (to Temp.), Amaranthaceae. 3 / 60. **2.** 青葙.

* *Celsia* Linn. = **Verbascum** Linn. (Mediterranean to Subtr.), Scrophulariaceae. **(6).** 赛尔茜.

Celtis Linn. (to Temp.), Ulmaceae. 20± / 70. **2.** 朴.

Cenchrus Linn. (esp. in Trop. America), Gramineae. 1 / 25±. **2.** 蒺藜草.

Cenocentrum Gagnep., Malvaceae. 1 / 1. **7–4.** 大萼葵.

Cenolophium Koch, Umbelliferae. 1 / 1–2. **10.** 空棱芹.

Centaurea L. (Eur. & N. Afr. to N. India & N. China, Temp., N. & S. Amer. Austr.), Compositae. 10± / 500+至600. **8–4.** 矢车菊.

Centaurium Hill (mainly Medit., but except Trop. et S. Afr.), Gentianaceae. 2 / 40–50. **1.** 百金花.

Centella Linn. (to Subtr.) (Afr. Austr., N. E. Amer.), Hydrocotylaceae. 1 / 20–40. **2.** 积雪草.

Centipeda Lour. (Madag., Afgh., E. Asia, Indo–Malaya, Austr., N. Amer.), Compositae. 1 / 6. **2–1.** 石胡荽.

Centosteca Desv. (Centotheca Beauv.) (Trop. Afr., As., Polynesia), Gramineae. 1 / 4±. **4.** 酸模芒.

Centranthera R. Br. (to Subtr.) (China, Indo–Malaya, Austr.), Scrophulariaceae. 4 / 7–9. **5.** 胡麻草.

Centrantheropsis Bonati (Guizhou), Scrophulariaceae. 1 / 1. **15.** 假胡麻草.

Centrolepis Labill., Centrolepidaceae. 1 / 25. **5.** 刺鳞草.

* **Centrosema** (DC) Benth., nom. conserv., Papilionaceae. 1 / 45–50±. **(3).** 距瓣豆.

Centrostemma Decne., Asclepiadaceae. 1 / 5±. **7.** 蜂出巢.

* *Ceodes* J. R. et G. Forst. = **Pisonia** Linn. (to Polynesia), Nyctaginaceae. (1 / 5±). **(5).** (胶果木).

Cephaelis Sw., nom. conserv., Rubiaceae. 1 / 60±–180. **2.** 头九节.

* *Cephalanoplos* Neck. = **Cirsium** Mill. (Not in Ind. Nom. Gen.) Compositae. (2–3 / 2–3). **(11).** 刺儿菜.

Cephalanthera Rich., Orchidaceae. 6 (吉鲁豫陕甘川鄂湘赣苏皖浙台粤桂滇) / 14±. **8.** 头蕊兰.

Cephalantheropsis Guill. (包括 Paracalanthe Kudo), Orchidaceae. 3 台粤琼 / 6. **7.** 黄兰.

Cephalanthus Linn., Naucleaceae. 1 / 17. **9.** 风箱树.

Cephalaria Schrad. ex Roem. et Schult., Dipsacaceae. 1 / 65. **12–1.** 头花草

Cephalomappa Baill. (= Muricococcum Chun et How), Euphorbiaceae. 1 / 5. **7.** 肥牛木.

Cephalorrhynchus Boiss., Compositae. 1 / 6. **12.** 头嘴苣.

Cephalostachyum Munro (to Madagascar) , Gramineae. 6 / 20±. **6.** 空竹(糯米香竹).

Cephalostigma A. DC., Campanulaceae. 1／10. **2.** 星花草.

Cephalotaxus Sieb. et Zucc., Cephalotaxaceae. 7／9. **14.** 粗榧.

Cerastium Linn., Caryophyllaceae. 22±／60. **8–4.** 卷耳.

Cerasus Mill. (= Prunus subg. Cerasus (Mill.) Focke), Rosaceae. 68／140. **8.** 樱.

Ceratanthus F. Muell. (= Hemsleia Kudo), Labiatae. 1／8–10. **5.** 角花.

Ceratocarpus Linn., Chenopodiaceae. 1–2／1–2. **12.** 角果藜.

Ceratocephala Moench, Ranunculaceae. 1／2. **12.** 角果毛茛.

* *Ceratoides* Gagnebin (1755) (= Eurotia Adans. 1763 = Axyxis Linn.), Chenopodiaceae.

* **Ceratonia** Linn., Caesalpiniaceae. 1／1 地中海. **(10–1).** 长角豆.

Ceratophyllum Linn., Ceratophyllaceae. 5±／7±. **1.** 金鱼藻.

Ceratostigma Bunge (to Temp.), Plumbaginaceae. 5／8. **6.** 蓝雪花(紫金标，角柱花).

Ceratostylis Bl., Orchidaceae. 3 粤琼滇／60±. **7.** 牛角兰.

Cerbera Linn., Apocynaceae. 1／9. **5.** 海芒果.

Cercidiphyllum Sieb. et Zucc., Cercidiphyllaceae. 1／1. **14(SJ).** 连香树.

Cercis Linn., Caesalpiniaceae. 5／8. **8.** 紫荆.

* **Cereus** Mill. (Trop. Amer.), Cactaceae. 2／50. **(3).** 仙人柱.

Ceriops Arn. (sea shore), Rhizophoraceae. 1／2. **4.** 角果木.

Ceropegia Linn. (to Subtr.), Asclepiadaceae. 14±／170±. **4.** 吊灯花(马尾参).

* **Cestrum** Linn. (Trop. Amer.), Solanaceae. 3／160±. **(3).** 夜香树.

Chaerophyllopsis Boiss. (?= Pimpinella Linn.), Umbelliferae. 1 Yunnan／1. **15.** 假香叶芹(滇藏细叶芹).

Chaerophyllum Linn., Umbelliferae. 2／40±. **8.** 细叶芹.

Chaetocarpus Thw., nom. conserv., Euphorbiaceae. 1／10. **2–2.** 刺果树.

Chaiturus Willd., Labiatae. 1／1. **10.** 鬃尾草.

Chamabainia Wight (to Subtr.), Urticaceae. 2／2. **7.** 微柱麻.

Chamaeanthus Schltr. (to N. Caled., N. Guinea), Orchidaceae. 1 台／6. **7.** 微花兰.

Chamaecyparis Spach, Cupressaceae. 2／6. **9.** 花柏(扁柏).

Chamaedaphne Moench, nom. conserv., non Mitch. (= Cassandra D. Don), Ericaceae. 1／1. **8–1.** 地桂.

* **Chamaemelum** Mill. (地中海), Compositae. 1／2–3. **(10–1).** 果香菊.

Chamaenerion Seguier (Raven & C. J. Chen–Epilobium Linn.) (to Mts. Subtr.), Onagraceae. 2／10±. **8.** 柳兰.

Chamaepericlymenum Hill, Cornaceae. 1／2–3. **8–1.** 草茱萸(御膳桔).

Chamaerhodos Bunge (to N. W. Amer., 1 in Tibet), Rosaceae. 6／11. **11.** 地蔷薇.

Chamaesciadium C. A. Mey. (小亚细亚，高加索，伊朗?至藏南), Umbelliferae. 1／3. **1.** 矮伞芹.

Chamaesium H. Wolff, Umbelliferae. 5／5. **14(SH).** 地芹(矮泽芹).

Chamaesphacos Fisch. & Meyer, Labiatae. 1 / 1. **13.** 矮刺苏.

Champereia Griff., Opiliaceae. 1 / 2–6. **7.** 台湾山柚 (詹柏木).

Championella Bremek., Acanthaceae. 6 / 6. **14(SJ).** 黄惊草(梭果爵床).

Changium H. Wolff (E. China), Umbelliferae. 1 / 1. **15.** 明党参.

Changnienia Chien, Orchidaceae. 1 苏浙鄂湘川 / 1. **15.** 独花兰.

Chartolepis Cass., Compositae. 1 / 7 ±. **13.** 薄鳞菊.

Chassalia Comm. ex Poir. (1812) (Ind. Nom. Gen. 作 Chasallia Comm. ex Juss. (1820), Willis 8th ed. 作 Chasallia Comm. ex Poir. (1817)) Rubiaceae. 1 / 42. **4.** 弯管花(柴桫利).

Chaydaia Pitard, Rhamnaceae. 2 / 2. **7–4.** 苞叶木.

* *Cheilotheca* Hook. f. (1876) = **Monotropastrum** H. Andres, Monotropaceae. (3 / 6). **(7).** 假水晶兰.

Cheiranthus Linn. (mainly Medit. and Macronesia, to Asia and Am.), Cruciferae. 3 / 10 ±. **8.** 桂竹香.

Cheirostylis Bl. (包括 Arisanorchis Hayata), Orchidaceae. 11(台闽湘粤琼桂黔川滇) / 22. **6.** 叉柱兰.

Chelidonium Linn., Papaveraceae. 1 / 1. **10.** 白屈菜.

Chelonopsis Miq., Labiatae. 13 / 16. **14.** 铃子香.

Chenopodium Linn., Chenopodiaceae. 19 / 250 ±. **1.** 藜.

Chesneya Lindl. ex Endl, Papilionaceae. 8 / 21. **12–3.** 雀儿豆.

Chesniella Boriss., Papilionaceae. 2 内蒙, 甘 / 6. **13.** 旱雀豆.

(*Chiazospermum* Bernh.) = **Hypecoum** Linn. (to C. Asia), Fumariaceae. 2 / 2. **11.** 节角茴.

Chienia W. T. Wang (1964), Ranunculaceae. 1 / 1 (Honan). **15.** 雨农花.

* *Chieniodendron* Tsiang et P. T. Li = **Oncodostigma** Diels (Hainan) Annonaceae. (1). **(15).** 山蕉.

* *Chienodoxa* Sun (1951) = **Schnabelia** H. –M., Verbenaceae.

Chikusichloa Koidz., Gramineae. 2 / 2. **14(SJ).** 山涧草.

Chiloschista Lindl., Orchidaceae. 2 台滇 / 4. **7.** 异唇芒.

Chimaphila Pursh, Pyrolaceae. 3–6 / 8. **8.** 喜冬草.

Chimonanthus Lindl., nom. conserv. (= Meratia Loisel.) (S. W. to C. China), Calycanthaceae. 3. **15.** 蜡梅.

Chimonobambusa Makino (to Qingling et Malaya), Gramineae. 18 / 30+. **7.** 方竹.

Chimonocalamus Hsueh et Yi (Yunnan and Tibet, also to Burma), Gramineae. 9 / 11. **7–2.** 香竹.

* *Chingiacanthus* Hand. –Mazz. = **Isoglossa** Oerst. (Guangxi–Tibet), Acanthaceae. (2 / 2). **(6).** 叉序草.

* *Chingithamnus* H. –M. = Microtopis Wall. ev Meisn.

Chiogenes Salisb. ex Torr. (~ Gaultheria Linn.), Ericaceae. 1 / 3. **8–2.** 伏地杜.

Chionanthus Linn., Oleaceae. 1 / 2. **9.** 流苏树.

Chionocharis Johnst., Boraginaceae. 1 / 1. **14(SH).** 垫紫草.

Chionographis Maxim., nom. con–

serv. (= Siraitos Rafin.), Liliaceae. 2 / 7. **14(SJ).** 白丝草.

Chirita Buch. –Ham. ex D. Don (Wang, 1984) (= Ceratoscyphus Chun), Gesneriaceae. 44 / 80. **7.** 蚂蝗七(唇柱苣苔).

Chiritopsis W. T. Wang (Guangxi and Guangdong), Gesneriaceae.. 5–8. **15.** 小花苣苔.

Chisocheton BL., Meliaceae. 1 / 100. **7.** 溪桫.

* *Chlamydites* J. R. Drumm. = **Aster** Linn. (Tibet), Compositae. (1 / 1). **(15).** 被菊.

* *Chlamydoboea* Stapf = **Parabaea** (C. B. Clarke) Ridl., Gesneriaceae. (2 / 2). **(7).** 宽萼苣苔.

Chloranthus Sw. (= Tricercandra A. Gray) (to Temp.), Chloranthaceae. 13 / 15. **2.** 金粟兰.

Chloris Sw. (to Temp.), Gramineae. 3 / 50. **2.** 虎尾草.

Chlorophytum Ker–Gawl. (to Temperate), Liliaceae. 4 / 125–200+. **2.** 吊兰.

Choerospondias Burtt et A. W. Hill, Anacardiaceae. 1 / 1. **14(SH).** 南酸枣.

Chondrilla Linn., Compositae. 10 / 25. **10.** 粉苞苣.

Chonemorpha G. Don, nom. conserv. (to Subtr.), Apocynaceae. 7 / 20. **7.** 鹿角藤.

Chorisis DC., Compositae. 1–2. **13.** 厚肋苦荬菜.

Chorispora R. Br. ex DC., nom. conserv. (to N. China), Cruciferae. 5 / 10. **12.** 离子芥.

* *Chosenia* Nakai 1920, fide A. Kimura = **Salix** Subg. 1. Pleuradenia, Salicaceae. (1 / 1). **(11).** 钻天柳.

Christia Moench (1802) (Lourea Neck. ex Desv. (1813)), Papilionaceae. 5 / 10–12. **5.** 蝙蝠草.

Christisonia Gardn., Orobanchaceae. 1 / 17. **7.** 彩花菰(小列当).

Christolea Camb. (in Tibet), Cruci–ferae. 12 / 13–20+. **13–4.** 高原芥.

Chroesthes R. Benoist, Acanthaceae. 1 / 3. **7–4.** 色萼花.

Chrozophora Neck. ex Juss. corr. Benth. et Hook.f., nom. conserv. (to Trop. W. Afr. & India), Euphorbiaceae. 1 北疆 / 12. **12.** 沙戟.

* **Chrysalidocarpus** H. Wendl. (Madag., Comoro), Palmae. 1 / 20 ±. **(6).** 散尾葵.

Chrysanthemum Linn., Compositae. 3 / 5. **10.** 茼蒿.

Chrysoglossum Bl. (to Polynesia) 台, 粤, 桂, 滇, Orchidaceae. 4 / 12. **7.** 金唇兰.

Chrysophyllum Linn. (Trop. Amer. mostly), Sapotaceae. 1+1cult. / 150. **3.** 金叶树.

Chrysopogon Trin., nom. conserv. = Rhaphis Lour. (to Subtr.) (1 to Mau–ritia), Gramineae. 2 / 25. **2.** 竹节草(金须茅).

Chrysosplenium Linn. (mostly China and Japan, also 2 in South Am.), Saxifragaceae. 42 / 61. **8–4.** 猫眼草(金腰子).

Chuanminshen Sheh et Shan (Sichuan and Hubei), Umbelliferae. 1 / 1. **15.** 川明参.

Chukrasia A. Juss. (absent in Male–sian Isl.), Meliaceae. 1 / 1–2. **7.** 麻楝.

Chunechites Tsiang (S. to E. China),

Apocynaceae. 1／1. **15.** 乐东藤.

Chunia H. T. Chang (Hainan), Hamamelidaceae. 1／1. **15.** 山铜材.

* *Chuniodendron* Hu = **Aphanamixis** Bl. (S. Yunnan), Meliaceae. (2). **(15).**

Chuniophoenix Burret (Hainan), Palmae. 2／2. **7–4.** 琼棕.

Cicer Linn. (cult. in N. China, wild in Tibet & Xinjiang), Papilionaceae. 3／15–20. **12.** 鹰嘴豆.

Cicerbita Wallr. (= Lactuca Linn. s. lat.) (to Alpine), Compositae. 5／15–18. **8.** 岩参.

Cichorium Linn. (to Aethiopia), Compositae. 1／9. **12.** 菊苣.

Cicuta Linn., Umbelliferae. 1／10. **8.** 毒芹.

Cimicifuga Wernischek, Ranunculaceae. 8／18+. **8.** 升麻.

* **Cinchona** Linn. (Andes), Rubiaceae. 3／40±. **(3).** 金鸡纳.

* **Cineraria** Linn. (Afr., Madag.), Compositae. 1／35±. **(6).** 瓜叶菊.

Cinna Linn. (N. and S. Amer., Temp. Euras.), Gramineae. 1／4. **8–4.** 单蕊草.

* *Cinnadenia* Kosterm. = **Litsea** Lam. (China) (Not in Ind. Nom. Gen.) Lauraceae. (1／1). **(15).**

Cinnamomum Schaeffer, nom. conserv. (to Subtr.), Lauraceae. 46／250. **5.** 樟.

Cipadessa Bl. (to Subtr.), Meliaceae. 2／3. **6.** 浆果楝.

Circaea Linn., Onagraceae. 12／12. **8.** 露珠草.

Circaeaster Maxim., Circaeasteraceae. 1／1. **14(SH).** 星叶.

* *Circaeocarpus* C. Y. Wu = **Zippelia** Bl., Piperaceae.

Cirrhopetalum Lindl., nom. conserv., Orchidaceae. 30(台粤琼桂黔川滇)／100+. **4.** 卷瓣兰.

Cirsium Mill., Compositae. 50±／150± (300). **8.** 蓟.

Cissampelopsis (DC) Miq., Compositae. 6／20. **6.** 菊藤.

Cissampelos Linn. (to Subtr.), Menispermaceae. 1／25–30. **2.** 锡生藤.

Cissus Linn. (to Subtr.), Vitaceae. 11／350. **2.** 白粉藤(青紫葛).

Cistanche Hoffmgg. et Link (to Trop. and Subtr. Afr.), Orobanchaceae. 6／16. **12.** 肉苁蓉.

* **Citrullus** Schrad. ex Eckl. et Zeyh., nom. conserv., Cucurbitaceae. 2／3. **(6).** 西瓜.

Citrus Linn. (to Subtr.), Rutaceae. 10–15／12–20±. **7.** 柑, 橘.

Cladium P. Br. (mainly in Austr.), Cyperaceae. 2／50–60. **2.** 一本芒.

Cladogynos Zipp. ex Span. (– in India, + in Indo–China), Euphorbiaceae. 1／1. **7.** 枝实.

Cladopus H. Moell. (Lawiella Koidz.), Podostemaceae. 2／5. **7.** 川苔草(飞瀑草).

* *Cladostachys* D. Don (1825) = **Deeringia** R. Br. (1810), Amaranthaceae. 浆果苋.

Cladrastis Rafin., Papilionaceae. 4–5／5(–12?). **9.** 香槐.

Claoxylon A. Juss., Euphorbiaceae. 5／80. **4.** 白桐树.

Clarkella Hook. f., Rubiaceae. 1／2. **14(SH).** 岩上珠(独叶草).

* *Clarkia* Pursh (N. Amer. to Chile),

Onagraceae. (1/36). **(3).** 古代稀.

Clausena Burm. f. (few in N. E. Austr. & S. Afr.), Rutaceae. 10/25. **4.** 黄皮.

Clausia Kornuch-Trotzky (1839), ex Hayek (1911), Cruciferae. 1/5-6. **11.** 香芥.

Claytonia Linn., Portulacaceae. 1/35. **8-3.** 克莱东苋.

Cleghornia Wight (1848) = Sindechites Oliv. in Hook., (1888), Apocynaceae. 3/7. **7.** 毛药藤.

Cleidiocarpon Airy-Shaw (= Sinopimelodendron Tsiang), Euphorbiaceae. 1/2. **7-3.** 蝴蝶果.

Cleidion Bl., Euphorbiaceae. 2/25. **2.** 棒柄花.

Cleisostoma Bl. (= Sarcanthus Lindl.), Orchidaceae. 20(鲁 苏 浙 闽 粤 桂 滇 藏)/100. **5.** 隔距兰.

Cleistanthus Hook. f. ex Planch., Euphorbiaceae. 2/140. **4.** 闭花木.

Cleistocalyx Bl., Myrtaceae. 2/21+. **5.** 水翁.

Cleistogenes Keng (mainly N. & C. Asia), Gramineae. 11/15-21. **10.** 隐子草

Clematis Linn., Ranunculaceae. 110/250-300. **1.** 铁线莲.

Clematoclethra (Franch.) Maxim., Actinidiaceae. 1/1 (4 ssp.). **15.** 藤山柳.

Cleome (Linn.) DC. (Gynandropsis DC., Polanisia Raf.) (to Temp.), Cleomaceae. 3/150. **2.** 白花菜.

Clerodendranthus Kudo (= Orthosiphon Benth. p. p. ?), Labiatae. 1/5. **7.** 肾茶.

Clerodendrum Linn. (to Subtr.), Verbenaceae. 30+/400. **2.** 臭牡丹(赪桐).

Clethra Linn. (to Subtr.), Clethraceae. 16/68-100±. **3.** 山柳.

Cleyera Thunb. emend. DC., nom. conserv. (= Sasakia Nakai), Theaceae. 1(-6)/17. **2.** 红淡(肖柃).

Clianthus Soland. ex Lindl., nom. conserv. (= Sarcodum Lour.), Papilionaceae. 1 琼/2-3 Austr., N. Z.. **5.** 耀花豆.

* *Climacoptera* Botsch. = **Salsola** Linn., Chenopodiaceae. (10/23). **(13).** 梯翅蓬.

Clinacanthus Nees, Acanthaceae. (2/5)? or 1/2. **7.** 鳄嘴花(扭序花).

* *Clinelymus* (Griseb.) Nevski = **Elymus** Linn. Gramineae. (8/20). **(8).** 披碱草.

Clinopodium Linn., Labiatae. 11/20±. **8.** 风轮菜.

Clintonia Rafin., Liliaceae. 1/6. **9.** 七筋菇.

Clitoria Linn. (to Subtr.), Papilionaceae. 2+2 cult. /30-40. **2.** 蝶豆.

* **Clivia** Lindl. (S. Afr.), Amaryllidaceae. 2/2. **(6).** 君子兰.

* **Clytostoma** Miers ex Bureau (Trop. Amer.), Bignoniaceae. 1/12. **(3).** 连理藤.

Cnesmone Bl. (= Cenesmon Gagnep.), Euphorbiaceae. (3/6)3/10. **7.** 刺毛藤(粗毛藤).

Cnicus L. emend. Gaertn. (Medit. to C. As., India), Compositae. 1/1. **12.** 藏掖花.

Cnidium Cusson ex A.Juss. (also in S. Amer.), Umbelliferae. 4/20. **10-3.** 蛇床.

* **Cobaea** Cav. (Trop. Amer.), Cobaeaceae. 1/18. **(3).** 电灯花.

Coccinia Wight et Arn. (to Trop.

Asia), Cucurbitaceae. 1 / 30±. **6.** 红瓜.

* **Coccoloba** P. Br. (Trop. Amer.), Polygonaceae. 1 / 150. **(3).** 海葡萄.

Cocculus DC., nom. conserv. (to Subtr.), Menispermaceae. 2 / 8–11. **2.** 木防己.

Cochlearia Linn., Cruciferae. 1 / 25 (–35). **8.** 岩荠.

Cochleariopsis Y. H. Zhang, Cruciferae. 1 (Zhejiang) / 1. **15.** 棒毛荠.

Cochlianthus Benth., Papilionaceae. 2 / 2. **14(SH).** 旋花豆.

* **Cochlospermum** Kunth, nom. conserv., Cochlospermaceae. 1 / 15–20. **(2).** 弯子木(弯胚树).

Cocos Linn., Palmae. 1 / 1. **2.** 椰子.

Codariocalyx Hassk. (1 to N. Australia), Papilionaceae. 2 / 2. **7.** 舞草.

* **Codiaeum** A. Juss., nom. conserv., Euphorbiaceae. 1 / 15. **(5).** 变叶木.

Codonacanthus Nees, Acanthaceae. 2 / 3. **7–1.** 钟花草.

Codonopsis Wall. (few to C. Asia), Campanulaceae. 39 / 30– 50. **14.** 党参.

Coelachne R. Br., Gramineae. 1 / 10. **4–1.** 小丽草.

* *Coelodepas* Hassk. (1857) = **Koilodepas** Hassk. (1856) Euphorbiaceae. (1 / 16). **(7).**

Coelodiscus Baill. (~ Mallotus Lour.), Euphorbiaceae. 1 / 5. **7.** 穴盘木.

Coeloglossum Hartm. , Orchidaceae. 1(黑吉辽蒙新青甘陕晋冀豫鄂川滇藏) / 2. **8.** 凹唇兰(凹舌兰).

Coelogyne Lindl. Corr. Lindl. (1825), Orchidaceae. 16(赣粤琼桂黔滇) / 200 ±. **7.** 贝母兰.

Coelonema Maxim. (N. W. China), Cruciferae. 1 青 / 1. **15.** 穴丝荠.

Coelopleurum Ledeb. (~ Angelica Linn., Homopteryx Kitag.), Umbelliferae. 2 吉 / 4–5. **11.** 高山芹.

Coelospermum Bl. (not. in Ind. Nom. Gen.), Rubiaceae. 1 / 17. **5.** 穴果木.

Coffea Linn. (esp. Afr.), Rubiaceae. 1 + 4 cult. / 40. **4.** 咖啡.

Coix Linn. (to Temp.), Gramineae. 1 / 5. **7.** 薏苡.

Coldenia Linn. , Ehretiaceae. 1 / 21. **2.** 刺锚草.

Coleanthus Seidel, nom. conserv. , Gramineae. 1 / 1. **10.** 莎禾.

Colebrookea Smith, Labiatae. 1 / 1. **7–2.** 羽萼木.

* **Coleostephus** Cass. (Medit. to Canary), Compositae. (1 / 7). **(10–1).** 鞘冠菊

Coleus Lour. (to Subtr.), Labiatae. 6 / 90 (–150). **4.** 鞘蕊.

* *Collabiopsis* Ying, fide S. C. Chen = **Collabium** Bl. Orchidaceae. (1 台 / 1). **(15).** 假吻兰.

Collabium Bl., Orchidaceae. 2 台 滇 / 8. **7.** 吻兰.

Colocasia Schott, nom. conserv. (to Subtr.), Araceae. 8 / 8– (13). **7.** 芋.

Colona Cav., Tiliaceae. 2 / 3. **7.** 一担柴.

Colpodium Trin. sensu stricto, Gramineae. 3 s. latis. / 20. **8.** 鞘柄茅(新拟).

Colquhounia Wall. (to Subtr.), Labiatae. 5 / 6. **14(SH).** 火把花.

Colubrina Rich. ex Brongn., nom. conserv. (to Subtr.), Rhamnaceae. 2 / 24. **2.** 蛇藤.

Coluria R. Br. (Siberia to S. W. China), Rosaceae. 4 / 6. **11.** 无尾果.

Colutea Linn., Papilionaceae. 2–4? / 26. **12–4.** 鱼鳔槐.

Comanthosphace S. Moore, Labiatae. 3 / 6. **14.** 绵穗苏.

Comarum L. (常并入 Potentilla Linn. 中), Rosaceae. 2 / 5. **10.** 沼委陵菜.

Comastoma (Wettst.) Toyokuni, Gentianaceae. 11 / 15±. **8–4.** 喉毛花.

Combretum Loefl., nom. conserv. (to Subtr.), Combretaceae. 11 / 250 ±. **2.** 风车藤.

Commelina Linn. (to Subtr. & Temperate.), Commelinaceae. 7 / 100. **2.** 鸭跖草.

Commersonia J. R. et G. Forst., Sterculiaceae. 1 / 9. **5.** 山麻树.

Commicarpus Standl. (to W. Austr.) (4 Amer., 1 SE. Spain), Nyctaginaceae. 1 / 16. **2.** 粘腺果.

Conandron Sieb. et Zucc., Gesneriaceae. 1 / 3. **14(SJ).** 苦苣苔.

Congea Roxb. (2 Indo–China, 1 S. E. Asia), Symphoremataceae. 2 / 10±. **7.** 绒苞藤.

Conioselinum Hoffm., Umbelliferae. 3 / 4. **10.** 滇芎 (山芎).

Conium Linn. (in S. Africa also), Umbelliferae. 1 / 4. **10–3.** 毒参.

Connarus Linn., Connaraceae. 2 / 90– 100. **2.** 牛栓藤.

* *Conocephalus* Bl. non Neck. ex Dum. = **Poikilospermum** Zipp. ex Miq. Cecropiaceae. (2 / 20). **(7).** 锥头麻.

Conringia Heister ex Fabr. (to C. Eur.), Cruciferae. 1 / 7–8. **12.** 线果芥(肋果芥).

* **Consolida** S. F. Gray (Medit.), Ranunculaceae. (2 / 50). **(8).** 飞燕草.

Convallaria Linn., Liliaceae. 1 / 1. **8.** 草玉铃(铃兰).

Convolvulus Linn. (mainly in Temp.), Convolvulaceae. 8 / 250. **1.** 旋花.

Conyza Less., nom. conserv. (to Subtr.), Compositae. 8–10 / 60. **2.** 假蓬.

Coptis Salisb., Rannunculaceae. 6 / 16. **8.** 黄连.

Coptosapelta Korth. (= Thysanospermum Champ. ex Benth.), Rubiaceae. 1 / 13. **7.** 流苏子.

Corallodiscus Batalin, Gesneriaceae. 14 / 18. **14(SH).** 珊瑚盘(珊瑚苣苔).

Corallorrhiza Gagnebin (to Mexico), Orchidaceae. 1(冀新川陕) / 14–15. **8.** 珊瑚兰.

Corchoropsis Sieb. et Zucc., Tiliaceae. 2 / 2. **14(SJ).** 田麻.

Corchorus Linn. (to Subtr.), Tiliaceae. 3 / 100. **2.** 黄麻.

Cordia Linn., Ehretiaceae? = Cordiaceae. 6 / 250. **2.** 破布子.

* **Cordyline** Comm. ex Juss., nom. conserv., Agavaceae. (1 / 15). **(2).** 朱蕉.

* *Cordyloblaste* Hensch. ex Moritzi = **Symplocos** Jacq., Symplocaceae. (1 / 7). **(7).**

* **Coreopsis** Linn. (run wild), Compositae. (2 / 100–120). **(2–2).** 金鸡菊.

* *Corethrodendron* Fisch. et Basin = **Hedysarum** Linn., Papilionaceae. (1 / 1). **(13).** 扫帚木.

Coriandrum Linn., Umbelliferae. 1 / 2. **12.** 芫荽.

Coriaria Linn., Coriariaceae. 3 / 15. **8–6.** 马桑.

Corispermum Linn. (few in N. America), Chenopodiaceae. 26 / 60. **8.** 虫实.

Cornulaca Delile, Chenopodiaceae. 1 / 7. **12.** 单刺花.

Cornus Linn. sensu stricto (= Macrocarpium (Spach) Nakai), Cornaceae. 2 / 4. **8.** 山茱萸.

* **Coronilla** Linn. (Medit.), Papilionaceae. 1(–3) / 20. **(12).** 小冠花.

Coronopus Zinn., nom. conserv. (to Subtr.), Cruciferae. 2 / 10. **1.** 臭荠(肾果荠).

* **Cortaderia** Stapf, nom. conserv. (South Amer.), Gramineae. 1 / 10. **(3).** 蒲苇.

Cortia DC., Umbelliferae. 1 / 7. **13–2.** 假栓果芹(新拟)

Cortiella C. Norman (Tibet and Himal.), Umbelliferae. 1 / 2. **13–2.** 栓果芹.

Cortusa Linn. (E. Eur. N. E. As. & Himal.), Primulaceae. 2 京新 / 10. **10.** 京报春.

Corybas Salisb. (to Subtr., dispersed), Orchidaceae. 3 台桂滇 / 50. **5.** 铠兰.

Corydalis Vent., nom. conserv. (Sophorocapnos Turcz.), Fumariaceae. 200 / 320. **8.** 紫堇.

Corylopsis Sieb. et Zucc., Hamamelidaceae. 20–23 / 28–30. **14.** 蜡瓣花.

Corylus Linn., Carpinaceae. 7 / 15–20. **8.** 榛.

Corymborkis du Petit–Thouars (Corymbis Reichenb. f.), Orchidaceae. 1 滇 / 10. **2.** 管花兰.

* **Corypha** L., Palmae. 1 / 8± . **(5).** 贝叶棕.

* **Cosmos** Cav. (Trop. Amer.) (run wild everywhere), Compositae. 2 / 25. **(3).** 秋英.

Cosmostigma Wight (to Indochina), Asclepiadaceae. 1 / 3. **7.** 阔柱藤(荟蔓藤).

Costus Linn., Costaceae. 3 / 150± . **2.** 闭鞘姜.

Cotinus Mill., Anacardiaceae. 2 / 4. **8.** 黄栌.

Cotoneaster Medik. (to N. Afr.), Rosaceae. 50+ / 90. **8.** 栒子.

Cotula Linn. (widespread in S. Hemisphere), Compositae. 2 / 75. **1.** 山芫荽.

Cotylanthera Bl. (to Pac. Isl.), Gentianaceae. 1 / 4. **7–1.** 杯蕊(寄生龙胆).

* *Courtoisia* Nees (1834), non Marchand (1830), = **Indocourtoisia** S. S. R. Bennet et M. B. Raizada, Cyperaceae. (1 / 2). **(6).** 刺鳞莎.

Cousinia Cass. (absent in Medit., to S. Russia), Compositae. 11 / 400–600. **12.** 刺头菊(假蓟).

Craibiodendron W. W. Smith, Ericaceae. 5 / 7. **7–4.** 假木荷.

Craigia W. W. Smith et Evans (1, Yunnan), Sterculiaceae. 2 / 2. **7–4.** 滇桐.

Crambe Linn. (to Macronesia, Patagonia & W. Eur.), Cruciferae. 2 / 19–25. **12.** 两节荠.

Craniospermum Lehm. (Diploloma Schrenk), Boraginaceae. 1 / 4. **11.** 颅果草.

Craniotome Reichenb., Labiatae. 1 / 1. **14(SH).** 簇序草.

Craspedolobium Harms (C. Yunnan), Papilionaceae. 1 / 1. **15.** 巴豆藤.

Crassocephalum Moench (to Subtr.) (如并入 Gynura Cass.,则此名为 nom. rejic.), Compositae. 1 / 30. **6.** 木耳菜(革命菜).

?**Crassula** Linn. (mainly S. Afr., 1 Inner Mongolia.? = Tillaea Linn.), Cras–

sulaceae. 1 / 300. **1.** 青锁龙.

Crataegus Linn. (many in North Amer.), Rosaceae. 17 / 200. **8.** 山楂.

Crateva Linn., Capparaceae. 3 / 9 (–20). **2.** 鱼木, 树头菜.

Cratoxylum Bl. (to Subtr.), Guttiferae. 3 / 7. **7.** 黄牛木.

Crawfurdia Wall., Gentianaceae. 14 / 16–18. **11.** 蔓龙胆.

Cremanthodium Benth., Compositae. 50± / 55. **14(SH).** 垂头菊.

Cremastra Lindl., Orchidaceae. 1–2 (晋陕甘鄂川滇黔湘粤桂闽浙皖台) / 3. **14.** 杜鹃兰.

Crepidiastrum Nakai (to Taiwan), Compositae. 2 / 8. **14(SJ).** 假还阳参.

Crepis Linn. (to Trop. & S. Afr.), Compositae. 25–(30) / 200±. **8.** 还阳参.

* **Crescentia** Linn. (Trop. Amer.), Bignoniaceae. 2 / 5. **(3).** 炮弹果.

Crinitaria Cass. (Linosyris Cass.), Compositae. 2 / 5. **10.** 麻菀.

Crinum Linn. (to Subtr.), Amaryllidaceae. 2 + 2 cult. / 100. **2.** 文殊兰.

* *Critesion* Rafin. ? = **Hordeum** Linn. Gramineae. (1 / 1). **(8).** 芒草.

* **Crocus** Linn. (from Eur. to C. Asia), Iridaceae. (1 / 75). **(12).** 番红花.

Croomia Torr. (in Torr. & A. Gray), Croomiaceae. 1 / 3. **9.** 黄精叶钩吻.

* **Crossandra** Salisb. (Trop. Afr., Madag. to Arabia), Acanthaceae. 1 / 25–50. **(6).** 半边黄(十字爵床).

Crossostephium Less., Compositae. 1 / 1. **9.** 千年艾(芙蓉菊).

Crotalaria Linn. (to Temp.), Papilionaceae. 34 / (+ 100)–550. **2.** 猪屎豆(野百合).

Croton Linn. (to Subtr.), Euphorbiaceae. 19 / 750 +. **2.** 巴豆.

Crupina (Pers.) DC. (S. Eur. to Iran), Compositae. 1 / 3–4. **12.** 半毛菊.

Crypsis Ait., nom. conserv., Gramineae. 2 / 10–12. **10.** 隐花草.

Crypteronia Bl., Crypteroniaceae. 1 / 4. **7.** 隐翼.

Cryptocarya R. Br. (to Subtr.), Lauraceae. 19 / 200–250. **2.** 厚壳桂.

Cryptochilus Wall., Orchidaceae. 1 滇 / 2. **14(SH).** 宿苞兰.

Cryptocoryne Fisch. ex Wydl., Araceae. 4 / 50. **7.** 隐棒花.

Cryptodiscus Schrenk (1841) (absent in Medit.) 陈晓亚, 刘启新 (1989) 并入 Prangos (non est Cr. Corda (1838) a fungi), Umbelliferae. 2 / 4. **12.** 隐盘芹.

Cryptolepis R. Br., Periplocaceae. 2 / 12. **4.** 白叶藤.

Cryptomeria D. Don, Taxodiaceae. 1 及 1 变种(李林初) / 1. **14(SJ).** 柳杉.

* *Cryptophragmium* Nees = **Gymnostachyum** Nees, Acanthaceae. (1 / 40). **(7) ?.**

Cryptospora Kar. et Kir., Cruciferae. 1 / 2. **13.** 隐子芥.

* **Cryptostegia** R. Br. (Madag.), Periplocaceaee. 1 / 2. **(6).** 桉叶藤.

Cryptostylis R. Br., Orchidaceae. 1–3 台, 粤 / 20. **5.** 隐柱兰.

Cryptotaenia DC., nom. conserv. (1 in China, 4 in N. Amer.), Umbelliferae. 1 / 4–5. **8.** 鸭儿芹.

* *Cryptotaeniopsis* Dunn = **Pternopetclum** Franch., Umbelliferae.

Cryptothladia (Bge.) M. Cannon, Morinaceae. 6(青藏高原四周) / 6. **13–2.**

蓟叶参.

Cucubalus Linn., Caryophyllaceae. 1/1. **10.** 狗筋蔓.

Cucumis Linn. (to Temp.), Cucurbitaceae. 4(–5)/25. **6.** 甜瓜.

* **Cucurbita** Linn. (Trop. Amer.), Cucurbitaceae. 3/15. **(3).** 南瓜.

* *Cudrania* Trec. = **Maclura** Nutt. (to Subtr.), Moraceae. (4–8/12). **(5).** 柘.

* **Cuminum** Linn. (非洲原产), Umbelliferae. 1/2. **(6).** 孜然芹.

Cunninghamia R. Br., nom. conserv. (S. to S. E. China), Taxodiaceae. 2/2. **15.** 杉.

* **Cuphea** P. Rr. (Trop. Amer., N. Amer.), Lythraceae. 7/300+. **(3).** 萼距花

Cupressus Linn., Cupressaceae. 5/15–20+. **8.** 柏.

Curculigo Gaertn. (to Subtr.), Hypoxidaceae. 7/20+. **2.** 仙茅.

Curcuma Linn., Zingiberaceae. 4/5–(50+)?. **7.** 姜黄.

Cuscuta Linn. (to Temp.), Cuscutaceae. 10/170. **2.** 菟丝子.

* **Cyamopsis** DC. (Trop. Afr. to Arabia, India), Papilionaceae. 1/3–4. **(6).** 瓜儿豆.

Cyananthus Wall. ex Benth. (to Kashmir) (not in Ind. Nom. Gen.), Campanulaceae. 19/20. **14(SH).** 蓝钟花.

Cyanotis D. Don., nom. conserv. (to Subtr.), Commelinaceae. 4/30–50. **6.** 蓝耳草.

Cyathella Decne., Asepiadaceae. 10/10. **7.** 杯冠藤.

Cyathocalyx Champ. ex Hook. f. et Thoms., Annonaceae. 1/38. **7.** 杯萼藤.

Cyathocline Cass., Compositae. 1/3. **7–2.** 杯菊.

Cyathostemma Griff. (absent in India), Annonaceae. 1/8. **7.** 杯冠木.

Cyathula Bl., nom. conserv. (to Subtr.), Amaranthaceae. 4/25–30. **6.** 杯苋.

Cycas Linn. (to Subtr.), Cycadaceae. 8–10/17–19. **5.** 苏铁.

* **Cyclanthera** Schrad. (Trop. Am.), Cucurbitaceae. 1/39. **(3).** 辣子瓜.

Cyclea Arn. ex Wight (to Subtr.), Menispermaceae. 13/29–30. **7.** 轮环藤.

* *Cyclobalanopsis* (Endl.) Oersted, nom. conserv., 有时并入 Quercus, Fagaceae. **(7).** 青冈.

Cyclocarya Iljinskaja (S. E. China to S. E. Yunnan), Juglandaceae. 1/1. **15.** 青钱柳.

Cyclorhiza Sheh et Shan (Sichuan, Yunnan and Tibet), Umbelliferae. 1. **15.** 环根芹.

* **Cydonia** Mill. (Asia Minor to C. Asia), Rosaceae. 1/1. **(12).** 榅桲.

Cylindrokelupha Kosterm. = (Archidendron B. I. Niels. (1979)) = (Paraalbizzia Kosterm.), Mimosaceae. 11/13. **7.** 棋子豆.

Cymaria Benth., Labiatae. 2/3. **7.** 歧伞花.

Cymbaria Linn. (N. Asia to C. Asia), Scrophulariaceae. 2/4–5. **11.** 大黄花.

Cymbidium Sw. (= Arethusantha Finet), Orchidaceae. 20(陕, 甘, 浙皖以南)/40–60. **5.** 兰.

Cymbopogon Spreng. (to Subtr.), Gramineae. 10/60. **6.** 香茅.

Cymodocea Koenig, nom conserv., Cymodoceaceae. 1/4. **2.** 海神草.

Cynanchica Fourr. (also in Australia) (= Asperula auctt. non Linn.) (not rec. in Ind. Nom. Gen.), Rubiaceae. 3–5 / 216+. **12–1.** 车叶草.

Cynanchum Linn. (to Temp.) (Not incl. Pycnostelma Bunge ex Decne.), Asclepiadaceae. 10. **2.** 鹅绒藤(牛皮消).

* **Cynara** Linn. (Medit), Compositae. 1 / (10–)14. **(12).** 菜蓟.

Cynodon Rich., nom. conserv. (to Temp.), Gramineae. 2 / 10. **2.** 狗牙根.

Cynoglossum Linn. (to Subtr.), Boraginaceae. 9–10 / 50–60. **8.** 倒提壶(蓝布裙).

* **Cynometra** Linn., Caesalpiniaceae. 1 / 60. **(2).** 喃喃果.

Cynomorium Linn., Cynomoriaceae. 1 / 2. **12.** 锁阳.

Cynosurus Linn. (1 run wild in Jiangxi), Gramineae. 1 / 3–4. **10.** 洋狗尾草.

Cyperorchis Bl., Orchidaceae. 1 / 1. **14(SH).** 莎草兰.

Cyperus Linn. (sensu str., not incl. Juncellus, Pycreus), Cyperaceae. 30 / 550. **1.** 莎草.

Cypholophus Wedd. (to Polynesia), Urticaceae. 1 / 30. **7.** 疣冠麻.

* **Cyphomandra** Mart. ex Sendtn. (C. & S. Amer.), Solanaceae. 1 / 30. **(3).** 树番茄.

Cyphotheca Diels (Yunnan), Melastomataceae. 1 / 1. **15.** 药囊花(瘤药花).

Cypripedium Linn., Orchidaceae. 23 (除苏闽粤琼外全国.) / 40–50. **8.** 杓兰.

Cyrtandra J. R. et G. Forst. (Malaysia to Polynesia), Gesneriaceae. 2 / 350. **7.** 曲蕊花.

* **Cyrtanthera** Nees (Trop. Amer.), Acanthaceae. 1 / 10 ± . **(3).** 珊瑚花.

Cyrtococcum Stapf (to Subtr.), Gramineae. 4 / 12. **4.** 弓果黍.

Cyrtosperma Griff. (Trop, esp. N. Guinea), Araceae. 1 / 13–18. **2.** 曲籽芋.

Cystacanthus T. Anders., Acanthaceae. 3 / 10 ± . **7.** 鳔冠花.

* *Cysticorydalis* Fedde in Engl. et Prantl (1936), ex Ikonn. (应并入 Corydalis 中) (Centr. As., W. Himal.), Fumariaceae. (2 W. Tibet / 2). **(13–2).** 鳔紫堇.

Cystorchis Bl. (Malaysia), Orchidaceae. 1 China / 21. **7.** 鳔兰.

* **Cytisus** Linn. (Medit.), Papilionaceae. 1 / 50. **(12).** 金雀花.

Czernaevia Turcz. (~ Angelica Linn.), Umbelliferae. 1 (N. E. China) / 1. **11.** 柳叶芹.

Dacrydium Lambert (1907), 常作 Soland. ex Forst., 或 Soland., Podocarpaceae. 1 / 20–25. **2–1.** 陆均松.

Dactylaea Fedde ex H. Wolff (1930) sine descr., (Franch.) M. A. Farille (1985) (? = Sinocarum H. Wolff) (Yunnan to Tibet), Umbelliferae. 1–2 / 1–2. **15.** 裂瓣芹.

Dactylicapnos Wall. (常并入 Dicentra Borckh. ex Bernh.中), Fumariaceae. 7 / 8. **14(SH).** 紫金龙.

Dactylis Linn., Gramineae. 1 / 5. **8.** 鸭茅.

Dactyloctenium Willd. (to Temp.), Gramineae. 1 / 10. **2.** 龙爪茅.

* *Dactylorhiza* Neck. ex Nevski = **Orchis** Linn., S. C. Chen 未引, Orchidaceae. (1 / 30). **(8).** 指根兰.

* *Daedalacanthus* T. Anders. (Upudalia e typo = Eranthemum Linn. Raf.) (Penin. Ind., Sri Lanka, E. Himal.to Lower Burma), Acanthaceae. (1 / 15). **(7–2).**

Daemonorops Bl., Palmae. 1 / 115. **7.** 黄藤(麒麟竭).

* **Dahlia** Cav. (Mexico, Guatemala), Compositae. 1 / 10–27. **(3).** 大丽花.

* *Datswa* Raf., emend. Takht. (1983) = **Paris** Linn., Trilliaceae. 重楼.

Dalbergia Linn. f., com. conserv. (to Subtr.), Papilionaceae. 25 / 120–300. **2.** 黄檀.

Dalechampia Linn. (mainly S. Amer., few in Afr., Ind. & Malagash), Euphorbiaceae. 1 var. 滇 / 110±. **2.** 黄蓉花.

?Damasonium Mill. (Eur., Medit., W. & C. As., Austr., Calif., except Chile), Alismataceae. 1 / 5. **12–5.** 星果泽泻.

Damnacanthus Gaertn. f., Rubiaceae. 5 / 6. **14.** 虎刺.

Danthonia DC., nom. conserv. (Temp.), Gramineae. 1 / 10. **2.** 扁芒草.

Daphne Linn. (also to Medit.), Thymelaeaceae. 35 / 70±. **10.** 瑞香.

Daphniphyllum Bl. (dispersed) (to Subtr.), Daphniphyllaceae. 12 / 25. **7.** 交让木.

* *Dasiphora* Rafin. (1840) = **Pentaphylloides** Duhamel (1755), Rosaceae. (5 / 15). **(8).** 金露梅.

Dasydesmus Craib, Gesneriaceae. 1 滇 / 1. **15.** 毛药苣苔.

Dasymaschalon (Hook. f. et Thoms.) Dalla Torre et Harms, Annonaceae. 3 / 15. **7.** 皂帽花.

Datura Linn. (to Subtr.) (4 Temp.), Solanaceae. 5 / 16. **2.** 曼陀罗.

Daucus Linn. (also in Africa), Umbelliferae. 1 / 60±. **8.** 胡萝卜.

Davidia Baill. (W. to C. China), Davidiaceae. 1 / 1. **15.** 珙桐.

Dayaoshania W. T. Wang (1983), Gesneriaceae. 1 桂 / 1. **15.** 瑶山苣苔.

Debregeasia Gaud. (to N. Afr.) (to Subtr.), Urticaceae. 4 / 5. **6.** 水麻.

Decaisnea Hook. f. et Thoms., nom. consersv. (Slackia Griff., 1848), Lardizabalaceae. 1–2 / 1–2. **14(SH).** 猫儿子.

Decaschistia Wight et Arn., Malvaceae. 1 / 12. **7.** 十裂葵.

Decaspermum J. R. et G. Forst. (to Subtr.), Myrtaceae. 7 / (30–)40+. **7.** 子楝树.

Decumaria Linn., Hydrangeaceae. 1 / 2. **9.** 赤壁藤.

Deeringia R. Br. (Cladostachys D. Don) (to Madag.), Amaranthaceae. 2 / 12. **6.** 浆果苋.

Dehaasia Bl., Lauraceae. 1 / 20. **7.** 莲桂.

Deinanthe Maxim., Hydrangeaceae. 1 / 2. **14(SJ).** 叉叶蓝.

Deinostema Yamazaki, Scrophulariaceae. 1 / 2. **14(SJ).** 泽番椒.

Delavaya Franch.(Yunnan to Guang-xi & N. Vietnam), Sapindaceae. 1 / 1. **15.** 黑枪杆(茶条木).

* **Delonix** Rafin., Caesalpiniaceae. 1 / 2–3. **(6).** 凤凰木.

Delphinium Linn., Ranunculaceae. 110± / 250–300. **8.** 翠雀.

Deltocheilos W. T. Wang (1981) (Hunan), Gesneriaceae. 1 / 1. **15.** 舌唇苣苔.

Dendranthema (DC.) Des Moul.,

Compositae. 17／30±. **10.** 菊.

Dendrobenthamia Hutch. (～ Cynoxylon (Rafin.) Small in Canada to C. Am.), Cornaceae. 12／12. **14.** 四照花.

Dendrobium Sw., nom. conserv. (to Subtr.), Orchidaceae. 63(陕 甘 皖 浙 以南)／1400. **7.** 石斛.

Dendrocalamopsis (Chia et H. L. Fung) Keng f. = Bambusa ?, Gramineae. 1 Guangxi／1. **15.** 大绿竹, ?吊丝球竹.

Dendrocalamus Nees, Gramineae. 30／50. **6.** 牡竹.

Dendrochilum BL., Orchidaceae. 1 台／75(−100). **7.** 足柱兰.

Dendrocnide Miq., Urticaceae. 12?／36. **5.** 树火麻.

Dendrolobium (Wight & Arn.) Benth. (to Subtr.), Papilionaceae. 3−4／ 11. **5.** 假木豆.

Dendropanax Decne. et Planch. (to Subtr.), Araliaceae. 16／75− 80±. **2.** 树参.

Dendrophthoe Mart., Loranthaceae. 1／30±. **4−1.** 五蕊寄生.

* *Dendrostellera* (C. A. Meyer) van Tiegh. ～ Stellera T. G. Gmelin = **Diarthron** Turcz.(S. W. to C. Asia), Thymeleaceae. (1／10). **(11).**

Dendrotrophe Miq.(1856) = Henslowia Bl. (1850), non. Wall. (1831)) = Dufrenoya Chatin (1860), Santalaceae. 6／14. **7.** 寄生藤.

* *Dentaria* Linn. = **Cardamine** Linn. Cruciferae. (4／20). **(8).** 石芥花.

Dentella J. R. et G. Forst., Rubiaceae. 1−2／10. **5.** 小牙草.

Derris Lour., nom. conserv. (to Subtr.), Papilionaceae. 20± ／70−80. **2.** 鱼藤.

Deschampsia Beauv., Gramineae. 6／40−60. **8.** 发草.

Descurainia Webb et Berth., (also in South Africa), Cruciferae. 2／(40−)55. **8.** 播娘蒿.

* **Desmanthus** Willd., nom. conserv. (to Malgash), Mimosaceae. 1／25±. Amer. **(3).** 合欢草.

Desmodium Desv., nom. conserv. s. str. (to Temp.), Papilionaceae. 5／450. **9.** 山蚂蝗.

Desmos Lour. (to New Caledonia), Annonaceae. 4／30. **5.** 山指甲.

* *Desmostachya* (Stapf) Stapf (1898) non Desmostachys Miers (1852) (absent in Malaya) = **Stapfiola** Kuntze, Gramineae. (1／1). **(6).** 羽穗草.

* *Desmotrichum* Bl. (1825) nom. rej. non Kuetzing(1845) (nom. conserv.), = **Ephemerantha** P. F. Hunt et Summerhays Orchidaceae. **(7).**

Deutzia Thunb., Philadelphaceae. 40±／50−60. **14.** 溲疏.

Deutzianthus Gagnep., Euphorbiaceae. 1／1. **7−4.** 东京桐.

Deyeuxia Clarion ex Beauv., Gramineae. 43／100−200±. **8.** 野青茅.

Diandranthus (Keng) L. Liou, Gramineae. 8／8. **14(SH).** 双药芒.

Dianella Lam. (to Polynesia, 4 in N. Zeal.) (to Subtr.), Liliaceae. 1／30±. **5.** 山菅兰.

Dianthera Linn. = Justicia auct. non Linn., Acanthaceae. 1／80. **2.** 二蕊爵床(新拟).

Dianthus Linn. (mainly Medit., to mts. of Trop. Afr. and S. Afr.), Caryo-

phyllaceae. 20 / 300. **10.** 石竹.

Diapensia Linn., Diapensiaceae. 4 / 5. **8–2.** 岩梅.

Diarrhena Beauv., nom. conserv., Gramineae. 2 / 4? or 1 / 1. **9.** 龙常草.

Diarthron Turcz. (Dendrostellera Van Tiegh., Stelleropsis Pobed.), Thymelaeaceae. 2 / 18 or 2 / 2. **11.** 粟麻.

Dicentra Borckh. ex Bernh., nom. conserv., Fumariaceae. 2 / 20. **9.** 荷包牡丹.

Dicerma DC. (= Aphyllodium Gagnep.), Papilionaceae. 1 / 1. **5.** 二节豆.

Dicerocladus C. Jeffrey et Y. L. Chen (1984), Compositae. 1 黔 / 1. **15.** 双角枝.

Dicerostylis Bl. (= Hylophila Lindl.) (菲，马来半岛，印尼，新几内亚), Orchidaceae. 1 台 / 5. **7.** 双臂兰.

Dichanthium Willemet (to Subtr.), Gramineae. 2 / 15. **4.** 双花草.

Dichapetalum du petif Thouars, Dichapetalaceae. 2 / 120–200. **2.** 毒鼠子.

Dichasianthus P. N. Ovchinnikov & S. Y. Yunosov (1978) (= Torularia (Cosson) O. E. Schulz (1928), non Bonnemaison (1828)– alga), Cruciferae. 2 / 13–16. **12.** 蚓果芥.

* *Dichiloboea* Stapf =**Trisepalum** C. B. Clarke Gesneriacease. (2 / 2). **(7).** 唇萼苣苔.

Dichocarpum W. T. Wang et Hsiao, Ranunculaceae. 9 / 18. **14(SH).** 人字果.

Dichondra J. R. et G. Forst. (to Temp.), Convolvulaceae. 1 / (4–)5. **2.** 马蹄金.

Dichotomanthes Kurz, Rosaceae. 1 / 1. **15.** 牛筋条.

Dichroa Lour. (to Subtr.), Hydrangeaceae. 4 / 13. **7.** 常山.

Dichrocephala L Herit. ex DC. (to Temp.), Compositae. 3 / 10. **6.** 鱼眼草.

* **Dichrostachys** (DC) Wight et Arn., nom. conserv., Mimosaceae. 1 / 6. **(4).** 代儿茶.

Dickinsia Franch. (N. Yunnan to Sichuan), Umbelliferae. 1 / 1. **15.** 马蹄芹.

Dicliptera Juss., nom. conserv. (to Temp.), Acanthaceae. 1–2 / 100–150. **2.** 狗肝菜(九头狮子草).

Dicranostigma Hook. f. et Thoms., Papaveraceae. 3 / 4. **14(SH).** 秃疮花.

Dictamnus Linn. (to E. China), Rutaceae. 1 / 6. **10.** 白鲜.

Dictyospermum Wight, Commelinaceae. 3 / 10. **7.** 网籽草.

Didissandra C. B. Clarke, nom. conserv. (emend. Ridley) (to Subtr), Gesneriaceae. 3+3 / 30. **4–1.** 漏斗苣苔 (ex Wang).

Didymocarpus Wall., nom. conserv. (to Subtr.) (20, China, +1 (H. W. Li, 1983), +2 Wang, 1984), Gesneriaceae. ?47 / 120± . **4–1.** 长蒴苣苔.

Didymoplexis Griff., Orchidaceae. 1–2(台琼) / 20. **4–1.** 双唇兰.

Didymosperma Wendl. et Drude ex Hook. f., 并入 Arenga Labill. ?, Palmae. 2 / 8. **7.** 双子棕.

Didymostigma W. T. Wang (1984), Gesneriaceae. 1 闽，粤南部 / 1. **15.** 双片苣苔.

* **Dieffenbachia** Schott, Araceae. 4 / 30± . **(3).** 花叶万年青.

Diflugossa Bremek., Acanthaceae. 3 / 17. **7.** 疏花马兰.

* **Digitalis** Linn. (Eur., Medit., Cana-

ry Isl.), Scrophulariaceae. 1 / 25–30. **(10–2).** 毛地黄.

Digitaria Heister ex Fabr., nom. conserv. (Willis, 8th ed, as Digitaria Haller), Gramineae. 20 / 380. **1.** 马唐.

Diglyphosa Bl., Orchidaceae. 1 滇 / 4–5. **7.** 密花兰.

Dillenia Linn., Dilleniaceae. 3 / 60. **5.** 五桠果.

Dilophia Thoms. (to Tibet), Cruciferae. 3 / 5. **13.** 双脊荠.

Dimeria R. Br. (to Subtr.), Gramineae. 4 / 20. **5.** 鰢 茅.

* *Dimerocarpus* Gagnep. = **Streblus** Lour., Moraceae. (1 / 1). **(7–4).** 双果桑.

Dimocarpus Lour. nom. conserv. (Euphoria Gmel. (1781), non Comm.) (to Subtr.), Sapindaceae. 4 / 5. **7.** 龙眼 (肖韶子).

Dimorphocalyx Thw., Euphorbiaceae. 1 / 12. **5.** 异萼木.

Dimorphostemon Kitagawa, Cruciferae. 3 / 3. **11.** 异蕊芥.

Dinebra Jacq., Gramineae. 1 / 3. **6.** 弯穗草.

Dinochloa Buese, Gramineae. 3? / 20. **7.** 藤竹.

Dioscorea Linn. (to Temp.), Dioscoreaceae. 80 / 250+. **2.** 薯蓣.

Diospyros Linn. (to Temp.), Ebenaceae. 56–60 / 500 ± . **2.** 柿.

Dipelta Maxim., Caprifoliaceae. 3 / 4. **14.** 双盾.

Dipentodon Dunn (S. W. China to N. E. India), Dipentodontaceae. 1 / 1. **14(SH).** 十萼花.

Diphylax Hook. f., Orchidaceae. 1 滇 / 1. **14(SH).** 尖药兰.

Diphylleia Michx., Podopohyllaceae. 2 / 3. **9.** 山荷叶.

Diplachne Beauv. (to Temp.), Gramineae. 11 / 15. **2.** 双稃草.

Diplacrum R. Br., Cyperaceae. 1 / 6. **2.** 裂颖茅.

Diplandrorchis S. C. Chen (Liao– ning), Orchidaceae. 1 / 1. **15.** 双蕊兰.

* *Diplanthera* du Petit Thouars (1806), non Gleditsch (1764) = **Halodule** Endl. (sea), Cymodoceaceae. **(2).** 二药藻.

Diplarche Hook. f. et Thoms., Ericaceae. 2 / 2. **14(SH).** 杉叶杜.

Diplazoptilon Ling (Yunnan), Compositae. 2 / 2. **15.** 重羽菊.

Diplectria (Bl.) Reichenb. (1841) (= Anplectrum A. Gray (1854)), Melastomataceae. 1 / 2. **7.** 藤牡丹.

* *Diplocarex* Hayata = ? Cyperaceae. (1 台 / 1). **(15).** 倍蕊苔.

Diploclisia Miers, Menispermaceae. 2 / 2. **7.** 称钩风.

Diplocyclos (Endl.) Post et Kuntze (Bryonopsis auct. non Arn.), Cucurbitaceae. 1 / 2–4. **6.** 毒瓜.

* *Diplofatsia* Nakai (~Fatsia Decne. et Planch.), Araliaceae. (1 台 / 1). **(15).**

Diploknema Pierre (1884) (= Aisandra Pierre corr. Airy–Shaw (1963), Aesandra Pierre (1890)), Sapotaceae. 2 滇藏 / 7. **7.** 藏榄.

Diplomeris D. Don, Orchidaceae. 1 (黔滇藏) / 2–4. **14(SH).** 合柱兰.

Diplopanax Hand. –Mazz. (Yunnan to Guangxi), Mastixiaceae. 1 / 1. **7–4.** 马蹄参.

Diploprora Hook. f., Orchidaceae. 1(–2)(台闽粤赣桂滇) / 5. **7.** 蛇舌兰.

* **Diplotaxis** DC. (C. Eur., Medit.) (exotic), Cruciferae. 1 / 20–23. **(10).** 二行芥.

Dipoma Franch. (Yunnan to E. Tibet), Cruciferae. 2 / 2. **15.** 蛇头荠.

Dipsacus Linn. (esp. Medit. to N. & E. Afr.), Dipsacaceae. 8 / 15. **10.** 川续断.

Dipteracanthus Nees emend. Bremek., Acanthaceae. 1 / 10. **4.** 双翅爵床.

Dipterocarpus Gaertn. f., Dipterocarpaceae. 2(+ 1 cult.) / 76. **7.** 龙脑香.

Dipteronia Oliv. (1 in S. E. Yunnan, 1 in C. China), Aceraceae. 2 / 2. **15.** 金钱槭.

Diptychocarpus Trautv. (absent in Medit.), Cruciferae. 1 / 1. **12.** 异果芥.

Disanthus Maxim. (1 var. in E. China), Hamamelidaceae. 1 / 1. **14(SJ).** 双花树.

Dischidanthus Tsiang, Asclepiadaceae. 1 / 1. **7–4.** 马兰藤(假瓜子金).

Dischidia R. Br. (to Subtr.), Asclepiadaceae. 7 / 80. **5.** 眼树莲(瓜子金).

Discocleidion (Muell. –Arg.) Pax et Hoffm. (1, C. China to Riukiu), Euphorbiaceae. 2 / 3. **14(SJ).** 假多苞叶.

Disperis Sw., Orchidaceae. 2 台港 / 75±. **4.** 双袋兰.

Disporopsis Hance (S. E. to Taiwan, S. W. to Vietnam, Laos & Thail.), Liliaceae. 4 / 4. **7–4.** 竹根七 (假万寿竹).

Disporum Salisb., Liliaceae. 10 / 20. **9.** 万寿竹(宝铎草).

Distyliopsis P. K. Endress, Hamamelidaceae. 3 / 5–9. **7.** 假蚊母树.

Distylium Sieb. et Zucc., Hamamelidaceae. 12 / (15–)18. **7.** 蚊母树.

Diuranthera Hemsl. (Yunnan), Liliaceae. 1(–2) / 1–2. **15.** 鹭鸶兰.

Dobinea Buch. –Ham. ex D.Don, Podoaceae. 2 / 2. **14(SH).** 九子母.

Docynia Decne., Rosaceae. 2 / 6. **14(SH).**

Dodartia Linn. (absent in Medit.) (to Inner Mong. and N. China), Scrophulariaceae. 1 / 1. **12.** 野胡麻.

Dodecadenia Nees, Lauraceae. 1 滇 / 1. **14(SH).** 大花檀.

Dodonaea Mill. (mainly in Austr.) (to Subtr.), Sapindaceae. 1–2 / 60. **2.** 车桑仔(明油子).

Doellingeria Nees, Compositae. 2 / 2. **14.** 东风菜.

Dolichandrone (Fenzl)Seem. (1862), nom. conserv. (Trop. E. Afr., Madag., Trop. As., Austr.) (= Markhamia Seem. ex Baill.)?, Bignoniaceae. 2 / 9. **4.** 猫尾树.

Dolicholoma D. Fang et W. T. Wang (1983) (1, S. –W. Guangxi), Gesneriaceae. 1 / 1. **15.** 长檐苣苔.

Dolichopetalum Tsiang et P. T. Li, Asclepiadaceae. 1 滇桂 / 1. **15.** 金凤藤.

Dolichos Linn., nom. conserv. (to Temp.) (扁 豆 为 Lablab 单 种 属), Papilionaceae. 7 / 70. **2.** 大麻药.

* *Dolichovigna* Hayata (1920) = **Dysolobium** (Benth.) Prain (1897) (Indomalaya), Papilionaceae. (2–3(台) / 3+4). **(7).** 台豆.

Dollinera Endl., Papilionaceae. 7 / 11. **7.** 饿蚂蝗.

Dolomiaea DC. (Vladimiria Iljin; Mazzettia Iljin), Compositae. 12 / 12. **14(SH).** 川木香(藏菊).

* **Donax** Lour. (to Subtr.), Marantaceae. (1 / 3). **(7).** 竹叶蕉.

Dontostemon Andrz. ex Ledeb.

(1831), nom. conserv., Cruciferae. 7 / 8 –10. **13.** 花旗竿(齿蕊芥).

Dopatrium Buch. –Ham. ex Benth. (to Subtr.), Scrophulariaceae. 1 / 10–20. **4.** 虻眼.

Doritis Lindl. (to Subtr.), Orchid–aceae. 1(琼滇) / 2. **7.** 五唇兰.

Doronicum Linn., Compositae. 5 / 30 –35. **10.** 多榔菊.

* **Dovyalis** E. Meyer corr. Warb. (Afr., Sri Lanka) (科属辞典误为 Doryalis), Flacourtiaceae. 1 / 30± . **(6).** 锡兰莓.

Draba Linn. (to mts. of C. & S. Amer.), Cruciferae. 44–50 / 300± . **8.** 葶苈.

Dracaena Vand. ex Linn., Agavaceae. 4–5 / 150. **4.** 剑叶木(龙血树).

Dracocephalum Linn., nom. conserv. (mainly Eurasia, 1 to N. Amer.), La–biatae. 34 / (45–)60. **10.** 青兰.

Dracontomelon Bl. (to Fiji), Anacar–diaceae. 2 / 8. **7.** 人面子.

Dregea E. Meyer(1838), nom. con–serv. (= Wattakaka Hassk. (1857)), Asc–lepiadaceae. 5 / 12. **6–1.** 南山藤.

* *Drejerella* Lindau (1900) (Belo–perone auct. non Nees (1832), = **Cal–liaspidia** Bremek. (1948)), Acanthace– ae. (1 / 12 (Mexico)). **(3).** 虾衣花.

Drimycarpus Hook. f., Anacardi–aceae. 2 / 2. **14(SH).** 辛果漆.

Droguetia Gaud., Urticaceae. 1 / 10– 12. **6.** 单蕊麻.

Drosera Linn. (to Temp.), Droser–aceae. 6 / 100± . **2.** 茅膏菜.

* *Dryadanthe* Endl. = **Sibbaldia** Linn. Rosaceae. (1 / 1). **(13–4).**

Dryas Linn., Rosaceae. 1 / 2. **8–2.** 仙女木.

Drymaria Willd. ex Schult. (to Temp., in S. Amer. mostly., 1 Pantropic), Caryophyllaceae. 2 / 49. **2.** 荷莲豆.

Drypetes Vahl (Liodendron H. Keng), Euphorbiaceae. 14 / 200. **2.** 核果木.

Duabanga Buch.–Ham. (to Subtr.), Duabangaceae. 1 / 3. **7.** 八宝树.

Dubyaea DC., Compositae. 10 / 10. **14(SH).** 厚喙菊.

Duchesnea Smith (to Temp.), Ros–aceae. 2 / 6. **7.** 蛇莓.

* *Dufrenoya* Chatin (1860) = (Hen–slowia Bl., non A. Juss.) = **Dendrotrophe** Miq. (1856), Santalaceae. (6 / 14). **(7).** 寄生藤.

Dumasia DC. (to Subtr.), Papilion–aceae. 5–8 / 9–10. **6.** 小鸡藤.

Dunbaria Wight et Arn. (to Subtr.), Papilionaceae. 7–15 / 25. **5.** 野扁豆.

Dunnia Tutch., Rubiaceae. 1 粤 / 1. **15.** 绣球茜(白萼树).

* *Dunniella* S. Rauschert in Taxon 31 (3) : 562 (1982), nom. nov. for Smi–thiella Dunn, a later syn. for Aboriella, Urticaceae.

Duperrea Pierre ex Pitard (to India) (non Duppereya Gaud.), Rubiaceae. 1 / 2. **7–4.** 长柱山丹.

* **Duranta** Linn., Verbenaceae. 1 / 36. **(3).** 假连翘.

* **Durio** Adans., Bombacaceae. 1 / 27. **(7).** 榴莲.

Duthiea Hack. (= Thrixgyne Keng), Gramineae. 1 / 3. **14(SH).** 毛蕊草.

Dyschoriste Nees (Hunan, Guizhou),

Acanthaceae. 1 / 100±. **2–2.** 安龙花.

Dysolobium (Benth.) Prain (Subg. Dolichovigna (Hayata) R. Marechal), Papilionaceae. 1(–2–3) / (2–3–)4. **7.** 台豆

Dysophylla El Gazzar et L. Watson ex Airy–Shaw (Eusteralis Rafin.) (Index Nom. Gen.仍 作 Dysophylla BL.), Labiatae. 7 / 27. **5.** 水腊烛.

Dysosma Woodson (S. W. to S. E. China to Himal.), Podophyllaceae. 7 / 7. **14(SH).** 鬼臼(八角莲).

Dysoxylum Bl. (To Subtr., few in Austr. to Polynesia), Meliaceae. 14 / 200. **7.** 桎木(葱臭木).

Eberhardtia Lecomte, Sapotaceae. 2 / 3. **7–4.** 梭子果.

Ecballium A. Rich., nom. conserv., Cucurbitaceae. 1 / 1. **12.** 喷瓜.

Eccoilopus Steud., Gramineae. 2 / 4. **14.** 侬茅(油芒).

Ecdysanthera Hook. et Arn. (to Subtr.), Apocynaceae. 2 / 15. **7.** 花皮胶藤

Echinacanthus Nees (Guangxi to Guizhou), Acanthaceae. 3 / 10. **7–1.** 恋岩花.

* *Echinocaulon* (Meissn.) Spach (1841) = **Polygonum** Linn., Polygonaceae. 杠板归.

Echinochloa Beauv. (to Temp.), Gramineae. 5 / 30+. **8.** 稗.

Echinocodon Hong (1984), Campanulaceae. 1(鄂) / 1. **15.** 刺萼参.

?Echinodorus Rich. ex Engelm. (Amer., Afr.), Alismataceae. 1 / 30. **2–2.**

* *Echinolytrum* Desv. = **Fimbristylis** Vahl, Cyperaceae. **(2).**

* *Echinopanax* Decne. et Planch. = **Oplopanax** (Torr. et Gray) Miq. (2 in N. Amer.), Araliaceae. (± 1 N. E. China / 3). **(9).** 刺参.

Echinops Linn. (to Trop. As.), Compositae. 17 / 120. **10.** 兰刺头.

* *Echinopsilon* Moq.–Tand. = **Bassia** All., Chenopodiaceae. **(12).**

Echium Linn., Boraginaceae. 1 / 40±. **10–3.** 兰蓟.

Eclipta Linn., nom. conserv. (to Temp.), Compositae. 1 / 3–4. **2.** 鳢肠.

Edgaria C. B. Clarke, Cucurbitaceae. 1 / 1. **14(SH).** 三裂瓜.

Edgeworthia Meissn., Thymelaeaceae. 4 / 4. **14.** 结香.

Ehretia P. Br. (to Subtr.), Ehretiaceae = Cordiaceae. 11 / 50±. **4.** 厚壳树.

* **Eichhornia** Kunth, nom. conserv. (exotic), Pontederiaceae. 1 / 7. **(3).** 凤眼莲(凤眼兰).

Elachanthemum Y. Ling et Y. R. Ling (Inner Mong. to Xinjiang), Compositae. 1 / 1. **15.** 紊蒿.

Elaeagnus Linn. (to Subtr.), Elaeagnaceae. 40 / 45. **8.** 胡颓子.

* **Eiaeis** Jacq., Palmae. 1 / 2. **(2).** 油棕.

Elaeocarpus Linn. (to Subtr.), Elaeocarpaceae. 38 / 200 ±. **2.** 杜英.

* *Elaeodendron* auct. non J. F. Jacq. = **Otherodendron** Makino, Celastraceae. (1 / 16–17(?)). **14(SJ).** 福木.

Elatine Linn. (to Temp.), Elatinaceae. 3 / 15–20. **2.** 沟繁缕.

Elatostema J. R. et G. Forst., nom. conserv. (to Subtr.), Urticaceae. 39 / 200. **4.** 楼梯草.

Eleocharis R. Br., Cyperaceae. 25 /

150–200. **1.** 针蔺 (荸荠).

Elephantopus Linn., Compositae. 2 / 32. **2.** (苦)地胆草.

Eletteriapsis Bak., Zingiberaceae. 1 琼桂 / 10. **7.** 地豆蔻.

Eleusine Gaertn. (to Temp.), Gramineae. 2 / 9. **2.** 蟋蟀草.

Eleutharrhena Forman., (Yunnan), Menispermaceae. 1 / 1. **15.** 藤枣.

* **Eleutherine** Herb., nom. conserv. (Trop. Amer.), Iridaceae. (2 / 4). **(3).** 红葱.

* *Eleutherococcus* Maxim. = **Acanthopanax** Miq., Araliaceae. 刺五加.

Ellipanthus Hook. f., Connaraceae. 1 / 14. **6.** 单叶豆.

Ellisiophyllum Maxim., Ellisiophyllaceae. 1 / 1. **7.** 幌菊.

Elsholtzia Willd. (1790) (to Indo–Malaya, in Eur., Aethiopia) (Aphanochilus Benth. (1829), Platyelasma Kitag. (1935)), Labiatae. 33 / (35–)40. **10.** 香薷.

Elymus Linn. (Clinelymus (Griseb.) Nevski) (also in S. Amer.), Gramineae. 12 / 40–70. **8.** 披硷草(野麦).

Elytranthe (Bl.) Bl., Loranthaceae. 1 / 10. **7.** 大苞鞘花.

Elytrigia Desv. (incl. 3 cult.), Gramineae. 6 / 40–50. **10.** 偃麦草.

Elytrophorus Beauv., Gramineae. 1 / 4. **4.** 总苞草.

Embelia Burm. f., nom. conserv. (to Subtr.), Myrsinaceae. 20 / 130 ±. **4.** 信筒子(酸筒子).

Emilia Cass., Compositae. 4 / 30±. **4.** 一点红.

Emmenopterys Oliv. (N. E. Yunnan to E. China), Rubiaceae. 1 / 1. **15.** 香果树

Empetrum Linn., Empetraceae. 1 / 2 (15–16) (Vasil.). **8–1.** 岩高兰.

Endiandra R. Br. (= Brassiodendron Allen) (to Polynesia), Lauraceae. 3 / 30–81. **5.** 内药樟(土楠).

Endocomia de Wilde (1984), Myristicaceae. 1 ssp. / 4. **7.** 内毛楠(新拟).

Endospermum Benth., nom. conserv. (to Fiji, absent in India), Euphorbiaceae. 1 / 12–13. **7.** 黄桐.

Enemion Rafin., Ranunculaceae. 1 / 5. **9.** 假扁果草.

Engelhardtia Leschen. ex Bl. corr. Bl. (to Subtr.), Juglandaceae. 6(–8) / 15±. **7.** 黄杞.

Enhalus Rich., Hydrocharitaceae. 1 / 1. **4.** 海菖蒲.

* *Enhydrias* Ridl. = **Blyxa** Nor. (to Taiwan, absent in India), Hydrocharitaceae. 1 / 1. **7.** 水筛.

Enkianthus Lour., Ericaceae. 6 / 10. **14.** 吊钟花.

Enneapogon Desv. ex Beauv. (Pappophorum Schreb.), Gramineae. 1–2 / 20–30. **8–4.** 冠芒草.

Ensete Bruce (Ind. Nom. Gen. 作 Ensete Horaninow), Musaceae. 1 / 7 (–20). **6.** 象腿蕉.

Entada Adans., nom. conserv., Mimosaceae. 2 / 20±. **2.** 榼藤子.

* **Enterolobium** Mart. (Trop. Amer. and W. Afr.), Mimosaceae. 2 / 10–11. **(2).** 象耳豆.

Enteropogon Nees (to Subtr.), Gramineae. 2–3 / 4–6. **4.** 肠须草.

Enydra Lour. (to Subtr.) (“Enhydra” DC), Compositae. 1 / 10. **2.** 沼菊.

Eomecon Hance (S. E. Yunnan to C.

& S. China), Papaveraceae. 1 / 1. **15.** 血水草.

Epaltes Cass., Compositae. 2 / 17. **2.** 鹅不食草.

Ephedra Tourn ex Linn., Ephedraceae. 12 / 40. **2.** 麻黄.

* *Ephemerantha* P. F. Hunt et Summerh. = **Flickingeria** Hawkes (to Subtr.) Orchidaceae. (3 / 70±). **(7).** 金石斛.

Epigeneium Gagnep., Orchidaceae. 5 (桂, 粤, 琼, 滇) / 35±. **7.** 厚唇兰.

Epigynum Wight, Apocynaceae. 1 / 14±. **7.** 思茅藤.

Epilasia (Bunge) Benth., Compositae. 1 / 4. **12.** 鼠毛菊.

Epilobium Linn., Onagraceae. 36± / 215. **8–4.** 柳叶菜.

Epimedium Linn., Podophyllaceae. 13 / 23. **10.** 淫羊藿.

Epimeredi Adans., Labiatae. 1 / 7–8. **5.** 广防风.

Epipactis Zinn., nom. conserv., Orchidaceae. 6(新藏及冀鲁晋豫陕甘川鄂桂滇粤台) / 24(20). **8.** 火烧兰.

* **Epiphyllum** Haw. (Trop. Amer.), Cactaceae. (1 / 21). **(3).** 昙花.

Epipogium (Gmelin ex Borkh.), Orchidaceae. 2(台赣粤琼滇川藏) / 2(–5). **4.** 虎舌兰.

* *Epipremnopsis* Engl. = **Amydrium** Schott, Araceae. **(7).** 雷公连.

Epipremnum Schott, Araceae. 3 / 25–27. **7.** 麒麟尾.

Epiprinus Griff. (Symphyllia Baill.), Euphorbiaceae. 1 / 5–6. **7.** 风轮桐.

* *Epirrhizanthes* Chodat = Epirixanthes Bl. = **Salomonia** Lour. Polygalaceae. **(5).** 齿果草.

Epithema Bl., Gesneriaceae. 1 / 10±. **6.** 盾座苣苔.

Eragrostiella Bor (absent in Malaya, Trop. Afr. to Burma and Yunnan), Gramineae. 1 / 7–9±. **6.** 细画眉草.

Eragrostis Wolf. (to Trop.), Gramineae. 30–35 / 100–300. **8.** 画眉草.

Eranthemum Linn., Acanthaceae. 1 / 30. **7.** 喜花草(可爱花).

Eranthis Salisb., nom. conserv., Ranunculaceae. 3 / 7. **10.** 菟葵.

Erechtites Rafin., Compositae. 2 / 15. **2–1.** 菊芹.

Eremochloa Buese (to Subtr.), Gramineae. 4 / 8–10. **5.** 蜈蚣草.

Eremopoa Roshev., Gramineae. 4 / 6. **13–3.** 旱熟禾.

Eremopogon Stapf (Canary, N. Afr. to C. Asia 8 in India, 1 in Yunnan), Gramineae. 1 / 4. **12.** 旱茅.

Eremopyrum (Ledeb.) Jaub. et Spach (常并入 Andropogon Linn.), Gramineae. 2(–4) / 7–8. **12.** 旱麦草.

Eremostachys Ledeb. s. l. (absent in Medit.), Labiatae. 5 / 5(–60). **12.** 沙穗.

* *Eremosparton* Fisch. et Meyer (1841) (E. soongaricum in Xinjiang) = **Lebeckia** Thunb. (1800) by lectotypification, Papilionaceae. 1 / 3. **12.** 沙槐.

Eremotropa H. Andres (C. Yunnan), Monotropaceae. 1 / 1. **15.** 沙锡杖.

Eremurus M. Bieberst. (absent in Medit, 1 in W. China), Liliaceae. 4 / 50±. **12.** 独尾草.

Eria Lindl., nom. conserv. (Trichosma Lindl.), Orchidaceae. 36(台闽粤赣桂黔川滇藏) / 375. **5.** 毛兰.

Eriachne R. Br. (to Subtr.), Grami–

neae. 1 / 25–40. **5.** 鹧鸪草.

* *Erianthera* Benth. (1833), non Nees (1832) = **Alajja** S. Ikonn. (Xinjiang to Tibet) Labiatae. (2 / 3). **(13–2).** 菱叶元宝草.

Erianthus Michx. (28 in trop. Am., SE. Eur. to E. As., Indomal., Polynesia, 1 in Sahara, 1 Madag.), Gramineae. 8 / 30. **2–2.** 蔗茅.

Erigeron Linn., Compositae. 33 / 200+. **1.** 飞蓬.

* *Ericosanthellum* Tien Ban = **Polyalthia** Bl, Annonaceae.

Eriobotrya Lindl., Rosaceae. 13 / 30 ±. **14.** 枇杷.

* *Eriocapitella* Nakai = **Anemone** Linn., Ranunculaceae. 秋牡丹.

Eriocaulon Linn. (to Temp.) (± 30 in Japan, ± 8 in N. Am., 1 in N. Temp.), Eriocaulaceae. 45 / 400. **2.** 谷精草.

Eriochloa HBK (to Temp.), Gramineae. 3(–4) / 20(–25). **2.** 野黍.

Eriocycla Lindl., Umbelliferae. 3 / 7–8. **11.** 绒果芹.

* ?*Eriodes* Rolfe = **Tainiopsis** Schlechter, Orchidaceae. **(14).**

Erioglossum Bl., Sapindaceae. 1 / 1. **5.** 赤才.

Eriolaena DC. (to Subtr.), Sterculiaceae. 5–6 / 8(–17). **7–2.** 火绳树.

* *Eriophorella* J. Holub (1984) = **Eriophorum** Linn., Cyperaceae.

Eriophorum Linn., Cyperaceae. 6–8 / 21. **8–4.** 绵菅草(羊胡子草).

Eriophyton Benth., Labiatae. 1 / 1. **14(SH).** 绵参.

Eriosema (DC.) G. Don, nom. conserv. (to Subtr.), Papilionaceae. 2 / 100 ± (–140). **2.** 雀 脷珠.

Eriosolena Bl. (to Malaya), Thymelaeaceae. 1 / 2–5. **7.** 毛管花(毛花瑞香).

Erismanthus Wall. ex M. –A. (absent in India), Euphorbiaceae. 1 / 2. **7.** 轴花.

Eritrichium Schrad. ex Gaudin, Boraginaceae. 12 / 65. **8.** 山琉璃草.

* *Ermania* Cham. = **Christolea** Cambess. ex Jacquem. (8 in Xinjiang to W. China, 1 in Kamts.), Cruciferae. (8 / 9). **(13–2).**

Erodium L'Herit. ex Ait., Geraniaceae. 3 / 90 ±. **12–3.** 牻牛儿苗.

Eruca Mill. (to N. China), Cruciferae. 1 / 5. **12.** 芝麻菜.

Ervatamia (A. DC.) Stapf (Pagiantha Markgr.), Apocynaceae. 15 / 80–120 ±. **4.** 狗牙花.

Erycibe Roxb., Convolvulaceae. 11 / 66 ±. **5.** 丁公藤.

Eryngium Linn. (to Subtr.), Umbelliferae. 2 / 230. **2.** 刺芹 (洋芫荽).

Erysimum Linn. (to N. China), Cruciferae. 20 / 100 ±. **12.** 糖芥.

Erythrina Linn. (to Subtr.), Papilionaceae. 2 / 100– 200. **2.** 刺桐.

Erythrodes Bl. (to Polynesia) (Taiwan, Sichuan and Yunnan), Orchidaceae. 2–3 / 100 ±. **9.** 钳喙兰.

Erythronium Linn., Liliaceae. 2 / 25. **8.** 猪牙花.

Erythropalum Bl., Erythropalaceae. 1 / 2–3. **7.** 赤苍藤.

Erythrophleum Afzel. ex R. Br., Caesalpiniaceae. 1 / 15. **4–1.** 格木.

* *Erythropsis* Lindl. ex Schott et Endl. = **Sterculia** Linn.?, Sterculiaceae. (3 / 6–8). **(6).** 火桐.

Erythrospermum Lam. (Chinese Record is Wrong determination?), Flacourtiaceae. 1 / 6. **4–1.** 红子木.

Erythroxylum P. Br. (many in America), Erythroxylaceae. 2+1cult. / 250. **2.** 古柯.

* **Eschscholzia** Cham. (N. Amer.), Papaveraceae. (1 / 10– 12). **(9).** 花菱草.

Esmeralda Reichenb. f. (Yunnan to Hainan), Orchidaceae. 1 / 2. **7–1.** 花蜘蛛兰.

* *Esquiroliella* Levl. = **Neomartinella** Pilger, Cruciferae.

Ethulia Linn. f., Compositae. 1 / 10. **2–2.** 都丽菊.

Etlingera Giseke (Geanthus Loesen., non Reinw.) (esp. N. Guinea), Zingiberaceae. 1 / 40. **7.** 茴香砂仁.

Euaraliopsis Hutch. (应并入 Brassaiopsis Decne. ex Planch.) (not in Ind. Nom. Gen.), Araliaceae. 9 / 11. **7.** 掌叶树

* **Eucalyptus** L'Herit. (600 Austr., 2–3 Indo–Malaya), Myrtaceae. 27 (–80+) / 600+. **(5).** 桉树.

* **Euchlaena** Schrad. (Mexico, C. Amer.), Gramineae. 1 / 2–3. **(3).** 类蜀黍.

Euchresta Benn., Papilionaceae. 4 / 6. **7–1.** 山豆根.

Euclidium R. Br., nom. conserv., Cruciferae. 1 / 1–2. **12.** 乌头芥.

Eucommia Oliv. (S. W. to C. China), Eucommiaceae. 1 / 1. **15.** 杜仲.

Eugenia Linn., Myrtaceae. 2 / 1000 ±. **2.** 番樱桃.

Eulalia Kunth (to Subtr.), Gramineae. 11 / 30. **4.** 金茅.

Eulaliopsis Honda (to Temp.), Gramineae. 2 / 2. **4.** 龙须草(拟金茅).

Eulophia R. Br. ex Lindl., nom. conserv. (to Subtr.), Orchidaceae. 12–14 (台粤琼桂黔鄂川滇) / 200 ±. **2.** 美冠兰.

Euodia J. R. et G. Forst. (to Subtr., 1 to N. China), Rutaceae. 25 / 45. **4.** 吴茱萸

Euonymus Linn. (to Temp. in Amer.) (Pragmotessara Pierre, Turibana (Nakai) Nakai) (" Evonymus"), Celastraceae. 90–125 / 176. **2.** 卫矛.

Eupatorium Linn. (to Temp.), Compositae. 15+ / 1200 ±. **2.** 白头婆,泽兰.

Euphorbia Linn. (Tithymalus Gaertn. 200 spp.) (to Temp.), Euphorbiaceae. 60+ / 2000 ±. **2.** 大戟.

* *Euphorbiopsis* Leol. = **Canscora** Lam., Gentianaceae. 穿心草.

Euphrasia Linn. (to New Zeal.), Scrophulariaceae. 15 / 200. **8.** 小米草.

Euptelea Sieb. et Zucc., Eupteleaceae. 1 / 2. **14.** 领春木.

* *Eurotia* Adans = **Ceratoides** Gagnebin Chenopodiaceae.

Eurya Thunb. (Pseudoeurya Yamamoto) (to Hawaii and Peru), Theaceae. 80 ± / 130. **3.** 柃.

Euryale Salisb., Euryalaceae. 1 / 1. **14.** 芡实.

Eurycarpus Botschan. (W. Tibet), Cruciferae. 1 / 1. **15.** 阔果芥.

Eurycorymbus Hand. –Mazz. (S. W. China to Taiwan to N. Vietnam), Sapindaceae. 1 / 1. **15.** 伞花树.

Euryodendron H. T. Chang (Guangdong), Theaceae. 1 / 1. **15.** 树柃(猪血树).

Eurysolen Prain, Labiatae. 1 / 1. **7.** 宽管花.

Euscaphis Sieb. et Zucc., nom. conserv. (E. Yunnan to Japan), Staphyle–

aceae. 1 / 3. **14(SJ).** 野鸦椿.

Eustachys Desv., Gramineae. 1 / 10 –12. **2–2.** 真穗草.

Eustigma Gardn. et Champ., Hamamelidaceae. 3 / 3. **7–4.** 秀柱花.

Eutrema R. Br. (Wasabia Mats.), Cruciferae. 10 / 15–16. **8–2.** 山萮菜.

Evax Gaertn, (Medit. to C. As., N. Amer.), Compositae. 1 / 25. **8.** 伞花菊(新拟).

Eversmannia Bunge, Papilionaceae. 1 / 1. **13.** 刺枝豆.

* *Evodia* Lam. = **Euodia** J. R. & G. Forst, Rutaceae. 吴茱萸.

* *Evodiopanax* Nakai = **Acanthopanax** (Harms) Miq., Araliaceae. (2 / 2). **(14) (SJ).** 吴萸叶五加.

Evolvulus Linn. (mainly in Amer.) (to Subtr.), Convolvulaceae. 1 / 100±. **2.** 银丝草(土丁桂).

Exacum Linn. (to Subtr.), Gentianaceae. 1 / 40±. **4.** 藻百年.

Exbucklandia R. W. Br. (1946) (Bucklandia R. Br. ex Griff. (1836), non Sternb. (1825), Symingtonia van Steenis (1952)), Hamamelidaceae. 2(–3) / (3–)4. **7–1.** 马蹄荷.

* *Excentrodendron* H. T. Chang (1978) = **Burretiodendron** Rehd., (1 / 4). **(15).** 蚬木.

Excoecaria Linn., Euphorbiaceae. 5 / 40. **6.** 海漆(土沉香).

Exochorda Lindl., Rosaceae. 3 / 4–5. **11.** 白鹃梅.

* *Faba* Mill. (=**Vicia** Linn.) (Medit.), Papilionaceae. (1 / 1). **(12).** 蚕豆.

Faberia Hemsl. (S. W. China), Compositae. 4–5 / 4–5. **15.** 花佩菊.

* *Fagara* Duham. = **Zanthoxylum** Linn., Rutaceae.

* *Fagerlindia* D. D. Tirvengadum in Nordic J. Bot. 3(4):458 (1983) = **Oxyceros** Lour., Rubiaceae.

Fagopyrum Mill., nom. conserv., Polygonaceae. 8 / 15. **10.** 荞麦.

Fagraea Thunb. (to Subtr.), Loganiaceae. 2–3 / 35–50. **5.** 灰莉.

Fagus Linn., Fagaceae. 5–1 / 10 ±(–12). **8.** 水青冈.

Falcaria Fabr., nom. conserv. (to C. Eur. & Siber.), Umbelliferae. 1 / 4–5. **12.** (未见),镰叶芹(新拟)

* *Fallopia* Adans., Polygonaceae. (2 / 9). **(8).** 何首乌.

Farfugium Lindl., Compositae. 1 / 3. **14(SJ).** 大吴风草.

Fargesia Franch. (= Thamnocalamus Munro, fide Soderstrom, 但耿, 温, 易将 Sinarundinaria 并入), Gramineae. ?. **15 ?.** 华桔竹(篠竹).

Farsetia Turra (to Morocco, Egypt, & N. W. India, C. Afr.), Cruciferae. 1 / 15. **12–4.**

Fatoua Gaud. (to Temp.), Moraceae. 1 / 2. **4–1.** 桑草.

Fatsia Decne. et Planch. (= Diplofatsia Nakai) (1 in Taiwan, another in Japan), Araliaceae. 1 / 2. **14.** 八角金盘.

* *Fedorovia* Yakovl. = **Ormosia** G. Jacks., Papilionaceae. (12 / 40–50). **(3).**

Fedtschenkiella Kudr, (to Pamir Himalaya) (not in Ind. Nom. Gen.), Labiatae. 1 / 1. **13.** 长蕊青兰.

* *Feijoa* Berg. (Trop. Amer.), Myrtaceae. (1). **(3).** 南美棯.

Fernandoa Welw. ex Seem. (to Guangxi, Yunnan), Bignoniaceae. 1/3. **6.** 厚膜树

* *Feronia* Corr. Typus: F. elephantum Corr. = **Limonia** elephantum (Corr.) Panigrahi (1977), Rutaceae. (1/1). **(7).** 木苹果.

Ferrocalamus Hsueh et Keng f. (Yunnan), Gramineae. 1/1. **15.** 铁竹.

Ferula Linn. (few in N. & E. China, Yunnan & Tibet), Umbelliferae. 25/125. **12.** 阿魏.

Festuca Linn., Gramineae. 23/80–100. **8.** 狐茅.

Fibraurea Lour., Menispermaceae. 1/5. **7.** 天仙藤(黄药).

Ficus Linn. (to Temp.), Moraceae. 120± / 800–1000. **2.** 榕.

Filago Linn., nom. conserv., Compositae. 2–3/20 ±. **8.** 絮菊.

Filifolium Kitamura, Compositae. 1/1. **11.** 线叶菊.

Filipendula Mill., Rosaceae. 5–7/10. **8.** 合叶子.

Fimbristylis Vahl, nom. conserv. (to Temp.), Cyperaceae. 47–50/200–300. **2.** 飘拂草.

Firmiana Marsigli sensu stricto (S. E. to S. W. China, to Japan?), Sterculiaceae. 3/ 8–15. **14(SH).** 梧桐.

Fissistigma Griff. (to Subtr.), Annonaceae. 22 /75–78. **4–1.** 瓜馥木.

* **Fittonia** E. Coemons., Acanthaceae. 1/2. **(3).** 花脉爵床.

Flacourtia Comm. ex L'Herit., Flacourtiaceae. 3/15. **6.** 刺篱木.

Flagellaria Linn., Flagellariaceae. 1/3–4. **4.** 鞭藤.

Flemingia Roxb. ex Ait., nom. conserv. (=Moghania Jaume St.– Hilaire), Papilionaceae. 20/35–40. **2.** 千斤拔.

Fleurya Gaud.(?= Laportea Gaud.), Urticaceae. 1/8. **2.** 红水麻.

Flickingeria A. D. Hawkes (Ephemerantha P. F. Hunt et Summerh.), Orchidaceae. 3/70±. **7.** 金石斛.

* **Flindersia** R. Br. (to New Caled.), Rutaceae. 1/16. **(7).** 巨盘木.

Floscopa Lour. (to Subtr.), Commelinaceae. 2/15–20. **2.** 聚花草.

* *Flueggea* Willd. = **Securinega** Juss. Euphorbiaceae. **(4).** 白饭树.

* *Fluminia* Fries = **Scolochloa** Link Gramineae. **(8).**

Foeniculum Mill. (Canary to India), Umbelliferae. 1/5. **12.** 茴香.

Fokienia A. Henry et H. Thomas, Cupressaceae. 1–2/1–2. **7–4.** 建柏(福建柏).

Fontanesia Labill., Oleaceae. 1/1. **10–1.** 雪柳.

Fordia Hemsl., Papilionaceae. 2/12. **7.** 干花豆.

Fordiophyton Stapf (S. E. to S. W. China), Melastomataceae. 8/8. **7–4.** 异药花.

Formania W. W. Smith et Small (W. Yunnan), Compositae. 1/1. **15.** 复芒菊.

* *Formosia* Pichon = **Anodendron** A. DC., Apocynaceae.

* *Forrestia* A. Rich. = **Amischotolype** Hassk. Commelinaceae. **(4).**

Forsythia Vahl, nom. conserv. (6–7 in China, 1 in S. E. Eur.), Oleaceae. 6–7/8. **10–1.** 连翘.

Fortunearia Rehd. et Wils. (C. et E.

China), Hamamelidaceae. 1 / 1. **15.** 牛鼻栓

Fortunella Swingle (1 also in Malacca?) (to Subtr.), Rutaceae. 5 / 6. **7.** 金桔.

Fragaria Linn, Rosaceae. 10± / 15. **8.** 草莓.

* *Francfleurya* A. Chev. & Gagnep. in Rev. Bot. Appliq. 1927. vii : 662. 663 = **Pentaphragma** (Pentaphragmataceae) (Willis 8th ed. ut) Saxifragaceae.

Frangula Mill., Rhamnaceae. 1 / 50. **8.** 黎辣根.

Frankenia Linn. (1 种，额济纳旗河西至新疆), Frankeniaceae. 1 / 35–40. **12–5.** 瓣鳞花.

Fraxinus Linn., Oleaceae. 20–27 / 70±. **8.** 白蜡树.

* **Freesia** Ecklon ex Klatt (S. Afr.), Iridaceae. 2 / 20. **(6).** 香雪兰.

* *?Freirea* Gaud. = **Parietaria** Linn. Urticaceae. **(8).**

Freycinetia Gaud. (to New Zeal. & Polyn., but absent in Austr.), Pandanaceae. 2 / 100. **5.** 藤露兜.

* *Friesodielsia* van Steenis = **Richella** A. Gray, Annonaceae. (1 / 55). **(6).** 尖花藤.

Fritillaria Linn., Liliaceae. 16 / 85±. **8.** 贝母.

* **Fuchsia** Linn. (New Zeal., Tahiti, C. & S. Amer.), Onagraceae. (3–5? / 100). **(6).** 倒挂金钟.

Fuirena Rottb. (to Subtr.), Cyperaceae. 3 / 40. **2.** 异花草(芙兰草).

Fumaria Linn. (also in S. Afr.), Fumariaceae. 1 / 55. **12.** 烟堇(球果紫堇).

* *Funkia* Spreng. = **Hosta** Tratt., Liliaceae. 1 / 1. 紫萼.

* *Gaertnera* auct. non Lam., (nom. conserv., also in Malaya) = **Tsiangia** But, Chia et P. T. Li, Rubiaceae. 1 / 1. **(15).** 拟九节.

Gagea Salisb. (Szechenyia Kanitz), Liliaceae. 13–15 / 70±. **10.** 顶冰花.

Gahnia J. R. et G. Forst. (mainly in S. Hemisphere), Cyperaceae. 3 / 35–40. **2–1.** 黑莎草.

* **Gaillardia** Fougeroux (26 in N. Amer., 2 in S. Amer.), Compositae. 2 / 28. **(8–4).** 天人菊.

Galactia P. Br. (to Subtr.), Papilionaceae. 4 / 70± (to 140). **2.** 乳豆.

Galatella Cass., Compositae. 9–12 / 40. **10.** 乳菀.

* **Galega** Linn. (Medit., Temp. E. Afr., and Iran), Papilionaceae. 1 / 6–8. **(12).** 山羊豆.

* *Galeobdolon* auct. non Adans. (Matsumurella Makino) = **Lamiastrum** Fabr. (1 in W. Eur. to N. Persia disj.), Labiatae. (6 / 6). **(10).** 小野芝麻.

Galeola Lour., Orchidaceae. 4(台粤琼桂黔川陕藏滇) / 20(–25). **4–1.** 山珊瑚.

Galeopsis Linn., Labiatae. 1 / 10. **10.** 鼬瓣花.

* *Galeorchis* Rydb. = Galearis Raf. (India, Tibet, E. As., Temp. N. Amer. & Grenland) = **Orchis** Linn., Orchidaceae. (1 / 9). **(9).**

Galinsoga Ruiz et Pav. (Mexico to Argentina) (run wild almost cosmop.), Compositae. 1 / 4. **1.** 辣子草(牛膝菊).

Galium Linn., Rubiaceae. 50 / 400. **1.** 拉拉藤(猪殃殃).

Gamanthus Bunge (absent in Me–

dit.), Chenopodiaceae. 1／7. **12 ?.** 合花藜

Garcinia Linn. (absent in Austr. ?) (to Subtr.), Guttiferae. 12／400. **6.** 藤黄(山竹子).

Gardenia Eliis, nom. conserv. (to Subtr.), Rubiaceae. 6／250. **2.** 栀子.

Gardneria Wall., Loganiaceae. 5／5. **14.** 蓬莱葛.

Garhadiolus Jaub. et Spach, Compositae. 1／5. **12.** 小疮菊.

Garnotia Brongn. (to Subtr.), Gramineae. 7／31. **5.** 对穗草.

Garrettia Fletcher (non est Garretia Welw. (1859)), Verbenaceae. 1／1. **7–3.** 异叶莸(加辣莸).

Garuga Roxb. (dispersed), Burseraceae. 4／4–5. **5.** 嘉榄.

Gastrochilus D. Don (包括 Haraella Kudo), Orchidaceae. 12–16(台粤黔川滇藏(吉占和))／20–22. **7.** 盆距兰.

Gastrocotyle Bunge (to N. Afr. & India), Boraginaceae. 1／2. **12.** 腹脐草.

Gastrodia R. Br (to Subtr.), Orchidaceae. 3(吉辽冀陕鄂湘黔川滇藏台)／20. **5.** 天麻.

Gaultheria Linn. (S. to Andes Mts., Malaya Arch., 1 in Austr. to New Zeal.), Ericaceae. 26／210. **3.** 白珠树.

* **Gaura** Linn. (Amer.), Onagraceae. 1／18±. **(9).** 山桃草.

Geissaspis Wight et Arn. (absent in Malaya), Papilionaceae. 1–3／32. **6.** 睫苞豆.

Gelidocalamus Wen (1982), Graminaceae. 6(台赣川黔滇)／6. **15.** 短枝竹(井岗寒竹).

* *Gelonium* Roxb. ex Willd. (1806), non Gelonium Gaertn. (1791) = **Suregada** Roxb. ex Rottl., Euphorbiaceae. **(6).**

Gelsemium Juss., Loganiaceae. 1／2. **9.** 胡蔓藤.

Gendarussa Nees, Acanthaceae. 1／2. **7.** 驳骨草.

Genianthus Hook. f. (to Subtr.), Asclepiadaceae. 1／10. **7.** 须花藤.

Geniosporum Wall. ex Benth., Labiatae. 1／25. **6.** 网萼木.

Geniostoma J. R. et G. Forst., Loganiaceae. 1／60±. **4–1.** 髯管花.

* **Genista** Linn. (Medit. to W. As.), Papilionaceae. 1／75. **(12).** 染料木.

Genitia Nakai (2 in Taiwan) (? Airy–Shaw 未著录), Celastraceae. 2／3. **14(SJ).** 台卫矛.

Gentiana Linn. (to alp. region of Trop., except Afr.), Gentianaceae. 247／400–500. **1.** 龙胆.

Gentianella Moench (N. & S. Temp., except Afr.), Gentianaceae. 9／125±. **8–4.** 假龙胆.

Gentianopsis Ma (alpine region), Gentianaceae. 5／24. **8.** 扁蕾.

Geodorum G. Jacks., Orchidaceae. 4–6(台粤琼桂川滇)／6. **5.** 地宝兰.

Geophila D. Don, nom. conserv. (Geocardia Stanley) (mainly in Trop. As. to Afr.), Rubiaceae. 1／30. **2.** 爱地草.

Geranium Linn., Geraniaceae. 65／400±. **1.** 老鹳草.

Gerbera L. (ex Cass.) mut. Spreng., nom. conserv. (except Lasiopus Cass., Leibnitzia Cass.), Compositae. 11／70. **6.** 大火草.

Germainia Bal. et Poitr. (1 in N. E. Austr.), Gramineae. 1／4. **5.** 筒穗草(壶颖草).

* *Getonia* Roxb. (1798) = **Calycopteris** Lam (1793) (1 in N. E. Austr.), Combretaceae. (1 / 1). **(7).** 萼翅藤.

Geum Linn., Rosaceae. 3–4 / 40–50. **8–4.** 蓝布政(路边青).

Gigantochloa Kurz ex Munro, Gramineae. 2 / 20–30±. **6.** 花箣竹(滇竹).

Ginkgo Linn., Ginkgoaceae. 1 / 1. **15.** 银杏.

* *Giraldia* Baroni = **Atractylodes** DC., Compositae.

* *Giraldiella* Damm = **Huolirion** Wang et Tang., Liliaceae.

Girardinia Gaud. (to Temp.), Urticaceae. 7 / 8. **6.** 大钱麻(蝎子草).

Girgensohnia Bunge (absent in Medit.), Chenopodiaceae. 1 / 5–6. **12.** 对叶盐蓬.

Gironniera Gaud. (to Polynesia) (to Subtr.), Ulmaceae. 2–3 / 15(–30). **7.** 白颜树.

Gisekia Linn., Molluginaceae. 1 / 5. **6.** 吉粟草.

* **Gladiolus** Linn. (Medit., S. Afr.), Iridaceae. 1 / 250–300. **(12–1).** 唐菖蒲.

* **Glaucidium** Sieb. et Zucc. (Japan), Glaucidiaceae. 1 / 1. **(14).** 白根葵.

Glaucium Mill., Papaveraceae. 3 / 25. **12.** 海罂粟.

Glaux Linn. (sea shore), Primulaceae. 1 / 1. **8.** 海乳草.

Gleadovia Gamble et Prain, Orobanchaceae. 1 / 6. **14(SH).** 藨寄生.

Glecoma Linn. (Meehaniopsis Kudo) ("Glechoma" Mill.), Labiatae. 5 / 8. **8.** 连钱草(活血丹).

Gleditsia Linn. (mainly in E. & C. Asia, N. Amer.), Caesalpiniaceae. 6(–10) / 12–16. **9.** 皂荚.

Glehnia Fr. Schmidt ex Miq. (Phellopterus Benth.), Umbelliferae. 1–2 / 1–2. **9.** 北沙参(珊瑚菜).

Glinus Linn., Molluginaceae. 1 / 12. **2.** 星(毛)粟(米)草.

Globba Linn. (to Subtr.), Zingiberaceae. 3–7 / 50–100. **7.** 舞花姜.

Glochidion J. R. et G. Forst., nom. conserv.(to Polynesia, 10 in Trop. Amer.) (to Subtr.), Euphorbiaceae. 25 / 300 ±. **2.** 算盘子.

* *Glochidocaryum* W. T. Wang = **Actinocarya** Benth. (1, Qinghai) Boraginaceae. (1 / 1). **(15).**

Gloriosa Linn., Liliaceae. 1 / 5. **6.** 嘉兰

Glossogyne Cass., Compositae. 1 / 8. **5.** 香茹.

* *Glossula* Lindl. = **Peristylus** Bl. (Guangdong), Orchidaceae. **(5).**

?Gluta Linn. (also to Malgash), Anacardiaceae. 1 / 13. **6–2.** 台线漆.

Glyceria R. Br., nom. conserv., Gramineae. 10 / 40±. **1.** 甜茅.

Glycine Willd., nom. conserv. (Soja Moench) (to Temp.), Papilionaceae. 2–7 / 10. **6.** 大豆.

Glycosmis Correa (to Subtr.), Rutaceae. 7 / 30–60. **7.** 山小桔.

Glycyrrhiza Linn. (Meristotropis Fisch. et Meyer) (mainly Medit. to C. As. & E. As.), Papilionaceae. 6 / 18–30. **12–3.** 甘草.

* *Glyptocarpa* Hu (1965) = **Camellia** Linn., Theaceae. **(15).** 雕果茶.

Glyptopetalum Thw., Celastraceae. 6–10 / 27. **7.** 沟瓣花.

Glyptostrobus Endl. (S. E. China), Taxodiaceae. 1 / 1. **15.** 水松.

Gmelina Linn. (to Subtr.), Verbenaceae. 7 / 35. **4.** 石梓.

Gnaphalium Linn., Compositae. 10–15 / 200. **1.** 鼠麴草.

Gnetum Linn. (to Subtr.), Gnetaceae. 7 / 30. **2.** 买麻藤.

Gochnatia HBK (= Leucomeris D. Don), Compositae. 1 / 66. **3.** 白菊木.

* *Godetia* Spach = **Clarkia** Pursh Onagraceae. 古代稀.

Goldbachia A. P. DC., nom. conserv. (Temp. Asia), Cruciferae. 1 / 6. **12.** 四棱荠.

Goldfussia Nees (to Subtr.), Acanthaceae. 9 / 30. **7.** 曲蕊马兰.

Gomphandra Wall. ex Lindl. (~ Stemonurus Bl.) (to Solomon Isl.), Icacinaceae. 2 / 33. **7.** 须蕊木.

Gomphia Schreb. (以前归入 Ouratea Aubl.), Ochnaceae. 2 / 30–35. **6.** 赛金莲木.

* **Gomphocarpus** R. Br. (Trop. Afr. & S. Afr.), Asclepiadaceae. 1 / 50 ± . **(6).** 钉头果.

Gomphogyne Griff. (to Subtr.), Cucurbitaceae. 1 / 2. **14(SH).** 锥形果.

Gomphostemma Wall. ex Benth. (Taitonia Yamamoto) (to Subtr.), Labiatae. 15–16 / 36–40. **7.** 锥花.

* **Gomphrena** Linn. (Trop. Amer.), Amaranthaceae. 1 / 100 ± . **(3).** 千日红.

Gonatanthus Klotsch, Araceae. 2 / 2. **7–2.** 曲苞芋.

Gongronema (Endl.) Decne. (to Subtr.), Asclepiadaceae. 1 / 15. **4.** 纤冠藤

Goniolimon Boiss. (to S. Russia), Plumbaginaceae. 4 / 20. **12.** 驼舌草(棱枝草).

Goniostemma Wight (Silhet to Yunnan), Asclepiadaceae. 1 / 2. **7–2.** 勐腊藤.

Goniothalamus (Bl.) Hook. f. & Thoms., Annonaceae. 10 / 115. **7.** 哥纳香.

Gonocaryum Miq. (absent in India, 3 to Hainan, Guangxi, Taiwan), Icacinaceae. 3 / 9. **7.** 琼榄.

* *Gonostegia* Turcz.? = **Pouzolzia** Gaud., Urticaceae.

Goodyera R. Br., Orchidaceae. 15–25 (除黑辽蒙新外, 全国) / 40. **7.** 斑叶兰.

* *Gooringia* F. N. Williams = **Arenaria** Linn. (Tibet), Caryophyllaceae. (1 / 1). **(15).** 古临草.

Gordonia Ellis, nom. conserv. (Polyspora Sweet) (1 in S. E. U. S. A.), Theaceae. 7–8 / 14–41. **9.** 大头茶.

* *Gossampinus* Buch. –Ham. (lack gen. diagn.) Schot tet Endl. = **Bombax** Linn. + Ceiba Linn., Bombacaceae.

* **Gossypium** Linn. (to Subtr.), Malvaceae. (5 / 20). **(9).** 棉.

Gouania Jacq. (mainly in Am.), Rhamnaceae. 2 / 20. **2.** 下果藤(嘴签).

Grangea Adans. (to Subtr.), Compositae. 1 / 6. **6.** 田基黄(荔枝草).

Graphistemma (Champ. ex Benth.) Champ. ex Benth., Asclepiadaceae. 1 / 1. **7–4.** 天星藤.

Graptophyllum Nees (to Polynesia), Acanthaceae. 1 / 10. **4–1?.** 紫叶.

Gratiola Linn., Scrophulariaceae. 2 / 20. **1.** 水八角.

* **Grevillea** R. Br., nom. conserv., Proteaceae. 1 / 160–190 ± . **(5).** 银桦.

Grewia Linn. (to Temp.), Tiliaceae. 30／150 ±. **4.** 扁担杆.

Gueldenstaedtia Fisch. (Amblytrapis Kitag.) (1 to Altai, to W. Himal.), Papilionaceae. 15／20±. **11.** 米口袋.

Guettarda Linn. (sea shore), Rubiaceae. 1／80– 100+. **2.** 海岸桐.

Guihaia Dransf., S. K. Lee et Wei, Palmae. 2(粤桂滇, 越北)／2. **7–4.** 石山棕.

* **Guizotia** Cass., nom. conserv. (Trop. Afr.), Compositae. 1／12. **(6).** 小葵子.

Gutzlaffia Hance, Acanthaceae. 1／1. **7–4.** 一笼鸡.

Gymnadenia R. Br., Orchidaceae. 3 (新蒙辽吉宁陕甘晋豫鲁苏川滇)／10±. **8.** 手参.

Gymnanthera R. Br. (to Subtr.), Periplocaceae. 1／4. **7.** 海岛藤(假络石).

* *Gymnaster* S. Kitamura (1937) non Schutt(1891), = **Miyamayomena** S.Kitamure., Compositae. (3／3(–8)). **(14)(SJ).** 裸菀.

Gymnema R.Br. (to Subtr.), Asclepiadaceae. 8／25. **4–1.** 匙羹藤.

Gymnocarpos Forssk. (1 in Canary to Beluchistan, 1 in Xinjiang to Mongolia), Illecebraceae. 1／2. **12.** 裸果木.

Gymnocladus Lam., Caesalpiniaceae. 2／3–4 (5). **9.** 肥皂荚.

Gymnopetalum Arn., Cucurbitaceae. 3／3. **7.** 金瓜.

Gymnospermium Spach (Leontice L., p. p.), Leonticaceae. 2／3–5. **10.** 牡丹草(狮足草).

* *Gymnosporia* (Wight et Arn.) Hook. f. in Benth. et Hook. f., nom. conserv. = **Maytenus** Mol., Celastraceae. (9／100). **(4).** 裸实.

Gymnostachyum Nees, Acanthaceae. 2–3／70 ±(–30). **7.** 裸柱花.

Gymnotheca Decne. (to Vietnam), Saururaceae. 2／2. **15.** 裸蒴.

* *Gynandropsis* DC., nom. conserv. 并入 Cleome (Linn.) DC., Cleomaceae. (1／1). **(2).** 白花菜.

Gynocardia R. Br., Kiggelariaceae. 1／1. **7–2.** 马蛋果.

Gynostemma Bl. (to Subtr.), Cucurbitaceae. ?／12. **7.** 绞股蓝.

Gynura Cass., nom. conserv. (to Temp.), Compositae. 15／100 ±. **6.** 土三七.

Gypsophila Linn. (mainly Mediterranean) (1 in Austr., New Zeal.), Caryophyllaceae. 8–(25)／126. **12–2.** 丝石竹.

Gyrocheilos W. T. Wang (1981) (Guangxi and Guangdong), Gesneriaceae. 4／4. **15.** 圆唇苣苔.

Gyrogyne W. T. Wang (1981) (Guangxi), Gesneriaceae. 1／1. **15.** 圆果苣苔.

Habenaria Willd. (to alpine region of Tropics) (Hemihabenaria Finet), Orchidaceae. 60– 70(除新疆外全国)／ 600. **8.** 玉凤花.

Hackelia Opiz, Boraginaceae. 5／40. **8.** 假鹤虱.

Hackelochloa Kuntze (= Rytilix Rafin.) (1 in Sikkim & China, 1 Pantr.), Gramineae. 2／2. **2.** 球穗草.

* **Haemanthus** Linn. (Trop. Afr., S. Afr., Socotra), Amaryllidaceae. 2／50±. **(6).** 网球花.

* *Haemaria* Lindl. = **Ludisia** A.

Rich., Orchidaceae. **(7).**

* **Haematoxylum** Linn. (Mexico, S. C. Amer.), Caesalpinaceae. 1 / 13. **(3).** 采木.

Hainania Merr. (Hainan, Guangxi), Tiliaceae. 1 / 1. **15.** 海南椴.

Haladina Ridsdale (1978), Naucle–aceae. 1 / 1. **7.** 心叶树.

Halenia Borkh., nom. conserv. (100 in N. & S. Amer., Asia), Gentianaceae. 2 / 103. **8–4.** 花锚.

Halerpestes Greene, Ranunculaceae. 4(–5) / 7. **8.** 水葫芦苗.

Halesia J. Ellis ex Linn., nom. conserv., Styracaceae. 1 / 4–6. **9.** 银钟花.

Halimocnemis C. A. Meyer (absent in Medit.), Chenopodiaceae. 3 / 19. **13.** 节节盐木(盐蓬).

Halimodendron Fisch. ex DC. (absent in Medit.), Papilionaceae. 1 / 1. **12.** 铃铛刺(盐豆木).

Halocharis Moq. Tand. (absent in Medit.), Chenopodiaceae. 1 / 10–12. **12.** 盐美草.

Halocnemum Bieb., Chenopodiaceae. 1 / 1. **12.** 盐节木.

Halodule Endl. (Diplanthera Du Petit Thouars), Cymodoceaceae. 1 / 6–7. **2.** 二药藻.

Halogeton C. A. Meyer, Chenopo–diaceae. 2 / 3. **12.** 盐生草.

Halopeplis Bunge ex Ungern. Sternb. (to N. Afr.), Chenopodiaceae. 1 / 3. **12.** 盐千屈菜.

Halophila du PetitThouars (sea), Hydrocharitaceae. 1 / 4. **2.** 喜盐草.

Haloragis J. R. et G. Forst. (to Sub–trpical), Haloragaceae. 2 / 70 ± . **5.** 小二仙草.

Halostachys C. A. Meyer ex Schrenk (absent in Medit.), Chenopodiaceae. 1 / 1. **12.** 盐穗木.

Haloxylon Bunge, Chenopodiaceae. 3 / 10 ± . **12.** 琐琐(梭梭).

Hamamelis Linn. (2 in E. Asia, 6 in N. Amer.), Hamamelidaceae. 2 / 6. **9.** 金缕梅.

* **Hamelia** Jacq. (Mexico, S. C. Am-er.), Rubiaceae. (1 / 40). **(3).** 长隔木.

* *Hamiltonia* Roxb. (1824) non Muehlenlerg et Willd. (1806) = **Sper–madictyon** Roxb., Rubiaceae. (1 / 1). **(7).** 香叶木.

* *Hancea* Hemsl. (1890) non. Seem. (1857) = **Hanceola** Kudo., Labiatae.

Hanceola Kudo (Hancea Hemsl.) (S. W. to S. E. China), Labiatae. 6(–8) / 6(–8). **15.** 四轮香.

Hancockia Rolfe = (Chrysoglossella Hatusima) (S. Yunnan to Vietnam), Or–chidaceae. 1 / 1. **15.** 滇兰.

Handelia Heim., Compositae. 1 / 1. **13.** 天山蓍.

Handeliodendron Rehd. (Guizhou to Guangxi & Guangdong), Sapindaceae. 1 / 1. **15.** 对掌树.

Hapaie Schott (1857) = Hapaline Schott (1858), Araceae. 1 / 5. **7.** 细柄芋.

* *Hapalanthoides* H. W. Li = **Andro–graphis** Wall., Acanthaceae. (1 / 1). **(15).** 宽丝爵床.

Haplophyllum A. Juss. corr. Reic–henb. f., nom. conserv., Rutaceae. 3 / 70 ± . **10–1.** 单叶芸香.

* *Haploseseli* H. Wolff et Hand. –Mazz. (S. W. Sichuan) = **Physos–**

permopsis H. Wolff, Umbelliferae. (1 / 1). **(15).**

Haplosphaera Hand. −Mazz. (N. W. Yunnan, C. Tibet, Bhutan), Umbelliferae. 2 / 2. **15.** 单球芹.

* *Haraella* Kudo = **Gastrochilus** D. Don (Taiwan) Orchidaceae. (1−2). **(15).** 台兰.

Harpachne Hochst. (1 in Trop. C. Afr., 2 in C. Asia, & Yunnan) (to Subtr.), Gramineae. 1 / 2. **6.** 镰稃草.

Harpullia Roxb., Sapindaceae. 1 / 34− 37. **5.** 山木患(假山萝).

Harrisonia R. Br. ex A. Juss., nom. conserv., Simarubaceae. 1 / 4. **4.** 牛筋果.

Harrysmithia H. Wolff (Yunnan to Sichuan), Umbelliferae. 1 / 1. **15.** 细柄芹.

Hartia Dunn (有时归入 Stewartia Linn.) (S. W. to S. China), Theaceae. 13 / 14. **7−4.** 折柄茶(舟柄茶).

* **Hartmannia** Spach (N. Amer. to Bolivia, W. I.), Onagraceae. 1 / 15. **(3).** (槌果草)

Hasteola Rafin. (～Cacalia Linn.) (1 E. Asia to NE. Russia, 1 N. Amer.), Compositae. 1 / 2. **9.** 戟叶菊.

Hayataella Masamune (Taiwan), Ru− biaceae. 1 / 1. **15.** 棱萼茜.

Hedera Linn. (to N. Afr. & Trop. Asia), Araliaceae. 2 / 5. **6.** 常春藤.

Hedinia Ostenf. (Tibet, Xinjiang & Qinghai), Cruciferae. 1 / 1(−2). **13−4.** 藏荠.

* *Hedona* Lour. = **Lychnis** Linn., Caryophyllaceae.

Hedychium Koenig (to Subtr.), Zin− giberaceae. 15 / 50 ± . **6−2.** 姜花.

Hedyosmum Sw. (Trop. Amer.), Chloranthaceae. 1 / 29−41. **3.** 雪香兰.

Hedyotis Linn. (Oldenlandia Linn.), Rubiaceae. 50 / 150−420+. **2.** 耳草.

Hedysarum Linn., Papilionaceae. 25 / 100−150. **8.** 岩黄耆.

* *Hegemone* Bunge ex Ledeb. = **Trollius** Linn., Ranunculaceae. (1 / 2). **(13).** 山紫莲.

* **Heimia** Link (Tropic. Amer.), Ly− thraceae. 1 / 3. **(3).** 黄薇.

* **Helenium** Linn. (N. Amer. to Mexico), Compositae. 1 / 40 ± . **(9).** 堆心菊.

* *Heleocharis* Lestib. = **Eleocharis** R. Br., Cyperaceae. **(1).**

* *Heleochloa* Host ex Roem. = **Crypsis** Ait., Gramineae. (2 / 10− 12). **(12).** 隐花草.

Helianthemum Mill. (to N. Afr., 1 in C. Asia to Inner Mongolia), Cistaceae. 1 / 100. **12.** 半日花.

* **Helianthus** Linn., Compositae. 1−2 / 110. **(9).** 向日葵.

Helichrysum Mill. corr. Pers., nom. conserv., Compositae. 2 / 500. **10−3.** 蜡菊

Helicia Lour. (to Subtr.), Pro− teaceae. 18 / 90 ± . **5.** 山龙眼.

Heliciopsis Sleum., Proteaceae. 3 / 7. **7.** 假山龙眼.

* **Heliconia** Linn., nom. conserv. (Trop. Amer.), Heliconiaceae. 2 / 80. **(3).** 火鹤花(蝎尾蕉).

Helicteres Linn. (to Subtr.), Sterculiaceae. 9 / 40−60. **3.** 山芝麻.

Helictotrichon Bess. ex Schult. et Schult. f., Gramineae. 10 / 80− 94. **8−4.** 异燕麦.

* **Heliopsis** Pers. (N. America),

Compositae. 1 / 12. **(9).** 赛菊芋.

Heliotropium Linn. (To Subtr.), Boraginaceae. 7 / 250. **2.** 天芥菜.

Helixanthera Lour., Loranthaceae. 7 / 50±. **6.** 离瓣寄生.

Helleborus Linn. (20 in Medit. to Caucasus), Ranunculaceae. 1 / 21. **10–1.** 铁筷子(嚏根草).

Heloniopsis A. Gray, nom. conserv. (Sugerokia Miq.), Liliaceae. 2 / 4. **14(SJ).** 胡麻花.

Helwingia Willd., nom. conserv., Helwingiaceae. 4–5 / 4–5. **14.** 青荚叶.

Hemarthria R. Br. (to Temp.), Gramineae. 3 / 8–10. **2.** 牛鞭草.

Hemerocallis Linn., Liliaceae. 1 / 14±. **10.** 萱草.

Hemiadelphis Nees (NE. India to S. China), Acanthaceae. 1 / 1. **7–2.** 小狮子草.

Hemiboea C. B. Clarke (S. E. to S. W. China) (H. W. Li, 1984) +8 (Z. Y. Li, 1983), Gesneriaceae. 21+8 / 20+. **7–4.** 半蒴苣苔, 降龙草.

Hemiboeopsis W. T. Wang (1984) (Yunnan's Hekou, 1 sp.), Gesneriaceae. 7 / 7. **15.** 密序苣苔.

Hemigraphis Nees, Acanthaceae. ? 2 / 100. **5.** 半柱花.

Hemilophia Franch., Cruciferae. 2 / 2. **15.** 半脊荠.

Hemiphragma Wall., Scrophulariaceae. 1 / 1. **14(SH).** 鞭打绣球(羊膜草乃半膜草之误).

Hemipilia Lindl. , Orchidaceae. 9(晋陕鄂川黔桂滇台) / 12–13. **14(SH).** 舌喙兰.

Hemiptelea Planch. (N. to E. China, Korea), Ulmaceae. 1 / 1. **14(SJ).** 刺榆.

Hemisteptia Bunge ex Fisch. et Meyer (to Austr.), Compositae. 1 / 1. **14.** 泥胡菜.

Hemsleya Cogn., Cucurbitaceae. 24 / 26. **14(SH).** 雪胆.

* *Henslowia* Bl. (1850) non Wall. (1831–32) = *Dufrenoya* Chatin = **Dendrotrophe Miq., Santalaceae. (7).** 寄生藤.

Hepatica Mill., Ranunculaceae. 2–3 / 7–10. **10.** 獐耳细辛.

Heptacodium Rehd. (C. to E. China), Caprifoliaceae. 2 / 2. **15.** 七子花.

Heracleum Linn., Umbelliferae. 23 / 60–70. **8.** 白芷 (独活).

Herissantia Medik. (= Bogenhardia Reichenb.) (Trop. America), Malvaceae. 1 / 3. **3.** 泡果苘.

Heritiera Ait. (~ Tarrietia Bl.) (sea shore), Sterculiaceae. 3 / 30–35. **4.** 银叶树

Herminium Guett. (= Monorchis Seguier) (All of China), Orchidaceae. 35 / 40. **10.** 角盘兰.

Hernandia Linn., Hernandiaceae. 1 / 24. **2.** 莲叶桐.

Herniaria Linn. (to C. Eur., N. & S. Afr. and Canary), Illecebraceae. 2 / 35. **10–3.** 治疝草.

Herpetospermum Wall. ex Hook. f., Cucurbitaceae. 2 / 2. **14(SH).** 波棱瓜.

Herpysma Lindl. (to Nepal, Philippine), Orchidaceae. 1 滇 / 2. **7–2.** 直唇兰.

Hesperethusa M. Roem. (to Subtr.) (? = Limonia Linn.), Rutaceae. 1 / 1. **7.** 柑果子.

Hesperis Linn., Cruciferae. 4 / 30±. **10–1.** 香花芥.

Hetaeria Bl. (to Subtr.) (应作 Etaeria Bl.), Orchidaceae. 7(台鄂粤琼川滇) / 20. **4.** 翻唇兰.

Heteracia Fisch. et Mey. (in Medit.), Compositae. 1 / 1. **12.** 异喙菊.

* *Heteroarisaema* Nakai = **Arisaema** Mart., Araceae. (3 / 3). **(8).**

Heterocaryum A. DC., Boraginaceae. 1 / 6. **12.** 异果刺草.

* *Heterocodon* auct. non Nutt. = **Homocodon** Hong (S. W. China) Campanulaceae. (1 / 1). **(9).** 异钟花.

Heterolamium C. Y. Wu (S. W. China to Qingling), Labiatae. 1 / 1. **15.** 异野芝麻.

Heteropanax Seem., Araliaceae. 5 / 5. **7–2.** 幌伞枫.

Heteropappus Less., Compositae. 10 / 12. **14.** 狗娃花.

Heteroplexis Chang (Guangxi), Compositae. 2 / 2. **15.** 异裂菊.

Heteropogon Pers. (to Temp.), Gramineae. 2 / 10–12. **2.** 扭黄茅.

Heterosmilax Kunth (Pseudosmilax Hayata), Smilacaceae. 6 / 15. **7.** 土伏苓(肖菝葜).

Heterostemma Wight et Arn., Asclepiadaceae. 11 / 30. **7.** 醉魂藤.

* **Hevea** Aubl. (Trop. Amer.), Euphorbiaceae. 1 / 13–20. **(3).** 橡胶树.

Hewittia Wight et Arn., Convolvulaceae. 1 / 1(–2). **6.** 猪菜藤.

* *Heynea* Roxb. = **Trichilia** R. Br. (to Subtr.), Meliaceae. 2 / 4. **(2).** 海木.

Hibiscus Linn., nom. conserv., Malvaceae. 10–24 / 200–300. **2.** 木槿.

Hieracium Linn. (大部分在欧洲) (apomictic microspecies), Compositae. 14 / 1000±–5000. **8–4.** 山柳菊.

Hierochloe R.Br., nom. conserv. (to cold region), Gramineae. 47 / 20– 30. **8.** 茅香.

Hildegardia Schott et Endl. (Cuba, 2 Trop. E. Afr., 3 Medag., 1 Philippine, 1 Lesser Sunda), Sterculiaceae. 1 / 9. **2–2(disp.).**

Hilliela (O. E. Schulz) Y. H. Zhang et H. W. Li, Cruciferae. 7 浙至滇东南 / 7. **15.** 泡果荠.

Himalrandia Yamazaki, Rubiaceae. 2 / 3. **14(SH).** 须弥茜树.

* **Hippeastrum** Herb., nom. conserv. (Trop. Amer.), Amaryllidaceae. 2 / 75±. **(3).** 朱顶.

Hippeophyllum Schlechter (Taiwan), Orchidaceae. 1 / 5. **7.** 套叶兰.

Hippolytia Poljark., Compositae. 12 / 18±. **13–2.** 女蒿.

Hippophae Linn., Elaeagnaceae. 4 / 4. **10.** 沙棘.

Hippuris Linn., Hippuridaceae. 1 / 2 –3. **1.** 杉叶藻.

Hiptage Gaertn. (from Mauritius), Malpighiaceae. 5–7 / 20–30. **7.** 风筝果(飞鸢果).

* *Hocquartia* Dum. = **Aristolochia** Linn., Aristolochiaceae. **(2).**

Hodgsonia Hook. f. et Thoms., Cucurbitaceae. 1–2 / 1–2. **7.** 油渣果.

* *Hoeckia* Engl. et Graebn. = **Triplostegia** Wall. ex DC., Triplostegiaceae

Holarrhena R. Br., Apocynaceae. 1 / 20. **6.** 止泻木.

Holboellia Wall. (1824), Lardizabalaceae. 11 / 12. **14(SH).** 八月瓜.

Holcoglossum Schlechter, Orchidaceae. 3(台鄂川滇)/3. **14(SH).** 槽舌兰.

Holcus Linn., nom. conserv. (Eur. to Afr., 1 in S. Afr., 1 run wild in China), Gramineae. 1/9–10. **10–3.** 绒毛草.

* **Holmskioldia** Retz., Verbenaceae. 1/11. **(6).** 冬红花.

Holocheila (Kudo) S. Chow (Yunnan), Labiatae. 1/1. **15.** 全唇花.

* *Hololachna* Ehrenb. = **Reaumuria** Linn. Tamaricaceae. (1/2–3). **(13).** 红沙.

Hololeion Kitamura, Compositae. 1/2. **11.** 北山菊(全光菊).

* **Holoptelea** Planch. (Trop. Afr., Indomal.), Ulmaceae. 1/2. **(6).** 全叶榆.

Holostemma R. Br. (to Subtr.), Asclepiadaceae. 2/6. **7.** 铰剪藤.

Holosteum Linn., Caryophyllaceae. 1–2/6. **10.** 硬骨草.

Homalanthus A. Juss. corr. Reichenb. (Omalanthus A. Juss.) (to Polynesia, absent in India) (not in Ind. Nom. Gen.), Euphorbiaceae. 3/35. **7.** 澳杨.

Homalium Jacq. (to Subtr.), Samydaceae. 12/200 ±. **2.** 天料木.

* **Homalocladium** (F. Muell.) Bailey, Polygonaceae. 1/1. **(5).** 竹节蓼.

Homalomena Schott, Araceae. 2/140. **3.** 千年健.

Homocodon Hong (S. W. China), Campanulaceae. 1/1. **15.** 同钟花.

Homonoia Lour., Euphorbiaceae. 2/3–5. **7.** 水杨柳.

Honkenya Ehrh. (Ammodenia J. G. Gmelin ex Rupr.), Caryophyllaceae. 1/2. **8–1.** 沙繁缕.

Hopea Roxb., nom. conserv., Dipterocarpaceae. 4/90. **12.** 坡垒.

Horaninovia Fisch. et Meyer, Chenopodiaceae. 2/4–6. **7.** 对节刺.

Hordeum Linn., Gramineae. 15/(20–) 30+. **8.** 大麦.

Hornstedtia Retz., Zingiberaceae. 2/60. **7.** 大豆蔻.

Horsfieldia Willd., Myristicaceae. 5/80. **5.** 风吹楠.

Hosiea Hemsl. et Wils. (1 in Japan), Icacinaceae. 1/2. **14(SJ).** 无须藤.

Hosta Tratt., nom. conserv. (Funkia Spreng.), Liliaceae. 3/10±. **14(SJ).** 玉簪.

Houttuynia Thunb., nom. conserv., Sauruacerae. 1/1. **14.** 蕺菜.

Hovenia Thunb., Rhamnaceae. 4–5/5. **14(SJ).** 枳.

Hoya R. Br. (to Subtr.), Asclepiadaceae. 22/200+. **5.** 球兰.

Hugeria Small, Ericaceae. 2/3. **9.** 山小蘖.

* *Hulthemia* Dum. = **Rosa** Linn. Rosaceae. (1/2). **(12).** 单叶蔷薇.

Humulus Linn., Cannabaceae. 3/3. **8.** 律草.

Hunaniopanax Qi et Cao (1987), Araliaceae. 1/1. **15.** 湖南参.

Hunteria Roxb., Apocynaceae. 8/8. **6.** 仔榄树.

Huodendron Rehd., Styracaceae. 3–5/5–6. **7–4.** 山茉莉.

* *Huolirion* Wang et Tang = **Aletris** Linn. = Giraldiella Damm. Liliaceae. (1/1). **(15).** 胡莲.

* **Hura** Linn., Euphorbiaceae. (1/2). **(3).** 响盒子(胡拉木).

Hutchinsiella O. E. Schulz (W. Tibet), Cruciferae. 1/1. **15.**

* *Huthamnus* Tsiang = **Stephanotis** Thou. Asclepiadaceae. (1 / 1). **(6–2).**

* **Hyacinthus** Linn., (Medit., Afr.), Liliaceae. (1 / 30). **(12).** 风信子.

Hyalea (DC.) Jaub. et Spach, Compositae. 1 / 2. **11.** 琉苞菊.

Hybanthus Jacq., nom. conserv. (to Subtr.), Violaceae. 1 / 150. **2.** 鼠鞭草.

Hydnocarpus Gaertn., Kiggelariaceaee. 2–3 / 26–40. **7.** 大风子.

Hydrangea Linn. (E. Asia to Java, N. Amer. through mts. of C. Amer. to S. Amer.), Hydrangeaceae. 45 / 80 ± . **9.** 绣球花.

Hydrilla Rich. (to Temp.), Hydrocharitaceae. 1 / 1. **5.** 黑藻.

Hydrobryum Endl., Podostemaceae. 1 / 4. **7.** 水石衣.

Hydrocera Bl. (1825) = Tytonia G. Don (1831), Balsaminaceae. 1 / 1. **7.** 水角.

Hydrocharis Linn. (to Temp. As. & Malg.), Hydrocharitaceae. 1 / 6. **4–1.** 水鳖.

Hydrocotyle Linn.(to Subtr., Temperate), Umbelliferae or Hydrocotyhlaceae. 14– 17 / 25–100. **2.** 天胡荽.

Hydrolea Linn., nom. conserv. (to Subtr.), Hydrophyllaceae. 1 / 20 ± . **2.** 田基麻.

* *Hygrochilus* Pfitz. = **Vanda** R. Br.? (吉占和, 1982) (Zhejiang, Hubei, Hunan), Orchidaceae. **(7).** 萼脊兰.

Hygrophila R. Br. (Hemiadelphis Nees ?) (to Subtr.), Acanthaceae. 6 / 80 ± . **2.** 水蓑衣.

Hygroryza Nees (Sri Lanka to Taiwan), Gramineae. 1 / 1. **7.** 水禾.

* **Hylocereus** (Berg.) Britt. et Rose, Cactaceae. 1 / 23 ± . **(3).** 量天尺.

Hylomecon Maxim., Papaveraceae. 1–2 / 1–2. **14(SJ).** 荷青花.

Hylophila Lindl. (1833) (= Dicerostylis Bl. (1859)?) (Taiwan), Orchidaceae. 1 / 4–5. **7.** 袋唇兰.

Hylotelephium H. Ohba, Crassulaceae. 15 / 30. **8.** 八宝.

Hymenachne Beauv. (to Subtr.), Gramineae. 3 / 8–10+. **2.** 膜稃草.

* **Hymenaea** Linn. (Trop. Amer.), Caesalpiniaceae. 2 / 26–30+. **(3).** 孪叶豆.

* **Hymenocallis** Salisb. (Trop. America), Amaryllidaceae. 1 / 50 ± . **(3).** 蜘蛛兰(水鬼蕉).

Hymenodictyon Wall., nom. conserv., Rubiaceae. 2 / 20. **6.** 土连翘.

* *Hymenolaena* DC. = **Pleurospermum** Hoffm., Umbelliferae. (2 / 10). **(13–3).** 膜胞芹.

Hymenolobus Nutt., Cruciferae. 1 / 3–4. **12–5.** 薄果芥.

Hymenolyma Korov. (Xingjiang), Umbelliferae. 1–2 / 2. **13.** 斑膜芹.

* *Hymenophysa* C. A. Meyer = **Cardaria** Desr. (absent in Medit.) (to Inner Mongolia), Cruciferae. (3 / 5). **(12).** 群心菜.

* *Hymenopogon* Wall. = **Neohymenopogon** S. S. R. Bennet, Rubiaceae. (2 / 3). **(14)(SH).** 石丁香(藏丁香).

Hymenopyramis Wall. ex Griff. (Thail., Indoch., N. Burma, N. India) (1 in Hainan), Verbenaceae. 1 / 7. **7.** 膜萼藤.

Hyoscyamus Linn. (Medit. to N. Africa), Solanaceae. 3 / 20 ± . **10–1.** 天仙子.

Hyparrhenia Anderss. (many spp. in Trop. Afr., few in S. Amer., Trop. Asia

and Oceania), Gramineae. 2 / 60–75. **6.** 苞茅.

Hypecoum Linn. (Chiazospermum Bernh.) (to N. & S. W. China), Fumariaceae. 2 / 15. **12.** 角茴香.

Hypericum Linn. (Takasagoya Kimura; Ascyrum Mill.), Hypericaceae. 47–50 / 400±. **1.** 金丝桃.

Hyphear Danser (= Psittacanthus Mart.), Loranthaceae. 6 / 11. **3.**

* *Hypochoeris* Linn. = **Achyrophorus** Guett., Compositae. (2 / 20). **(8–5).** 猫儿菊.

Hypoestes Soland. ex R. Br. (to Subtr.), Acanthaceae. 3 / 150±. **4.** 枪刀药.

Hypolytrum Perr. (Willis, 8th ed. 作 Rich.) (to Subtr.), Cyperaceae. 4 / 80. **2.** 割鸡芒.

Hypopitys Hill, Monotropaceae. 1 / 1. **9.** 松下兰.

Hypoxis Linn. (to Subtr.), Hypoxidaceae. 1 / 100±. **2.** 小金梅草.

Hypserpa Miers (to Subtr.), Menispermaceae. 1 / 20. **7.** 夜花藤.

Hyptianthera Wight et Arn., Rubiaceae. 2 / 2. **7–2.** 藏药木.

Hyptis Jacq., nom. conserv. (Trop. Amer.), Labiatae. 4 / 350–400. **3.** 山香.

* *Hyrtanandra* Miq. (1851) = **Memorialis** (J. J. Benn.) Buch. –Ham. ex Wedd. (1856–57) = Gonostegia Turcz. (1846) Urticaceae. (4 / 15). **(7).** 蔓宁麻.

Hyssopus Linn., Labiatae. 2 / 15±. **12.** 神香草.

* *Hystrix* Moench (1794) = **Asperella** Humb. (1790) (S. to New Zeal.), Gramineae. 2 / 8. **(9).** 猬草.

Iberidella Boiss. (to Tibet), Cruciferae. 2 / 8. **12.** 小蜂室花.

* **Iberis** Linn. (Medit.), Cruciferae. 2 / 30±. **(12).** 屈曲花.

Ichnanthus Beauv. (mainly in S. Hemisphere), Gramineae. 1 / 26±. **2–2.** 距花黍.

Ichnocarpus R. Br., nom. conserv., Apocynaceae. 2 / 18. **7.** 腰骨藤.

Idesia Maxim., (1866) nom. conserv. (non Scop. (1777)), Flacourtiaceae. 1 / 1. **14(SJ).** 山桐子.

Ikonnikovia Lincz., Plumbaginaceae. 1 / 1. **13.** 伊犁花.

Ilex Linn. (to Temp.), Aquifoliaceae. 118 / 400. **2.** 冬青.

Iljinia Korov. ex Kom., Chenopodiaceae. 1 / 1. **13–1.** 戈壁藜.

Illicium Linn. (S. to Himalaya), Illiciaceae. 21–30 / 42–50. **9.** 八角.

Illigera Bl. (to Subtr.), Hernandiaceae. 12–15 / 30±. **4.** 青藤.

* *Ilysanthes* Rafin. = **Lindernia** All. (to Temp.) Scrophulariaceae. **(2).** 泥花草.

Impatiens Linn. (to Temp.), Balsaminaceae. 190 / 500–600. **2.** 凤仙花.

Imperata Cyr. (to Temp.), Gramineae. 2 / 10. **2.** 白茅.

Incarvillea Juss., Bignoniaceae. 13 / 16. **13–2.** 角蒿.

Indigofera Linn. (to Temp.), Papilionaceae. 70+ / 700–800±. **2.** 木蓝.

Indocalamus Nakai (to Subtr.), Gramineae. 15+1 / 20–30. **7.** 箬竹.

Indocourtoisia S. S. R. Bennet & M. B. Raizada (1981). nom. nov. for Courtoisia Nees (1834). non Marchand (1830) = Pseudomariscus S. Rauschert

(1982) later. synonym, Cyperaceae. 1 / 2. **6.** 刺鳞莎.

Indofevillea Chatterjee, Cucurbitaceae. 1 / 1. **7–2.** 藏瓜.

Indoixeris Kitamura (to Temp.) (not in Ind. Nom. Gen.), Compositae. 1 / 1. **7.** 南亚苦荬菜.

Indosasa Mc Clure, Gramineae. 4–5 / 7. **7–4.** 大节竹.

* **Intsia** du Petit Thouars (1 sp. cult. in Taiwan), Caesalpiniaceae. 1 / 9. **(6).** 印茄.

Inula Linn. (to Afr.), Compositae. 20+ / 200. **10.** 旋覆花.

Iodes Bl. (to Subtr.) (in Ind. Nom. Gen.作 Ioedes Bl.), Icacinaceae. 4 / 14–19. **6.** 微花藤.

* *Ione* Lindl. = **Sunipia** Buch.–Ham. ex Lindl., Orchidaceae. (7 / 22). **(7).** 堇兰.

* *Ionidium* Vent. = **Hybanthus** Jacq. Violaceae. **(2).**

Iphigenia Kunth (1843), nom. conserv. (to Subtr.) (in S. Afr.) (= Aphoma Rafin. (1837)), Liliaceae. 1 / 12. **4.** 丽江山慈姑.

Ipomoea Linn. (to Temp.), Convolvulaceae. 25 / 300–500. **2.** 番薯.

Iresine P. Br., nom. conserv., Amaranthaceae. 1 / 70–80. **2–1.** 血苋.

Iris Linn. (Junopsis W. Schulze), Iridaceae. 40 / 150–300. **8.** 鸢尾.

Isachne R. Br. (to Temp.) (esp. E. Asia), Gramineae. 15 / 60–120. **2.** 柳叶箬.

* *Isanthera* Nees = **Rhynchotechum** Bl., Gesneriaceae. **(7).** 互生苣苔.

Isatis Linn. (mainly Medit.), Cruciferae. (5–)6 / 30(–45). **10.** 菘蓝(大青).

Ischaemum Linn. (to Temp.) (few in Amer.), Gramineae. 15 / 50. **2.** 鸭嘴草.

Ischnogyne Schlechter (Shaanxi, S. Gansu, Sichuan's Emei, Guizhou), Orchidaceae. 1 / 1. **15.** 瘦房兰.

Isodon (Schrad. ex Benth.) Spach (1840) (= Rabdosia (Bl.) Hassk. (1842) = Amethystanthus Nakai (1934)), Labiatae. 77 / 100–150±. **4.** 香茶菜.

Isoglossa Oerst. (Chingiacanthus H.–M.) (Trop. & S. Afr., Madag.) (Guangxi to S. E. Tibet), Acanthacae. 2 / 50. **6.** 叉序草.

Isometrum Craib (Sichuan to Gansu), Gesneriaceae. 2 / 2. **10.** 金盏苣苔.

Isopyrum Linn., Ranunculaceae. 2 / 4. **10.** 扁果草(小乌头).

* *Isotoma* (R. Br.) Lindl. (1826) = **Laurentia** Adans. (1763), Lobeliaceae. (1 / 10). **(2–1).** 同瓣草.

* *Isotrema* Rafin. = **Aristolochia** L., Aristolochiaceae.

Itea Linn. (S. to Trop. S. E. As.), Iteaceae. 12 / 15. **9.** 鼠刺.

Itoa Hemsl. (川、滇、桂 to Vietn., N. Guinea), Flacourtiaceae. 1 / 2. **7–1.** 栀子皮(伊桐).

Ixeris (Cass.) Cass. (to Temp.), Compositae. 20 / 50. **7.** 野苦荬.

Ixiolirion Herb. (absent in Medit.) (Willis, 8th ed.作 Fisch.), Amaryllidaceae. 1 / 3. **12.** 鸢尾蒜.

Ixonanthes Jack (to Subtr.), Ixonanthaceae. 1 / 11. **7.** 粘木.

Ixora Linn. (to Subtr.), Rubiaceae. 11 / 40±. **6.** 龙船花.

* **Jacaranda** Juss. (C. & S. Amer., W. I.), Bignoniaceae. (2 / 50±). **(3).** 蓝花

榅.

* **Jacaratia** A. DC. (Trop. Amer., Afr.), Caricaceae. (1 / 8). **(2).** 墨西哥木瓜.

* **Jacobinia** Nees in Moric., nom. conserv. (Mexico to Trop. S. Amer.), Acanthaceae. 1 / 50. **(3).**

Jacquemontia Choisy, Convolvulaceae. 1 / 120±. **2.** 小牵牛(仄奎藤).

Jaeschkea Kurz (to Tibet), Gentianaceae. 2 / 3. **14(SH).** 口药花.

Jasminum Linn. (to Temp.), Oleaceae. 44 / 300. **2.** 素馨.

Jatropha Linn. (to Subtr.), Euphorbiaceae. 1 / 175. **2.** 麻疯树(膏桐).

Jeffersonia Barton (Plagiorhegma Maxim.), Podophyllaceae. 1 / 2. **9.** 鲜黄连.

Juglans Linn., Juglandaceae. 4–6 / 15–20. **8.** 胡桃.

Juncellus (Griseb.) C. B. Clarke (Ind. Nom. Gen. 作 C. B. Clarke), Cyperaceae. 3 / 10. **1.** 水莎草.

Juncus Linn., Juncaceae. 65–70 / 200–300. **1.** 灯心草.

Juniperus Linn. (to C. Amer. and S. Amer., N. E. Afr.), Cupressaceae. 3 / 10. **8.** 刺柏.

* *Junopsis* W. Schulze = **Iris** Linn. Iridaceae. (1 / 1). **(14) (SH).**

Jurinea Cass., Compositae. 14± / 100± 250. **12.** 久苓菊.

* *Jussiaea* Linn. (1753), p. 388 (to Temp.) = **Ludwigia** Linn. (1753), p. 118, Corr. Linn. (1754), Onagraceae. (7 / 45–50). **(1).** 水龙.

* *Justicia* Linn., p. p. = **Rostellularia** Reichenb., Acanthaceae. (3 / 22). **(2).** 爵林.

* *Juzepczukia* Khrzhanovsky (1948, 1958) (~ Rosa Linn.) (China, Japan) (= Platyrhodon (Decne.) Hurst (1928), Rosaceae. (1 / 3). **(14)(SJ).** 刺梨.

Kadsura Juss. (to Subtr.), Schisandraceae. 7–8 / 22(–25). **7.** 南五味子.

Kaempferia Linn. (to Subtr.), Zingiberaceae. 4–7 / 70 ±. **6.** 山奈.

Kalanchoe Adans. (to Subtr.), Crassulaceae. 4–6 / 200±. **2–2.** 伽兰菜.

Kalidium Moq. –Tand. (absent in Medit.), Chenopodiaceae. 5 / 5. **12.** 盐爪爪.

Kalimeris (Cass.) Cass. (Martinia Vaniot), Compositae. (2–)8 / (2–)8. **11.** 马兰.

Kalopanax Miq., Araliaceae. 1 / 1. **14(SJ).** 刺楸.

Kandelia (DC.) Wight et Arn. (sea shore to Subtr.), Rhizophoraceae. 1 / 1. **7.** 秋茄树.

Karelinia Less. (absent in Medit.), Compositae. 1 / 1. **12.** 花花柴.

Kaschgaria Poljark. (S. Xinjiang), Compositae. 2 / 2. **13.** 喀什菊.

Kaufmannia Regel (C. Asia), Primulaceae. 1 / 1–2. **13.** 疆报春.

Keiskea Miq., Labiatae. 5 / 4–6. **14(SJ).** 霜柱花(香简草).

Kelloggia Torr. ex Benth. (1 in Yunnan, 1 in S. W. U. S. A), Rubiaceae. 1 / 2. **9.** 钩毛茜.

* *Kengia* J. G. Packer (1960) = **Cleistogenes** Kang (1934), Gramineae.

Kerria DC., Rosaceae. 1 / 1. **14(SJ).** 棣棠花.

Keteleeria Carr., Pinaceae. 9 / 11. **14(SH).** 油杉.

* **Khaya** A. Juss. (Trop. Afr., Madag.), Meliaceae. 1 / 8. **(6).** 非洲楝.

Kibatalia G.Don (mostly Trop. Africa) (Paravallaris Pierre), Apocynaceae. 2 / 25–29. **6.** 倒缨木(假钮子藤).

* **Kigelia** DC. (Trop. Afr.), Bignoniaceae. 2 / 3. **(6).** 吊灯树.

Kingdonia Balf. f. et W. W. Smith (S. W. China to Qingling), Kingdoniaceae. 1 / 1. **15.** 独叶草.

* *Kingdon–Wardia* Marq. = **Swertia** Linn. (S. E. Tibet), Gentianaceae. (1 / 1). **(15).** 金冬花.

Kingidium P. F. Hunt (= Kingiella Rolfe; Biermannia auctt.) (Yunnan and Hainan), Orchidaceae. 2 / 5. **7.** 尖囊兰.

Kinostemon Kudo (N. E. Yunnan to C. China), Labiatae. 3 / 3. **15.** 动蕊花.

Kirengeshoma Yatabe, Hydrangeaceae. 1 / 1. **14(SJ).** 黄山梅.

Kirilowia Bunge, Chenopodiaceae. 1 / 1–3. **13.** 棉藜.

* *Kitamuraea* S. Rauchert = **Miyamayonena** S. Kitamura, Compositae.

* *Kitamuraster* J. Sojak = **Miyamayonena** S. Kitamura, Compositae.

* *Kitigorchis* Maekawa = **Oreorchis** (ex S. C. Chen) Lindl., Orchidaceae. (3 / 3). **(14).** 唇兰.

Kleinhovia Linn., Sterculiaceae. 1 / 1. **4.** 鹧鸪麻(面头棵).

Kmeria (Pierre) Dandy (1927), Magnoliaceae. 1 / 2. **7–4.** 单性木兰.

Knema Lour., Myristicaceae. 5 / 37 (–70 ±). **7.** 争光木.

Knoxia Linn., Rubiaceae. 1–2 / 15 –20. **7.** 红芽大戟.

Kobresia Willd., Cyperaceae. 32 / 40 –50. **8.** 嵩草.

Kochia Roth (A. J. Scott in Fedde (1978) 并入 Bassia All.), Chenopodiaceae. 7–10 / 35–90. **8–4.** 地肤.

Koeleria Pers. (100 microspecies), Gramineae. 3 / 50–60. **8–4.** 菭草.

Koelpinia Pall. (to N. Afr. and Himalaya), Compositae. 1 / 5. **12.** 蝎尾菊.

Koelreuteria Laxm. (S. W. to N. E. China, 1 in Fiji), Sapindaceae. 4–5 / 5. **14?.** 栾树.

Koenigia Linn., Polygonaceae. (1 / 8) 或 7 / 14 ?. **8–2.** 冰岛蓼.

Koilodepas Hassk. (= Coelodepas Kassk.), Euphorbiaceae. 1 / 7–10. **7.** 白茶树.

* *Koilosocarpus* Hu = **Camellia** Linn. (Yunnan), Theaceae. (1 / 1). **(15).** 空果茶.

* *Kokonoria* Y. Keng et K. H. Keng (1945) = **Lagotis** J. Gaertn., Scrophulariaceae.

Kolkwitzia Graebn. (Shaanxi to Shanxi), Caprifoliaceae. 1 / 1. **15.** 猬实.

Kopsia Bl., nom. conserv., Apocynaceae. 3–4 / 30. **7.** 蕊木.

Korovinia Nevski et Vved., Umbelliferae. 1 / 3. **13.** 天山芹.

Korthalsella van Tiegh. (Pseudixus Hayata) (to Japan & Himal., to Malgasch), Loranthaceae. 1 / 25(–45). **2.** 栗寄生.

* *Koyamacalia* H. Robinson & Bretell (1973), p. pmin., quoad typo = **Hasteola** Rafin. = Cacalia auct. pl. Fl. As. Or non L., Compositae. (1 / 1). **(10).** 戟叶菊.

* *Krascheninikovia* Turcz. ex Endl.

(1840) non Gueldenstaedt (1772) = **Pseudostellaria** Pax, Caryophyllaceae. (10/15). **(11).** 孩儿参.

Kraschaninikovia Gueldenst. (1772) = Eurotia auct. non Adans. = Cerato-ides auct. non Gagneb., Chenopodiaceae. 4–5/6–8. **8.** 驼绒藜.

Krasnovia Popov ex Schischk., Umbelliferae. 1/1. **13.** 块茎芹.

Krylovia Schischkin (to C.Asia) (not in Ind. Nom. Gen.), Compositaeae. 2/4. **11.** 岩菊.

* *Kudoa* Masamune = Gentiana Linn., Gentianaceae.

?**Kudoacanthus** Hosokawa (Taiwan), Acanthaceae. 1/1. **15.** 银脉爵床.

Kummerowia A. K. Schindl. (to Siberia), Papilionaceae. 2/2. **14(SJ).** 鸡眼草.

Kungia K. C. Fu, Crassulaceae. 2 川北至甘东南/2. **15.** 孔岩草.

* *Kuromatea* Kudo (1930) (based on Querceus glabra) = **Lithocarpus** Bl., Fagaceae.

* *Kurrimia* Wall. ex Thw. = **Bhesa** Buch. –Ham. ex Arn. (1 sp. in Guangxi) Celastraceae. (1/5). **(7).** 库林木.

Kydia Roxb., Malvaceae. 1/2. **7–2.** 翅苞槿(翅果麻).

Kyllinga Rottb., nom. conserv. (to Subtr.), Cyperaceae. 6/60. **2.** 水蜈蚣.

Lablab Adans. (W. to Medit.), Papilionaceae. 1/1. **1.** 扁豆.

* **Laburnum** Fabr., Papilionaceae. 1/4. **(1).** 毒豆.

* *Lacaitaea* Brand = **Trichodesma** R. Br., Boraginaceae.

Lachnoloma Bunge, Cruciferae. 1/1. **13.** 绵果荠.

Lactuca Linn., Compositae. 40±/118. **10–3.** 莴苣.

* **Lafoensia** Vandelli (Trop. Amer.), Lythraceae. 1/12±. **(3).** 丽薇.

Lagarosiphon Harv. (1841) (= Nechamandra Planch. (1849)), Hydrocharitaceae. 1/10±(–15). **6.** 软骨草.

Lagarosolen W. T. Wang (E. Yunnan), Gesneriaceae. 1/1. **15.** 细管苣苔.

Lagenaria Ser. (to Temp.), Cucurbitaceae. 1/6. **6.** 葫芦.

Lagenifera Cass. (1816) (Lagenophora Cass. (1818)) (to Japan & New Zeal.), Compositae. 1/30. **2–1.** 瓶头菊.

Lagerstroemia Linn. (to Subtr.), Lythraceae. 16/53. **5.** 紫薇.

Laggera Schulz–Bip. ex K. Koch (1847) (to Subtr.), Compositae. 2/20±. **6.** 臭灵丹(六棱菊).

Lagochilus Bunge ex Benth (1834) (Chlainanthus Briq. (1896), Lagochilopsis Knorr. (1966)), Labiatae. 11/35±. **13.** 兔唇花.

Lagodium Sojak (1961), emend. C. Shih (1988), Compositae. 1/1. **10.** 山莴苣.

Lagopsis (Bunge ex Benth.) Bunge, Labiatae. 3/4. **10.** 夏至草.

Lagoseris M. –Bieb., Compositae. 1/5(–10)±. **12.** 兔苣.

Lagotis J. Gaertn. (Kokonoria Keng et Keng f.), Scrophulariaceae. 15/20. **8–2.** 兔耳草.

* **Lagurus** Linn. (Medit.), Gramineae. 1/1. **(12).** 兔尾草.

Lallemantia Fisch. et Meyer, Labiatae. 1/5. **13–3.** 扁柄草.

Lamiastrum Fabr. ex Ehrend. et Polatach. (Matsumurella Makino) (Ind. Nom. Gen. 作 Heister ex Fabr. (1759), Labiatae. 6 / 6. **10.** 小野芝麻.

Lamiophlomis Kudo, Labiatae. 1 / 1. **14(SH).** 独一味.

Lamium Linn. (to N. Afr.), Labiatae. 4 / 40 ± . **10.** 野芝麻.

Lancea Hook. f. et Thoms., Scrophulariaceae. 2 / 2. **14(SH).** 肉果草.

Lannea A. Rich., nom. conserv., Anacardiaceae. 1 / (7?)–7. **6.** 厚皮树.

Lansium Correa, Meliaceae. 1 / 6–7. **7.** 黄皮楝榔色木.

Lantana Linn., Verbenaceae. 1–2 / 75–150. **2–2.** 马缨丹.

Laportea Gaud., nom. conserv. (Sceptrocnide Maxim.)(to Temp.), Urticaceae. ?16 / 23. **2.** 艾麻.

Lappula v. Wolff (Ind. Nom. Gen. 作 Moench), Boraginaceae. 15 / 55. **8–4.** 鹤虱.

Lapsana Linn. ("Lampsana" Mill.), Compositae. 3 / 9. **10.** 稻槎菜.

Larix Mill., Pinaceae. 10 / 10–12 (–18). **8.** 落叶松.

Lasia Lour., Araceae. 1 / 3. **7.** 刺芋.

* *Lasiagrostis* Link = **Achnatherum** Beauv., Gramineae. (芨芨草).

Lasianthus Jack., nom. conserv. (to Subtr.), Rubiaceae. 32 ± / 180 ± . **2–2.** 粗叶木(鸡屎树).

* *Lasiobema* (Korth.) Miq. = **Bauhinia** Linn., Caesalpiniaceae. (2–3 / 10). **(7–1).**

Lasiocaryum I. M. Johnst. (Oreogenia I. M. Johnst. (1924), non Wats. (1871) ("Orogenia"), Boraginaceae. 3 / 7. **13–2.** 毛果草.

Lasiococca Hook. f., Euphorbiaceae. 1 / 3. **7.** 毛球木.

Lasiopus Cass. (= Piloselloides (Less.) C. Jeffr. ex Cufodontis) (1 in S. Afr.), Compositae. 1 / 2. **6.** 毛足菊.

Lathraea Linn., Orobanchaceae. 1 / 6 –7. **10.** 齿鳞草.

Lathyrus Linn., Papilionaceae. 5 (–30) / 130. **8–4.** 香豌豆.

Latouchea Franch. (N. E. Yunnan, Guizhou to Fujian), Gentianaceae. 1 / 1. **15.** 匙叶草.

Launaea Cass., Compositae. 6 / 40. **10–3.** 栓果菊.

* **Laurentia** Adans. (=Isotoma Lindl.), Lobeliaceae. 1 / 10. **(2–1).** 同瓣草.

Lauro–cerasus Duham., Rosaceae. 15 / 80. **2–2.** 桂樱.

* *Lauromerrillia* C. K. Allen = **Beilschmiedia** Nees (Hainan to Yunnan) Lauraceae. (1 / 1). **(15).**

* **Laurus** Linn. (Medit.), Lauraceae. 1 / 2. **(12).** 月桂.

* **Lavandula** Linn. (Medit. to Somali, India), Labiatae. 2 / 20(–28). **(12–4).** 熏衣草.

Lavatera Linn. (to Austr.), Malvaceae. 2 / 25 ± . **12–5.** 花葵.

* *Lawiella* Koidz. = **Cladopus** H. Moeller, Podostemaceae. (2 / 5). **(14).** 川苔草.

Lawsonia Linn., Lythraceae. 1 / 1. **4.** 指甲花.

Lecanorchis Bl. (absent in India, to Taiwan & Japan) (to Subtr.), Orchidaceae. 2 台 / 5–6 ± . **7.** 盂兰.